



WORK LIGHTING



INDOOR LIGHTING



# VELAMP<sup>®</sup>

HOME APPLIANCES

OUTDOOR LIGHTING



# 2021

GENERAL CATALOGUE



## Une histoire Italienne

Nées en 1906, les industries FRATELLI PAGANI ont accompagné le développement industriel de l'Italie depuis le début du siècle dernier.

Première usine de batterie en Italie, la compagnie lance et développe la première lampe portable au Monde. C'est le début d'une longue série d'innovations dans le domaine de la lumière portable:

- Invention de la première lampe torche.
- Création de la première lampe anti black-out
- Invention de la lampe frontale
- Invention de la lampe dynamo.

Le siège actuel de VELAMP INDUSTRIE, présente une superbe exposition des produits VELAMP depuis le début de l'aventure en 1906.

Les usines FRATELLI PAGANI, seront totalement détruites en 1943, par les bombardements des forces alliées. Après la seconde guerre mondiale, l'Italie est en pleine reconstruction, comme une grande partie de l'Europe. C'est la période du « Miracle Italien », le pays connaît un boom économique incroyable et les industries FRATELLI PAGANI, se lancent dans la production entre autre de lampes torche et lampes professionnelles pour les plus grandes marques du marché : Philips, Varta, Duracell, Rayovac...

La marque VELAMP a été créée en 1972 dans le but de permettre à l'entreprise de distribuer ses propres produits sous sa marque. Depuis ce moment, VELAMP n'a cessé de créer et d'innover dans le domaine de la lumière portable.

Pionnier sur son marché, VELAMP a toujours adapté ses produits aux évolutions techniques (Ex : arrivée des ampoules LED...) et anticipé la demande des consommateurs avec des produits designs et innovants.

Aujourd'hui, l'entreprise VELAMP INDUSTRIES, propriétaire de la marque VELAMP, entend bien poursuivre cette formidable histoire industrielle en se proposant sur le marché en tant que :

- Spécialiste de la lumière portable et de chantier
- Généraliste de l'éclairage
- Généraliste du matériel électrique

La force de ses valeurs (solidarité, progrès et performance), fait de VELAMP un acteur majeur de son marché, responsable et avant-gardiste pour toujours.



## Una historia italiana

VELAMP nació en 1972. Es acrónimo de VENEGONO LAMPADE, ciudad de la gran fábrica de equipos agrícolas FRATELLI PAGANI spa. Nació en 1906, las industrias FRATELLI PAGANI, han acompañado el desarrollo industrial italiano desde principios del siglo pasado.

Primera fábrica de baterías en Italia, la Compañía desarrolla y pone en marcha la primera lámpara portátil en el mundo. Este es el comienzo de una larga serie de innovaciones en el ámbito de la luz portátil:

- Invencción de la primera antorcha.
- Creación de la primera luz de seguridad
- Invencción de la luz frontal
- Invencción de la lámpara con dinamo.

La sede actual de VELAMP INDUSTRIA, tiene una magnífica exposición de productos VELAMP desde el comienzo de la aventura en 1906.

Las fábricas FRATELLI PAGANI, seran completamente destruida en 1943 por los bombardeos de las fuerzas aliadas. Después de la Segunda Guerra Mundial, Italia se está reconstruyendo, al igual que gran parte de Europa. Este es el período del "milagro italiano", el país está viviendo un auge económico increíble y las industrias FRATELLI PAGANI lanzan la producción, entre otras de lámparas y luces de trabajo profesionales para las marcas más importantes del mercado: Philips, varta, Duracell Rayovac...

VELAMP fue creado con el fin de poder distribuir estos productos con su marca en el mercado italiano. Desde entonces VELAMP ha continuado a innovar en el campo de la lámpara portátil. Pionera en su mercado, VELAMP siempre ha adaptado sus productos a los avances técnicos (por ejemplo, la llegada de las bombillas LED ...) y ha anticipado la demanda de los consumidores con diseño y productos innovadores.

Hoy en día la empresa VELAMP INDUSTRIES, es propietaria de la marca.

Hoy, VELAMP INDUSTRIES SRL, propietaria de la marca VELAMP, tiene la intención de continuar esta historia proponiéndose en el mercado como:

- Especialista en productos de iluminación portátiles y de construcción.
- Generalista de iluminación...
- Generalista de material eléctrico.

La fuerza de sus valores (solidaridad, progreso y rendimiento), hace de VELAMP un importante actor en el mercado, responsable y con visión de futuro para siempre.



## Eine italienische Geschichte

VELAMP entstand 1972 als Abkürzung von VENEGONO LAMPADE nach dem Ort, wo sich das größte Produktionswerk der damaligen FRATELLI PAGANI Spa befand. Das Unternehmen FRATELLI PAGANI hat seit 1906 die Entwicklung Italiens das ganze letzte Jahrhundert hindurch begleitet.

Als erste Batterie-Fabrik Italiens begann das Unternehmen, in die Entwicklung der weltweit ersten Taschenlampen zu investieren. Es folgte eine Reihe von Innovationen, die noch bis heute fort dauern:

- Entstehung der ersten Taschenlampe
- Entstehung der ersten Anti-Blackout-Lampe
- Schaffung der ersten Stirnlampe
- Erfindung der ersten Dynamolampe

Frattelli Pagani begleitete auch die Geschichte des Landes als Hersteller für die Streitkräfte.

1943 wird das Hauptwerk des Unternehmens von englischen und amerikanischen Bombern völlig zerstört. Nach dem Zweiten Weltkrieg erfand sich der Betrieb neu. Es sind die Jahre des „italienischen Wunders“, und der Betrieb beginnt, Taschenlampen hauptsächlich für die bekanntesten Namen dieses Sektors zu produzieren: Duracell, Rayovac, Varta Philips...

VELAMP wurde geschaffen mit dem Ziel, dem Betrieb ein italienisches Markenzeichen zu geben. Seitdem hat VELAMP sich weiterentwickelt und die Innovation vorangetrieben, um immer neue Antworten für den Bedarf an tragbarem Licht bereitzustellen.

Als Pionier auf dem Markt hat es VELAMP immer verstanden, sofort auf die technischen Revolutionen (Entwicklung des Tauchens, Erfindung der LED...) zu reagieren, um dem Markt zuvorzukommen und immer effizientere Produkte in immer neuem Design anzubieten.

Heute will VELAMP INDUSTRIES SRL, Inhaber der Marke VELAMP, diese Geschichte fortsetzen und präsentiert sich auf dem Markt als:

- Ein Spezialist für mobile Beleuchtung und Arbeitsplatzbeleuchtung
- Ein Allrounder der Beleuchtung
- ein Anbieter für Elektromaterialien

Die Stärke seiner Werte (Solidarität, Fortschritt, Leistung) machen VELAMP zu einem wichtigen Akteur auf dem Markt: voller Verantwortung und einen Schritt voraus. Immer.



# Una storia italiana



VELAMP nasce nel 1972 come acronimo di VENEGONO LAMPADE, sito della maggiore unità produttiva dell'allora Fratelli Pagani Spa. Nata nel 1906, la Fratelli Pagani ha accompagnato l'evoluzione dell'Italia lungo tutto il secolo.

Prima fabbrica di batterie nel Bel Paese, l'azienda cominciò ad investire per sviluppare le prime lampade portatili. Cominciò una lunga serie di innovazioni ancora in uso:

- Nascita del primo astuccio
- Nascita della prima lampada antiblack-out
- Creazione della prima lampada da testa
- Invenzione della lampada a dinamo.

Fratelli Pagani accompagnò anche la Storia del paese: produttore per le forze armate, il suo principale stabilimento fu rasato al suolo nel 1943 dai bombardieri anglo-americani. Dopo guerra l'azienda si reinventò e seguendo il miracolo italiano cominciò a produrre lampade portatili principalmente per i nomi più conosciuti del mestiere: Duracell, Rayovac, Varta, Philips... VELAMP fu creata per dare un marchio italiano all'azienda.

Da allora VELAMP ha continuato ad evolvere ed innovare per dare delle risposte sempre più nuove ai bisogni di lighting portatile dei consumatori. Pioniere sul mercato, VELAMP ha sempre saputo interpretare le rivoluzioni tecniche (sviluppo del sub, arrivo del LED...) per anticipare il mercato e proporre prodotti sempre più design ed efficienti.

Oggi, VELAMP INDUSTRIES SRL, proprietaria del marchio VELAMP, intende continuare questa storia proponendosi sul mercato come:

- Specialista dei prodotti di illuminazione portatile e da cantiere
- Generalista dell'illuminazione
- Generalista del materiale elettrico

Forte dei suoi valori: Solidarietà, Progresso, Performance, VELAMP si propone come un attore fondamentale del mercato: responsabile e all'avanguardia. Sempre.



## An italian tale

VELAMP was born in 1972 as an acronym of VENEGONO LAMPADE, town of the biggest production plant of former Fratelli Pagani Spa. Founded in 1906, Fratelli Pagani has accompanied the evolution of Italy throughout the century.

First battery factory in Italy, the firm started to invest and developed the first portable lamps. So started a long series of innovative products that will still use everyday:

- Invention of the first flashlight
- Creation of the first anti black-out lamp
- Invention of the first headlamp
- Invention of dynamo lamp

Fratelli Pagani was an actor in Italian History: as a supplier of the Italian armed forces its main factory was totally destroyed by the anglo-american bombings in 1943. After WWII the Company started its business from scratch and following the "Italian Miracle" produced portable lamps, mainly for the major actors of the market: Duracell, Rayovac, Varta, Philips....

VELAMP was created with the aim to give an Italian brand to the Company.

From this moment on VELAMP has continued to evolve and innovate, so as to give answers to the always renewed needs for portable lighting. Pioneer on its market, VELAMP has always known how to interpret the technical evolutions (development of scuba diving, invention of the LED...) to anticipate the market and offer design and innovative products.

Today, VELAMP INDUSTRIES SRL, owner of the VELAMP brand, intends to continue this story, presenting itself on the market as:

- A specialist of the portable and jobsite lighting
- A generalist of the lighting
- A generalist of the electrical materials

The strength of its values (Solidarity, Progress, Performance) makes VELAMP a fundamental actor on this market: responsible and one step ahead. Always.





## Work lighting


**TORCE E ASTUCCI USO PROFESSIONALE** *Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles / Linternas y petacas para uso profesional / Professionelle Taschenlampen* **Pag. 6**

**LUCI FRONTALI** *Headlamps / Lumières frontales / Iluminacion frontales / Stirnleuchten* **Pag. 11**

**LAMPADIE DA LAVORO** *Worklights / Lampes de travail portatives / Lamparas portatiles para talleres y trabajo / Arbeitsleuchten* **Pag. 19**

**FARI USO PROFESSIONALE** *Professional spotlights / Phares pour usage professionnel / Focos para uso profesional / Arbeitsleuchten* **Pag. 23**

**PROIETTORI USO PROFESSIONALE** *Professional floodlights / Projecteurs pour usage professionnel / Projectores para uso profesional / Professionelle Scheinwerfer* **Pag. 32**



## Outdoor lighting

**PLAFONIERE STAGNE** *Waterproof lights / Réglettes IP65 / Plafones de techo para exterior / Wannenleuchten* **Pag. 40**

**PLAFONIERE TONDE** *Ceiling lamps / Plafonniers / Plafon / Deckenlampe* **Pag. 46**

**APPLIQUE DA ESTERNO** *Bulkheads / Hublots / Applique / Wandleuchte* **Pag. 52**


**SPOT DA ESTERNO** *Outdoor spotlights / Spots extérieurs / Focos de exterior / Außenstrahler* **Pag. 60**

**PROIETTORI SMD** *SMD spotlights / Projecteurs SMD / Projectores SMD / SMD-Strahler* **Pag. 64**

**CATENARIE LUMINOSE** *Extendable light chains / Guirlandes lumineuses / Guirnaldas luminosas / Ausziehbare Lichterkette* **Pag. 70**

**LUCI PER IL GIARDINO** *Garden lights / Lumières d'extérieur / Luces para jardin / Gartenleuchten* **Pag. 77**

**SOLARE & AUTONOMO** *Solar lighting / Eclairage solaire / Iluminacion con carga solar / Solarbeleuchtung* **Pag. 87**





# Indoor lighting

<b>REGLETTE LED</b> / LED bar lights / Réglettes LED / Regletas de LED / LED-Linienlampen	<b>Pag. 102</b>
<b>PANNELI LED</b> LED panels / Panneaux LED / Paneles de LED / LED-panels	<b>Pag. 104</b>
<b>PLAFONIERE TONDE</b> / Ceiling lamps / Plafonniers / Plafon / Deckenlampe	<b>Pag. 106</b>
<b>SOSPENSIONI</b> Lamp holders / Suspensions / Lamparas de suspen- cion / Lampenhalterungen	<b>Pag. 114</b>
<b>LAMPADIE DA TAVOLO</b> Desk lamps / Lampes de bureau / Flejos / Tischlampen	<b>Pag. 116</b>
<b>LAMPADIE CON LENTE</b> Magnifier lamps / Lampes avec loupe / Lamparas con lupa / Lupenleuchten	<b>Pag. 126</b>
<b>LUCI DA LETTURA</b> Reading lights / Lampes de lecture / Luces de lectura / Leselichter	<b>Pag. 131</b>
<b>LUCI DI SICUREZZA FISSE</b> / Wall emergency lamps / Blocs de secours / Luminarias par illuminación de emergencia / Sicherheitswand- leuchten	<b>Pag. 133</b>
<b>LUCI DI SICUREZZA PORTATILI</b> / Portable emergency lamps / Lampes portatives rechargeables anti coupures de courant / Lam- paras recargables portátiles anti black-out / Tragbare Notleuchten	<b>Pag. 134</b>
<b>LUCI NOTTURNE</b> / Nightlights / Veilleuses / Luzes nocturnas / Nachtlampen	<b>Pag. 138</b>
<b>LUCI PER ARMADI</b> Closet lighting / Lumières pour armoires / Luzes de armarios / Schrankbe- leuchtung	<b>Pag. 141</b>
<b>TORCE USO DOMESTICO</b> Flashlights for domestic use / Lampes torches pour usage domestique / Linter- nas para uso domestico / Taschenlampen für den Hausgebrauch	<b>Pag. 145</b>



# Home appliances & electric materials

<b>RISCALDATORI</b> Domestic fan heaters / Petit chauffage domestique / Calefactores domesticos / Kleine Heizlüfter für den Hausgebrauch	<b>Pag. 148</b>
<b>VENTILATORI</b> Fans / Ventilateurs / Ventiladores / Ventilatoren	<b>Pag. 155</b>
<b>ANTIZANZARE</b> Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz	<b>Pag. 166</b>





<b>DOMOTICA</b> <i>Domotics / Domotique / Domotica / Domotik</i>	<b>Pag. 174</b>
<b>ADATTATORI DA VIAGGIO</b> <i>Travel adaptors / Adaptateurs de voyage / Adaptador de viaje / Adapter für Reisen</i>	<b>Pag. 178</b>
 <b>SPINE, PRESE E ADATTATORI</b>	<b>Pag. 179</b>
 <b>MULTIPRESE ELETTRICHE</b>	<b>Pag. 182</b>
 <b>PROLUNGHE ELETTRICHE</b>	<b>Pag. 184</b>
  <b>AVVOLGITORI</b>	<b>Pag. 186</b>
 <b>FICHES ET PRISES</b>	<b>Pag. 188</b>
 <b>BLOCS MULTIPRISES</b>	<b>Pag. 189</b>
 <b>PROLONGATEURS</b>	<b>Pag. 190</b>
 <b>ENROULEURS BRICOLAGE</b>	<b>Pag. 192</b>
<b>MULTIMETRI DIGITALI</b> <i>Digital multimeters / Multimètres digitaux / Multimetros digitales / Digitales Multimeter</i>	<b>Pag. 193</b>
<b>CERCAFASE</b> <i>Voltage testers / Testeurs de voltage / Comprobares de voltajes /</i>	<b>Pag. 194</b>
<b>MORSETTIERE PER CAVI ELETTRICI</b> <i>Terminals blocks / Bornes de raccordement / Regleta Clema / Anschlussklemme für elektrische Kontakte</i>	<b>Pag. 194</b>
<b>FASCETTE PER CABLAGGIO IN NYLON</b> <i>Nylon Cable ties / Serre-câbles en nylon / Bidas Nylon / Nylonkabelbinder</i>	<b>Pag. 195</b>
<b>ACCESSORI VARI</b> <i>Electrical accessories / Accessoires divers / Varios accesorios / Verschiedenes Zubehör</i>	<b>Pag. 197</b>
<b>CAVI DI RETE E ACCESSORI</b>	<b>Pag. 198</b>
<i>Network cables and accessories / Câbles réseau et accessoires / Cables y accesorios de red / Netzwerkkabel und Zubehör</i>	
<b>ESPOSITORI DA BANCO</b>	<b>Pag. 200</b>
<i>Displays / Présentoirs / Expositores / Display</i>	
<b>LUMINI VOTIVI</b> <i>Votive lights / Lumières votives / Velas votivas / Votivlichter</i>	<b>Pag. 208</b>
<b>PILE ZINCO CARBONE</b> <i>Zinc-Carbon / Salines / Salinas / Zink-Kohle</i>	<b>Pag. 210</b>
<b>PILE ALCALINE</b> <i>Alkaline / Alkaline / Alcalinas / Alkaline</i>	<b>Pag. 211</b>
<b>PILE LITIO</b> <i>Lithium / Lithium / Lito / Lithium</i>	<b>Pag. 212</b>
<b>PILE RICARICABILI</b> <i>Rechargeable / Rechargeables / bRecarables / Batterieladegerät</i>	<b>Pag. 214</b>
<b>BATTERIE AL PIOMBO RICARICABILI</b> <i>Rechargeable lead acid batteries / Batteries au plomb rechargeables / Baterias recargables al plomo / Wiederaufladbare Bleibatterien</i>	<b>Pag. 215</b>
	<b>Pag. 218</b>
<b>ESPOSITORI</b> <i>Displays / Présentoirs / Expositores / Spannungsprüfer</i>	<b>Pag. 220</b>



Le immagini sono fornite al solo scopo illustrativo e non costituiscono elemento contrattuale. Velamp Industries S.r.l. si riserva di apportare, in qualsiasi momento, ogni modifica ritenuta necessaria.  
 All images are for illustrative purposes only and do not constitute a contractual element. Velamp Industries S.r.l. reserves the right, in any given moment, to make necessary changes if required.  
 Photos et caractéristiques non contractuelles. Velamp Industries et ses filiales se réservent le droit de modifier sans préavis les caractéristiques techniques ou esthétiques de tout produit.  
 Las imágenes tienen fin ilustrativo y no constituyen elementos contractuales. Velamp Industries S.r.l. se reserva el derecho a efectuar en cualquier momento y sin previo aviso las modificaciones que considere oportunas. Die Bilder dienen der Veranschaulichung und stellen keine vertraglichen Inhalte dar. Velamp Industries S.r.l. behält sich das Recht vor, jederzeit technische Änderungen und Änderungen am Design vorzunehmen.



**Work lighting**



### PENLED05 - PENLITE LED

Penna luminosa LED  
LED penlight  
Crayon lumineux LED  
Boligrafo LED  
LED-Minitaschenlampe



0,5W

PENLED05



COD.									Packing	Inner Pces	Master Pces
<b>PENLED05</b>	1 Super LED 0,5W	30 Lm	6 m	6 hrs	Focus light	136 x 140 mm	2 x AAA/LR03 (not included)	AL	Blister F2	12	96

### IF06B

Lampada da ispezione 3 LED con clip e calamita  
3 LED inspection light with clip and magnet  
Lampe d'inspection 3 LED avec clip et aimant  
Lámpara de inspección 3 LED avec clip y iman  
Inspektionslampe 3 LED mit Clip und Magnet



IF06B



COD.									+	Packing	Inner Pces	Master Pces
<b>IF06B</b>	3 LED Standard	10 Lm	10 mt	3 hrs	Focus light	22 x 15 x 170 mm	4 x LR44 (included)	AL	Magnet base, magnet head, Clip	Blister F6	12	48

### IS314 - PROLED

Penlite LED con clip  
LED penlite with clip  
Penlite LED avec clip  
Linterna boligrafo LED  
Penlite LED mit Clip



2W COB

150 LUMEN

IS314



COD.									Packing	Inner Pces	Master Pces
<b>IS314</b>	2W COB 1W High power LED	150 Lm	15 m	Panel: 7 hrs Flashlight: 15 hrs	Diffuse + Focus light	170 x 30 x 15 mm	3 x AAA/LR03 (not included)	ABS	Blister F2	6	48



## TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles /  
Linternas y petacas para uso profesional / Professionelle Taschen- und Stablampen

### RUBBER LED

Torcia rubber LED  
Rubber LED flashlight  
Torche LED en caoutchouc  
Linterna LED de caucho natural  
LED-Taschenlampe aus Kautschuk



IRUB1LED



COD.									+	Packing	Inner Pcs	Master Pcs
<b>IRUB1LED</b>	3 Super LED	12 Lm	20 mt	30 hrs	Focus light	150 x 42 ø mm	2 x AA/LR6 (not included)	Rubber	Wrist band	Blister F2	12	72

### RUBBER LED

Torcia rubber LED  
Rubber LED flashlight  
Torche LED en caoutchouc  
Linterna LED de caucho natural  
LED-Taschenlampe aus Kautschuk



IRUB2LED



COD.									+	Packing	Inner Pcs	Master Pcs
<b>IRUB2LED</b>	3 Super LED	12 Lm	30 mt	30 hrs	Focus light	205 x 73 ø mm	2 x D/LR20 (not included)	Rubber	Wrist band	Blister F6	12	48

### RUBBER LED

Torcia rubber LED  
Rubber LED flashlight  
Torche LED en caoutchouc  
Linterna LED de caucho natural  
LED-Taschenlampe aus Kautschuk



IRUB3LED



COD.									+	Packing	Inner Pcs	Master Pcs
<b>IRUB3LED</b>	3 Super LED	12 Lm	30 mt	30 hrs	Focus light	270 x 73 ø mm	3 x D/LR20 (not included)	Rubber	Wrist band	Blister F5	12	48



Work lighting



### IN240 - ADVENTURE

Torcia metallica 9 LED  
9 LED metal flashlight  
Torche métallique 9 LED  
Linterna de metal LED 9LED  
Metalltaschenlampe 9 LED




IN240



COD.									IP	+	Packing	Inner Pces	Master Pces
<b>IN240</b>	9 Super LED	25 Lm	>20 mt	15 hrs	Focus light	100 x 32 ø mm	3 x AAA/LR03 (not included)	AL	IPX4	Folder	Blister F2	6	24

### IM42 - KOST

Torcia LED 3W CREE®  
3W CREE® LED flashlight  
Torche 3W CREE® LED  
Linterna de LED 3W CREE®  
Taschenlampe 3W CREE® LED



IM42



COD.									IP	Packing	Inner Pces	Master Pces
<b>IM42</b>	3W CREE® XPE R3 LED	140 Lm	120 mt	12 hrs	Adjustable	28 x 28 x 156 mm	2 x AA/LR6 (not included)	AL	IPX5	Blister F2	6	72

## TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles /  
Linternas y petacas para uso profesional / Professionelle Taschen- und Stablampen



### IN247 - STEEL 10W

Torcia con zoom in alluminio LED 10W  
10W LED aluminium flashlight with zoom  
Torche en aluminium 10W LED avec zoom  
Linterna de metal 10W LED con zoom  
Aluminium-Taschenlampe 10W LED mit Zoom



IN247



COD.									+	Packing	Inner Pces	Master Pces
IN247	10W High power LED	350 Lm	300 mt	24 hrs	Focus / Diffuse Light	40 x 40 x 137 mm	3 x AAA/LR03 (not included)	AL	Wrist band	Blister F2	6	48

### IR547 - STEEL RECHARGEABLE 10W

Torcia con zoom in alluminio LED 10W  
10W LED aluminium flashlight with zoom  
Torche en aluminium 10W LED avec zoom  
Linterna de metal 10W LED con zoom  
Aluminium-Taschenlampe 10W LED mit Zoom



Rechargeable



IR547



COD.									+	Packing	Inner Pces	Master Pces
IR547	10W High power LED	350 Lm	300 mt	2 hrs	Focus / Diffuse Light	40 x 40 x 137 mm	- 3 x AAA/LR03 (not included) - 18650 lithium battery: 3.7V 2000mAh (included)	AL	Suitcase		6	24



## TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles /  
Linternas y petacas para uso profesional / Professionelle Taschen- und Stablampen

Work lighting

### IM38 - AIRPORT

Torcia metallica LED 10W + cono rosso di segnalazione  
10W LED metal flashlight + red signal cone  
Torche LED 10W metallique + cône rouge de signalisation  
Linterna LED 10W de metal + cono rojo de señalización  
10W LED Taschenlampe aus Metall + roter Signalkegel



COD.									+	Packing	Inner Pcs	Master Pcs
IM38	10W High power LED	350 Lm	300mt	10 hrs	Focus / Diffuse Light	ø 37 x 133mm	3 x AAA/LR03 (not included)	AL	Wrist band + Red cone Light 100%/50%/Strobe/SOS	Blister F5	6	24

### LC350 - CHEMIN DE FER 2

Astuccio in plastica  
Plastic pocket lamp  
Lampe de poche en plastique  
Petaca de plastico  
Plastische Taschenlampe

RED FILTER



GREEN FILTER



BACK VIEW



COD.									+	Packing	Inner Pcs	Master Pcs
LC350	3 Super LED	15 Lm	15 mt	60 hrs	Focus light	124 X 70 X 43 mm	3R12 or 3 x AA (not included)	ABS + PC	3 x AA Adaptor / Morse button / Red and green filters	Shrink	6	24

### IS419 - WARNING

Triangolo luminoso LED con torcia e calamita  
LED triangle with flashlight and magnet  
Triangle LED lumineux avec torche et aimant  
Triángulo LED luminoso con linterna e imán  
ED Leuchtdreieck mit Taschenlampe und Magnet



NEW



COD.									+	Packing	Inner Pcs	Master Pcs
IS419	3W COB LED	300 Lm	15 mt	Central LED 100%: 15 hrs, Central LED 50%: 24 hrs	Focus light	95 x 30 x 95 mm	3 x AAA/LR03 (not included)	ABS	Magnet, metal hook	Blister F4	6	48

## LUCI FRONTALI

Headlamps / Lumières frontales / Iluminacion frontales / Stirnleuchten

### IH510.DL

Lampada da testa LED 1W  
1 W LED headlamp  
Lampe frontale, 1W LED  
Linterna de cabeça LED 1W  
Stirnleuchte 1W LED



Work lighting

1W

IH510.DL



COD.									+	Packing	Inner Pces	Master Pces
<b>IH510.DL</b>	1W high power LED	40 Lm	30 mt	10 hrs	Focus light	ø 42,5 x 93 mm	3 X AAA/LR03 (not included)	ABS	Flash, 100%, 50%	Blister F2	6	24

### IH522 - ZEUS

Lampada da testa COB LED  
LED COB headlamp  
Lampe frontale LED COB  
Linterna frontal LED COB  
LED-Stirnleuchte COB



3W COB

IH522



COD.									+	Packing	Inner Pces	Master Pces
<b>IH522</b>	3W COB LED	120 Lm	5 mt	8 hrs	Diffuse light	58 x 39 x 43 mm	3 x AAA/LR03 (not included)	ABS	Blister F2	6	72	

Work lighting

### IH523 - METROS

Lampada frontale 2W ricaricabile con interruttore a rilevazione di movimento  
 2W LED rechargeable headlamp with motion sensor switch  
 Lampe frontale 2W rechargeable avec interrupteur à détecteur de mouvement  
 Linterna frontal 2W recargable con interruptor y sensor de movimiento  
 Stirnleuchte mit 2W, wiederaufladbar, mit Bewegungsmelder für An / Aus



#### SENSOR LIGHT



Rechargeable

IH523



ANTIGLARE



COD.										Packing	Inner Pces	Master Pces
IH523	2W COB LED	150 Lm	10 mt	High: 3 hrs Low: 6 hrs	Diffuse light	70 x 30 mm	Li-poly 500mAh 3.7V (included)	ABS + PC	+	50 cm USB cable Blister F4	6	48

### IH535 - ARGO ZOOM EVO

Lampada da testa LED 6W con zoom  
 Head lamp LED 6W with zoom function  
 Lampe frontale LED 6W avec fonction zoom  
 Linterna frontal LED 6W con zoom  
 Stirnleuchte LED 6W mit Zoomfunktion



IH535



COD.									Packing	Inner Pces	Master Pces	
IH535	6W CREE® XPG3	400 Lm	70 mt	High: 70 hrs Low: 40 hrs	Focus light + Diffuse light	90 x 70 x 75 mm	3 x AA/LR6 (not included)	ABS + PC + PMMA	+	Blister F4	6	36


# LIGHTHOUSE

*Rechargeable LED beanies*





# USB RECHARGEABLE!



RED: BATTERY CHARGING



GREEN: BATTERY FULLY CHARGED



READY FOR USE



EASY ACCESS



## CAP01 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



LIGHT GREY

CAP01



COD.									Packing	Inner Pces	Master Pces
CAP01	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

## CAP02 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



DARK GREY

CAP02



COD.									Packing	Inner Pces	Master Pces
CAP02	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48



## LUCI FRONTALI

Headlamps / Lumières frontales / Iluminación frontales / Stirnleuchten



Work lighting

### CAP03 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



BLACK

CAP03



COD.									Packing	Inner Pces	Master Pces
CAP03	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP04 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



NAVY BLU

CAP04



COD.									Packing	Inner Pces	Master Pces
CAP04	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP05 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



OLIVE GREEN

CAP05



COD.									Packing	Inner Pces	Master Pces
CAP05	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP06 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



CAMOUFLAGE

CAP06



COD.									Packing	Inner Pces	Master Pces
CAP06	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48



### CAP07 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**YELLOW LIME**

CAP07



COD.									Packing	Inner Pces	Master Pces
<b>CAP07</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP08 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**RED**

CAP08



COD.									Packing	Inner Pces	Master Pces
<b>CAP08</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP09 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**WHITE**

CAP09



COD.									Packing	Inner Pces	Master Pces
<b>CAP09</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP10 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**ORANGE**

CAP10



COD.									Packing	Inner Pces	Master Pces
<b>CAP10</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

## LUCI FRONTALI

Headlamps / Lumières frontales / Iluminación frontales / Stirnleuchten



### CAP11 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**PINK**

CAP11



COD.									Packing	Inner Pces	Master Pces
<b>CAP11</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP15 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**"ROSSONERO"**

CAP15



COD.									Packing	Inner Pces	Master Pces
<b>CAP15</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP16 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**"NERAZZURRO"**

CAP16



COD.									Packing	Inner Pces	Master Pces
<b>CAP16</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP17 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



**"BIANCONERO"**

CAP17



COD.									Packing	Inner Pces	Master Pces
<b>CAP17</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48



Work lighting

### CAP18 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



U.S.A.

CAP18



COD.									Packing	Inner Pces	Master Pces
<b>CAP18</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### CAP19 - LIGHTHOUSE

Berretto LED ricaricabile  
Rechargeable LED beanie  
Bonnet LED rechargeable  
Gorro con luz LED recargable  
Mütze mit LED, wiederaufladbar



ITALY

CAP19



COD.									Packing	Inner Pces	Master Pces
<b>CAP19</b>	SMD LED	100 Lm	20 m	2 hrs	Focus light	220 x 200 mm	Lithium polymer 250 mAh (included)	100% Acrylic	Plastic hanger	6	48

### EXPOCAP2 - LIGHTHOUSE

Espositore dimostrativo da banco  
Over the counter display  
Présentoir de démonstration  
Expositor de banco  
Thekenaufsteller



EXPOCAP2



## LAMPADE DA LAVORO

Worklights / Lampes de travail portatives / Lamparas portatiles para talleres y trabajo / Arbeitsleuchten

### IS404 - TRANSFORMER

Luce da lavoro 3W LED COB  
3W LED COB worklight  
Lumière de travail 3W LED COB  
Luz de trabajo 3W LED COB  
Arbeitslampe 3W LED COB



IS404



COD.										Packing	Inner Pces	Master Pces
<b>IS404</b>	1 High power LED 0,5W + 3W COB LED	30 Lm + 200 Lm	20 mt	35 hrs	Diffuse / Focus light	60 x 50 x 230 mm	3 x AA/LR6 (not included)	ABS + PS	Hook, magnet, bracket	Blister F5	6	48

### IR471 - DAVY

Lampada da lavoro LED ricaricabile multifunzione  
LED Rechargeable multifunction work lamp  
Lampe de travail multifonction rechargeable  
Lámpara para taller LED recargable  
Multifunktionale aufladbare LED Arbeitsleuchte



IR471



COD.										Packing	Inner Pces	Master Pces
<b>IR471</b>	3W COB LED (panel) 3W LED (torch)	Panel: 150 Lm Torch: 60 Lm	2,5 hrs	Diffuse + Focus Light	155 x 40 x 20 mm	Li-Ion 3,7V 1200mAh (18650) (Included)	5V === 1000mA	ABS + PC	50 cm micro USB cable, Hook, Magnet	Display: 6 pces of Blister F5	6	48

**IS475 - HANDY WORK**

Lampada da lavoro ricaricabile multifunzione

Rechargeable multifunction work lamp

Lampe de travail multifonction rechargeable

Lámpara para taller LED recargable

Multifunktions-Arbeitslampe wiederaufladbar

3W



Rechargeable

IS475



COD.									Packing	Inner Pces	Master Pces
IS475	3W SMD LED (6 pcs)	300 Lm	8 hrs (50%) 4 hrs (100%)	Diffuse Light	Lamp: 58 x 40 x 240 mm Lamp+base: 70 x 100 x 265 mm	Li-Ion 3,7V 2200mAh (18650) (Included)	230V ~50 Hz 5V == 1A	ABS	Blister F5	6	24

**IR439 - KUBRIK**

Lampada da lavoro LED ricaricabile multifunzione

LED rechargeable multifunction work lamp

Lampe de travail LED rechargeable multifonctions

Lámpara de trabajo multifunción LED recargable

Multifunktionale aufladbare LED Arbeitsleuchte



5W



Rechargeable



IP42



MAGNET



HOOK

IR439



NEW



COD.									+	Packing	Inner Pces	Master Pces
IR439	5W COB LED (panel) 3W High power LED (torch)	Panel: 350 Lm Torch: 150 Lm	3 hrs (panel) 5 hrs (torch)	Diffuse Light + focus	150 x 37 x 30 mm (folded size) 250 x 37 x 30 mm (expanded size)	Li-Ion 3,7V 2000mAh (18650) (Included)	5V == 1000A max	PC + AL	50 cm micro USB cable, Hook, Magnet	Blister F6	6	48

## LAMPADE DA LAVORO

Worklights / Lampes de travail portatives / Lamparas portatiles para talleres y trabajo / Arbeitsleuchten

### IS575 - LIGHT STICK

Lampada da lavoro ricaricabile 3W COB LED  
 3W LED COB Rechargeable worklight  
 Baladeuse rechargeable 3W COB LED  
 Lampara para taller recargable 3W COB LED  
 Wiederaufladbare LED-Werkstattlampe



Rechargeable

IS575



Work lighting


COD.										Packing	Inner Pcs	Master Pcs
IS575	3W COB LED	250 Lm	5 mt	100%: 3 hrs 50%: 9 hrs	120°	57 x 50 x 410 mm	12V === 500mA	3.7V 1800 mAh Li-ion (Included) type 18650	ABS	Blister F8	6	24

### IS540 - WORKSHOP LED

Lampada da officina LED  
 Workshop LED lamp  
 Lampe de travail LED  
 Lámpara para taller LED  
 LED-Werkstattlampe



Insulation class



IS540



COD.				Cable					+	Packing	Inner Pcs	Master Pcs
IS540	3W LED SMD 2835	300Lm	5 m	5m, H05VV-F 2x0.75mm <sup>2</sup>	Diffuse	460 x 36,5 x 36,5 mm	100-240V ~ 50 Hz	PP + PC + PVC	Hook	Polybag	12	24

**WORKSHOP**

Lampada da officina con gabbia metallica

Workshop lamp with metal cage


Lampe de travail avec cage métallique

Lámpara para taller con jaula de metal

Arbeitslampe mit Metallgitter



Work lighting

Insulation  
class

COD.	⚡	⚙️	Cable	📏	+	📦	Packing	Inner Pces	Master Pces
<b>IS525</b>	220-240V ~ 50 Hz	E27 max 60W (not included)	5 mt, H05VV-F 2x0.75mm <sup>2</sup>	325 x 90 x 90 mm	Hook	PVC / Metal	Polybag	12	24
<b>IS529</b>	220-240V ~ 50 Hz	E27 max 60W (not included)	10 mt, H05VV-F 2x0.75mm <sup>2</sup>	325 x 90 x 90 mm	Hook	PVC / Metal	Polybag	12	24

IS525



IS529





## FARI USO PROFESSIONALE

Professional spotlights / Phares pour usage professionnel / Focos para uso profesional / Professionelle Scheinwerfer



Work lighting

### IRUB20LED - FARO RUBBER

Faro LED in caucciù naturale  
 Natural rubber LED spotlight  
 Phare LED en caoutchouc naturel  
 Faro LED de caucho natural  
 LED-Handleuchte aus natürlichem Kautschuk



0.5W



IRUB20LED



COD.									Packing	Inner Pces	Master Pces
<b>IRUB20LED</b>	1 High Power LED 0,5W	35 Lm	>20 mt	>100 hrs	Focus light	200 x 110 x 103 mm	2 x D/LR20 (not included)	Natural rubber	Bulk	12	24

### IR666-DRY DOOMSTER BASIC

Faro 1W LED  
 1W LED spotlight  
 Phare 1W LED  
 Projector LED 1W  
 Handleuchte 1W LED



WORKS WITH:



1W



IR666-DRY



COD.									+	Packing	Inner Pces	Master Pces
<b>IR666-DRY</b>	1W High power LED	100 Lm	>150 mt	40 hrs	Focus light	208 x 144 x 162 mm	4R25 or 4 x D (not included)	ABS NYLON	4 x LR20 Adaptor Carry strap	Plastic hanger	6	18



Work lighting

FARI USO PROFESSIONALE

Professional spotlights / Phares pour usage professionnel / Focos para uso profesional / Professionelle Scheinwerfer



LITHIUM BATTERY

### IR551LED

Faro LED ricaricabile 1W  
 Rechargeable 1W LED spotlight  
 Phare 1W LED rechargeable  
 Projector recargable LED 1W  
 Handleuchte 1W LED wiederaufladbar



Rechargeable

IR551LED



COD.										Packing	Inner Pces	Master Pces
IR551LED	1W High Power LED	100 Lm	150 mt	>3 hrs	Focus light	182 x 106 x 145 mm	220V ~ 50Hz 5V ~ 1A	3.7V 800mAh (included)	ABS	Colour box	6	24

### IR554LED - ICARO 3W

Faro LED ricaricabile 3W  
 Rechargeable 3W LED spotlight  
 Phare 3W LED rechargeable  
 Projector recargable LED 3W  
 Handleuchte 3W LED wiederaufladbar



LITHIUM BATTERY



Rechargeable

IR554LED



COD.										Packing	Inner Pces	Master Pces
IR554LED	3W High Power LED	170 Lm	250 mt	High: 2 hrs Low: 5 hrs	Focus Light	178 x 105 x ø 140 mm	220V ~ 50Hz 5V ~ 1A	3.7V 2A (type 18650) (included)	PP	Colour box	6	24

# FARI USO PROFESSIONALE

Professional spotlights / Phares pour usage professionnel / Focos para uso profesional / Professionelle Scheinwerfer

## IR558 - HORNET 2

Faro LED ricaricabile 5W  
Rechargeable 5W LED spotlight  
Phare 5W LED rechargeable  
Projector rechargeable LED 5W  
Handleuchte 5W LED wiederaufladbar



Rechargeable

IR558



COD.											Packing	Inner Pces	Master Pces
IR558	5W High Power LED + 3,5 COB LED	Spotlight: 350 Lm Crown Light: 300 Lm	400 mt	Spotlight: 2 hrs Crown Light: 2 hrs	Focus + Diffuse light	178 x 105 x 140 mm	220V ~ 50Hz 5V== 1000mA	3.7V 2A (type 18650) (included)	PP	Colour box	6	24	

## IR561 - CHURCHILL

Faro ricaricabile LED 10W  
10 Watt LED rechargeable spotlight  
Phare rechargeable LED 10 Watt  
Projector rechargeable LED 10W  
Wiederaufladbare Handleuchte LED 10 Watt



Rechargeable

IR561



COD.											Packing	Inner Pces	Master Pces
IR561	10W High power LED	800 Lm	800 mt	15 hrs	Focus Light	166 x 143 x 210 mm	230V ~ 50Hz 5V== 1A	3.7V 4,8A (type 18650) (included)	PP+ABS	Colour box	6	12	

# DOOMSTER

## UN FARO PENSATO PER DURARE



### PVC

Super resistente  
Anti urto  
Durabilità  
Antishock

### LED CREE®

High Power LED

### RIFLETTORE

Alto rendimento  
High performance  
reflector

### ISOLAMENTO SILICONE

Silicon ring

### DISSIPATORE

In alluminio  
Aluminium heat sink

### SILICON RUBBER

### NYLON

Resistenza al calore  
Resistenza agli agenti  
chimici  
Resistenza all'abrasione  
Resistenza meccanica  
Chemical & mechanical  
resistance

### ABS

Antiurto  
Antishock

### GPPS

Trasparenza  
Transparency

### IMPUGNATURA ERGONOMICA

Ergonomic handle

### PRESA USB

### Powerbank 2A

USB powerbank

### CARICATORE

Charging jack

### LAMPEGGIANTE ROSSO

Red blink

### SUPPORTO REGOLABILE

Adjustable bracket



# CARATTERISTICHE



## PERFORMANCE

Per i fari DOOMSTER ricaricabili, VELAMP ha scelto il meglio dei LED High Power:  
 - CREE® XPG per la versione 5W (350lm, 570 mt di portata)  
 - CREE® XML per la versione 10W (750lm, 1000 mt di portata)  
 DOOMSTER è uno dei fari più potente del mercato.



## RIFLETTORE

DOOMSTER garantisce profondità e distanza con i LED High Power CREE la cui luminosità viene esaltata dal suo riflettore disegnato appositamente per questi componenti. Il riflettore garantisce un fascio preciso e focalizzato



## AUTONOMIA

Per motivi di durata, di tenuta in magazzino e di peso la serie DOOMSTER monta delle batterie Li-ion nuove, certificate e non rigenerate del tipo 18650 con connettore, da 2000mAh o 4000mAh.



## ANTIBLACK-OUT

Tutti i fari ricaricabili DOOMSTER sono anti-blackout: saranno sempre pronti all'uso in qualsiasi momento. Basta collegarli alla corrente elettrica in posizione ON: si spegneranno e si accenderanno automaticamente in caso di mancanza di corrente. La base di carica a muro in dotazione col modello ST999-5W vi permetterà un'installazione in macchine, trucks, locali tecnici...



## POWER BANK

DOOMSTER è un punto di riferimento in qualsiasi situazione. La sua capiente batteria gli permette di dare una ricarica anche completa a qualsiasi tablet o telefono vorrete collegare. (2A output)  
 (Solo per alcuni modelli)



## LAMPEGGIANTE ROSSO

In caso di necessità (incidente, pericolo, SOS) è semplice segnalare la propria presenza con DOOMSTER: una pressione su tasto secondario si accenderà una luce intermitte-nte rossa.  
 (Solo per alcuni modelli)



## SUPPORTO REGOLABILE

DOOMSTER è utilizzabile fino a 45° di elevazione: basta regolare l'apposito supporto. Tutti i fari DOOMSTER hanno il passo per installazione sui treppiede che si trovano in commercio. DOOMSTER è il prodotto con la maggior versatilità del mercato.



## RESISTENZA

DOOMSTER è stato concepito per durare:

- IP44: può essere usato all'aperto in qualsiasi condizione atmosferica
- IK08: è resistente agli urti
- La sua fattura è garanzia di robustezza: corpo in nylon protetto da guscio in ABS + testa in PVC garantiscono resistenza agli urti, condizioni climatiche, agenti chimici, calore
- La testa in finitura "rubber" è stata concepita per assorbire gli urti in primis e come base di appoggio



## LANTERNA COB

Per i professionisti che vogliono illuminare un locale o un area di lavoro, VELAMP ha pensato di usare la nuova tecnologia COB DLR per dare alla serie DOOMSTER una luce diffusa da 120°. Appoggiando la testa "rubber" su qualsiasi superficie, avrete una comoda lanterna e/o luce da lavoro per agire a mani libere.  
 (Solo per alcuni modelli)



## ACCESSORI

Tutti i fari DOOMSTER ricaricabili hanno in dotazione:

- Caricatore da auto e da 220V
- Cinghia di trasporto
- ST999-5W include la base di carica a muro
- ST999-10W è fornito con la valigetta di trasporto
- IR666-DRY viene fornito con l'adattatore per 4 pile LR20 e/o 1 pila 4R25: comodo sui cantieri!

Work lighting

## IR666-5W - DOOMSTER POWER

Faro LED ricaricabile 5W  
 Rechargeable 5W LED spotlight  
 Phare 5W LED rechargeable  
 Projector rechargeable LED 5W  
 Handleuchte 5W LED wiederaufladbar

LITHIUM  
 BATTERY



IR666-5W



COD.										Packing	Inner Pces	Master Pces
<b>IR666-5W</b>	CREE® XPG LED	350 Lm	574 mt	100%: 1.8 hrs 50%: 3.6 hrs	Focus light	208 x 144 x 162 mm	230V ~ 50Hz 5V = 500mA	3.7V 2000mAh Li-ion, Type 18650 (included)	ABS NYLON	Colour Box	6	18



# FARI USO PROFESSIONALE

Professional spotlights / Phares pour usage professionnel / Focos para uso profesional / Professionelle Scheinwerfer

## IR666-10W - DOOMSTER TREKK EVO

Faro LED ricaricabile 10W  
 Rechargeable 10W LED spotlight  
 Phare rechargeable LED 10W  
 Projector rechargeable LED 10W  
 Scheinwerfer LED 10W, wiederaufladbar



Work lighting



IR666-10W



COD.										Packing	Inner Pcs	Master Pcs
<b>IR666-10W</b>	CREE® XML LED	735 Lm	>1000 m	Central LED: 100%: 1.4 hrs 50%: 2.8 hrs COB lantern: 100%: 2.5 hrs 50%: 5 hrs	Focus light	208 x 144 x 162 mm	230V~50Hz 5V==500mA	3,7V 2000mAh Li-ion, Type 18650 (included)	ABS NYLON	Color Box	6	18

## 20999

Base di ricarica da parete per fari serie Doomster  
 Wall charging base for Doomster spotlight  
 Base de chargement pour phares Doomster  
 Base de carga para los proyectores Doomster  
 Ladehalterung für Doomster-Handleuchte



COD.	
<b>20999</b>	10,5 x 10,1 x 4,8 cm



### IS590 - XMEN

Proiettore LED a pile  
Dry battery operated LED floodlight  
Projecteur LED à piles  
Projector LED a pila  
Batteriebetriebene LED-Leuchte

**NEW**



**5W** **500 LUMEN**



IS590



COD.			°K						Packing	Inner Pcs	Master Pcs
<b>IS590</b>	5W COB LED	Light 100%: 500Lm Light 50%: 200 Lm	6000K	Light 100%: 7 hrs Light 50%: 20 hrs	Diffuse 120°	170 x 125 x 45 mm	4 x AA/LR6 (not included)	ABS	Blister F5 + Display	6	24

### IR882 - THE EXPANDABLE

Faro ricaricabile LED  
LED rechargeable floodlight  
Projecteur LED rechargeable  
Projector LED recargable  
Baustrahler LED wiederaufladbar



**10W** **600 LUMEN**



Rechargeable

IR882



COD.			°K							Packing	Inner Pcs	Master Pcs
<b>IR882</b>	10W SMD LED	600 Lm	6500K	2 hrs	Diffuse 100°	210 x 223 x 48 mm	AC/DC 5V 1A (included)	Li-Ion 3.7V 18650 2000mAh	AL + PP	Colour box	6	18




# PROIETTORI USO PROFESSIONALE

Professional floodlights / Projecteurs pour usage professionnel / Projectores para uso profesional / Professionelle Scheinwerfer



## IR827 - SAURON

Lampada da lavoro ricaricabile 20W COB LED  
 20W COB LED rechargeable worklight  
 Lumière de travail rechargeable 20W COB LED  
 Projector de trabajo recargable COB LED 20W  
 COB LED 20W Arbeitsleuchte



**20W**  
**1200 LUMEN**



Rechargeable

IR827



COD.			°K							Packing	Inner Pcs	Master Pcs
<b>IR827</b>	20W High Power COB LED	1200 Lm	6500K	High mode: 3 hrs Low mode: 6 hrs	Diffuse 100°	170 x 132 x 42 mm	AC/DC adaptor 5V == 2.0A max (not included)	2x 3,7V 2200mAh Li-ion (Type 18650) (included)	Aluminium + ABS + PC	Colour box	4	24

## IR867 - CYCLOP

Faro ricaricabile LED  
 LED rechargeable floodlight  
 Projecteur LED rechargeable  
 Projector LED recargable  
 Baustrahler LED wiederaufladbar

**20W**  
**1200 LUMEN**



Rechargeable

IR867



INCLUSI/INCLUDED/INCLUS



**VELAMP**  
patent pending

Funzione AC/DC: funziona mentre carica  
 AC/DC function: works while charging  
 AC/DC fonction: fonctionne pendant la charge  
 Funcion AD/DC: Funciona durante la carga  
 AC/DC-Funktion: Funktioniert während des Aufladens

COD.			°K							Packing	Inner Pcs	Master Pcs
<b>IR867</b>	20W LED COB	1200 Lm	6500K	3 hrs	Diffuse 120°	1216 x 183 x 280 mm	220/240V ~ 50 Hz 9V == 2500mA	7,4V 4400mAh, Li-ion Type 18650 (included)	Aluminium	Colour box	-	4



HALO

400W  
HALOGEN

8800  
LUMEN



1200 hrs



Protection class



Insulation class



Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
IS400	230V ~ 50Hz	Halogen bulb 400W R7s 118mm	400W	8800 Lm	3000K	Diffuse	Die cast aluminium + Tempered glass	H05RN-F 3x1mm <sup>2</sup> with schuko plug 16A (included) 1,5 m


Descrizione / Description / Description / Descripción / Beschreibung:

Proiettore alogeno 400W  
Halogen floodlight 400W  
Projecteur halogène 400W  
Foco portátil halógeno 400W  
Tragbarer Halogen-Strahler 400W

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Cavo / Cable / Cable / Câble / Kabel:  
H05RN-F 3x1mm<sup>2</sup>  
with schuko plug 16A (included) 1,5 m



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS400	195 mm	205 mm	338 mm	Colour box	-	6

IS400



# LIGHT PAD 3 - 20W

**20W**

**1600 LUMEN**



25.000 hrs



Protection class



Insulation class



intertek



Work lighting



Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
<b>IS750-3</b>	220-240V ~ 50Hz	LED Epistar 2835	20W	1600 Lm	6500K	Diffuse 100°	ABS / AL	1,5 mt H05RN-F 3G1.0mm²


**Descrizione / Description / Description / Descripción / Beschreibung:**

Luce da lavoro LED 20W  
20W LED worklight  
Lumière de travail LED 20W  
Projector LED 20W  
LED-Arbeitslampe 20W

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



Cavo / Cable / Cable / Câble / Kabel:  
1,5 mt H05RN-F 3G1.0mm²



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>IS750-3</b>	175 mm	165 mm	260 mm	Colour box	-	8

IS750-3





DISPERSIONE DI  
TERRA IN  
  
DISTANZA DAL CARTELLINO


# PROIETTORI USO PROFESSIONALE

Professional floodlights / Projecteurs pour usage professionnel / Proyectores para uso profesional / Professionelle Scheinwerfer

## WAINGRO

50W

4000 LUMEN



25.000 hrs



Protection class



Insulation class



intertek

Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Cavo Cable Câble Kabel
IS766	220-240V ~ 50 Hz	LED SMD 2835	50W	4000 Lm	6500K	Diffuse 100°	ABS / AL	3 mt H05SRN-F 3G1.0mm <sup>2</sup>



Descrizione / Description / Description / Descripción / Beschreibung:

Luce da lavoro LED 50W  
50W LED worklight  
Lumière de travail LED 50W  
Projector LED 50W  
LED-Arbeitslampe 50W

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Cavo / Cable / Cable / Câble / Kabel: 3 mt H05SRN-F 3G1.0mm<sup>2</sup>



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS766	331 mm	275 mm	318 mm	Colour box	-	4

IS766





## LIGHT PAD 2



20W

1600  
LUMEN3 mt  
CABLE

30.000 hrs



Protection class



Insulation class



Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Materiale Material Materiau Material Material	Cavo Cable Cable Cable Kabel
IS749-2	100-240V ~ 50/60 Hz	LED Epistar 2835	20W	1600 Lm	6500K	Diffuse 120°	> 0,9	ABS / AL	3 mt H05RN-F 3G1.0mm <sup>2</sup>

## Descrizione / Description / Description / Descripción / Beschreibung:

Luce da lavoro LED 20W SMD + treppiede  
20W SMD LED worklight + tripod  
Lumière de travail LED 20W + trépied  
Proyector LED SMD + tripode  
LED-Arbeitslampe 20W + Stativ

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
IS749-2	860 mm	680 mm	1710 mm	Colour box	-	4

IS749-2



8 003910 904446 &gt;



# LIGHT PAD 3


2X  
20W

3200  
LUMEN

3 mt  
CABLE

max 1,76 m

max 1,65 m



25.000 hrs



Protection class



Insulation class



intertek

Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Materiale Material Materiu Material Material	Cavo Cable Câble Cable Kabel
IS747-3	220-240V ~ 50/60 Hz	2835 SMD LED	2 x 20W	2 x 1600 Lm	6500K	Diffuse 100°	>0.5	AL	3 mt H05RN-F 3G1.0mm <sup>2</sup>
TRIPOD	-	-	-	-	-	-	-	AL	-

**Descrizione / Description / Description / Descripción / Beschreibung:**

Luce da lavoro LED 2 x 20W SMD + treppiede  
2 x 20W SMD LED worklight + tripod  
Lumière de travail LED 2 x 20W + trépied  
Projector 2 x 20W LED SMD + tripode  
LED-Arbeitslampe 2 x 20W + Stativ

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS747-3	740 mm	740 mm	1760 mm	Colour box	-	2
TRIPOD	870 mm	870 mm	1650 mm	Colour Box	-	6

IS747-3



TRIPOD





## WAINGRO + TRIPOD

50W

4000  
LUMEN3 mt  
CABLE

max 184 cm



25.000 hrs



Protection class



Insulation class



intertek

Cod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material	Cavo Cable Câble Cable Kabel
IS746-50W	220-240V ~ 50 Hz	LED SMD 2835	50W	4000 Lm	6500K	Diffuse 100°	AL	3 mt H05RN-F 3G1.0mm <sup>2</sup>

## Descrizione / Description / Description / Descripción / Beschreibung:

Luce da lavoro LED 50W SMD + treppiede  
50W SMD LED worklight + tripod  
Lumière de travail LED 50W + trépied  
Projector LED 50W SMD + tripode  
LED-Arbeitslampe 50W + Stativ

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
IS746-50W	940 mm	940 mm	1840 mm	Colour box	-	2

IS746-50W



8 003910 107298 &gt;





# Outdoor lighting



# PLAFONIERE LED INTEGRATI ECOPOWER

120  
Lm/W

LED



ECOPOWER218



ECOPOWER236



ECOPOWER258



CRI > 80



>30.000 hrs



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Collegamenti Connections Connexions Conexiones Anschlüsse
ECOPOWER218	220-240V ~ 50/60 Hz	66 LED SMD 2835	21W	2500 Lm	4000K	120°-150°	PC	max 21 pcs
ECOPOWER236	220-240V ~ 50/60 Hz	126 LED SMD 2835	40W	4800 Lm	4000K	120°-150°	PC	max 11 pcs
ECOPOWER258	220-240V ~ 50/60 Hz	168 LED SMD 2835	55W	6600 Lm	4000K	120°-150°	PC	max 7 pcs

Descrizione / Description / Description / Descripción / Beschreibung:


Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera LED per esterno  
Waterproof LED light fitting  
Réglette IP65 LED  
Plafon LED de techo para exterior  
LED-Deckenleuchte für Außenbereiche

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen



Kit di installazione  
Installation kit  
2 clips + 2 screws + 2 dowels



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packaging Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
ECOPOWER218	590	72	61	Colour box	-	12
ECOPOWER236	1180	72	61	Colour box	-	12
ECOPOWER258	1480	72	61	Colour box	-	12

ECOPOWER218



ECOPOWER236



ECOPOWER258



# PLAFONIERE LED INTEGRATI STARLED



**110**  
Lm/W

**LED**



STARLED218



STARLED236



STARLED258



CRI > 80



20.000 hrs



Not Dimmable



Protection  
lass



Insulation  
class


Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
STARLED218	220-240V ~ 50/60 Hz	120 LED SMD 2835	25W	3000 Lm	4000K	120°	PC
STARLED236	220-240V ~ 50/60 Hz	204 LED SMD 2835	45W	5000 Lm	4000K	120°	PC
STARLED258	220-240V ~ 50/60 Hz	240 LED SMD 2835	55W	6000 Lm	4000K	120°	PC

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera LED per esterno  
Waterproof LED light fitting  
Réglette IP65 LED  
Plafon LED de techo para exterior  
LED-Deckenleuchte für Außenbereiche

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen




x2 x2 x2

Kit di installazione  
Installation kit  
2 clips + 2 screws + 2 dowels



Pressacavo ad attacco rapido  
Fast cable gland



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
STARLED218	650 mm	74 mm	42,5 mm	Colour box	-	15
STARLED236	1250 mm	74 mm	42,5 mm	Colour box	-	15
STARLED258	1550 mm	74 mm	42,5 mm	Colour box	-	15

STARLED218



STARLED236



STARLED258





# PLAFONIERE CON UN TUBO LED

100  
Lm/W

TUBI LED  
INCLUSI  
LED TUBES  
INCLUDED



Protection  
class



Base



Diffuser



Clips



TNE SERIES




Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Formato Format Formato Formato Format	Attacco Lamp holder Culot Ataco Halterung	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Kelvin Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
TNE118	220V-240V ~ 50 Hz	1 LED tube 60 cm (included)	T8	G13	9W	900 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9
TNE136	220V-240V ~ 50 Hz	1 LED tube 120 cm (included)	T8	G13	18W	1800 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9
TNE158	220V-240V ~ 50 Hz	1 LED tube 150 cm (included)	T8	G13	22W	2200 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9


Descrizione / Description / Description / Descripción / Beschreibung:

Plafoniera per esterno con 1 tubo LED  
Waterproof light fitting with 1 LED tube  
Réglette IP65 avec 1 tube LED  
Regleta estanca con 1 tubo LED  
Deckenleuchte für Außenbereiche mit 1 LED-Röhren

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Kit di installazione  
Installation kit



TNE118



TNE136



TNE158



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TNE118	665 mm	60 mm	62 mm	Colour box	-	12
TNE136	1275 mm	60 mm	62 mm	Colour box	-	12
TNE158	1575 mm	60 mm	62 mm	Colour box	-	12

# PLAFONIERE STAGNE


Waterproof fixtures / Réglettes IP65 / Plafones de techo para exterior / Wannenleuchten

## PLAFONIERE CON DUE TUBI LED



100  
Lm/W

TUBI LED  
INCLUDED!  
LED TUBES  
INCLUDED



Protection  
class



Base



Diffuser



Clips



TNE SERIES




Outdoor lighting


Codice Prod. Item code Code Codigo Code	Alimentazione Power source Code Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Formato Format Formato Formato Format	Attacco Lamp holder Culot Ataco Halterung	Potenza (W) Watt power Puisissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Type of beam Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type of faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
TNE218	220V-240V ~ 50 Hz	2 LED tubes 60 cm (included)	T8	G13	2 x 9W	1800 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9
TNE236	220V-240V ~ 50 Hz	2 LED tubes 120 cm (included)	T8	G13	2 x 18W	3600 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9
TNE258	220V-240V ~ 50 Hz	2 LED tubes 150 cm (included)	T8	G13	2 x 22W	4400 Lm	4000K	Tube: 300°, Fixture: 120°	Tube: Glass	0,9

### Descrizione / Description / Description / Descripción / Beschreibung:

Plafoniera per esterno con 2 tubi LED  
Waterproof light fitting with 2 LED tubes  
Réglette IP65 avec 2 tubes LED  
Regleta estanca con 2 tubos Led  
Deckenleuchte für Außenbereiche mit 2 LED-Röhren



### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Kit di installazione  
Installation kit

#### TNE218



#### TNE236



#### TNE258



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TNE218	665 mm	110 mm	62 mm	Colour box	-	8
TNE236	1275 mm	110 mm	62 mm	Colour box	-	8
TNE258	1575 mm	110 mm	62 mm	Colour box	-	8

# PLAFONIERE PER TUBI LED

ONLY FOR  
LED TUBES

Outdoor lighting



Protection class



Base



Diffuser



Clips



LED tubes not included



NEPF SERIES



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Formato Format Format Formato Format	Attacco Lamp holder Culot Ataco Halterung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
NEPF118	220V-240V ~ 50 Hz	1 LED tube 60 cm (not included)	T8	G13	ABS+PC	665 mm	60 mm	62 mm	Colour box	-	12
NEPF218	220V-240V ~ 50 Hz	2 LED tubes 60 cm (not included)	T8	G13	ABS+PC	665 mm	110 mm	62 mm	Colour box	-	8
NEPF136	220V-240V ~ 50 Hz	1 LED tube 120 cm (not included)	T8	G13	ABS+PC	1275 mm	60 mm	62 mm	Colour box	-	12
NEPF236	220V-240V ~ 50 Hz	2 LED tubes 120 cm (not included)	T8	G13	ABS+PC	1275 mm	110 mm	62 mm	Colour box	-	8
NEPF158	220V-240V ~ 50 Hz	1 LED tube 150 cm (not included)	T8	G13	ABS+PC	1575 mm	60 mm	62 mm	Colour box	-	12
NEPF258	220V-240V ~ 50 Hz	2 LED tubes 150 cm (not included)	T8	G13	ABS+PC	1575 mm	110 mm	62 mm	Colour box	-	8

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera per esterno da usare esclusivamente con 2 tubi LED

Prodotto senza alimentazione

Waterproof light fitting compatible with 2 LED tube

Item without power supply

Réglette IP65 compatible exclusivement avec 2 tubes LED


Produit sans alimentation

Regleta estanca que funciona exclusivamente con 2 tubos LED


Productos sin fuentes de alimentación

Deckenleuchte für Außenbereiche ausschließlich für LED-Röhren

Produkt ohne Stromversorgung



Kit di installazione  
Installation kit



NEPF118



NEPF136



NEPF158



NEPF218



NEPF236



NEPF258



# TUBI LED T8



Outdoor lighting



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Formato Format Formato Formato Format	Attacco Lamp holder Culot Ataco Halterung	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
<b>TBLED9W-4000K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	9W	900 Lm	4000K	300°	Glass	0,9
<b>TBLED9W-6500K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	9W	900 Lm	6500K	300°	Glass	0,9
<b>TBLED18W-4000K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	18W	1800 Lm	4000K	300°	Glass	0,9
<b>TBLED18W-6500K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	18W	1800 Lm	6500K	300°	Glass	0,9
<b>TBLED22W-4000K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	22W	2200 Lm	4000K	300°	Glass	0,9
<b>TBLED22W-6500K</b>	100V-250V ~ 50/60 Hz	LED SMD 2835	T8	G13	22W	2200 Lm	6500K	300°	Glass	0,9

**Descrizione / Description / Description / Descripción / Beschreibung:** Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Tubo LED  
Tube LED  
Tube LED  
Tubo LED  
LED-Röhre

Driver incluso, Driver Included, Driver fourni, Driver incluido, Driver inbegriffen

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>TBLED9W-4000K</b>	590 mm	26 mm	26 mm	White box	-	25
<b>TBLED9W-6500K</b>	590 mm	26 mm	26 mm	White box	-	25
<b>TBLED18W-4000K</b>	1199 mm	26 mm	26 mm	White box	-	25
<b>TBLED18W-6500K</b>	1199 mm	26 mm	26 mm	White box	-	25
<b>TBLED22W-4000K</b>	1499 mm	26 mm	26 mm	White box	-	25
<b>TBLED22W-6500K</b>	1499 mm	26 mm	26 mm	White box	-	25





# UBLO2


21

WITH BLACK AND WHITE COVERS INCLUDED



LED

Ø 16 cm



UBLO-2



CRI > 80



25.000 hrs



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>UBLO2</b>	220-240V ~ 50 Hz	LED SMD 2835	10W	700 Lm	4000K	Diffuse 120°	PP body + PC diffuser + ABS frame

**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera LED tonda  
LED round ceiling lamp  
Applique LED ronde  
Applique LED redondo  
Runde LED-Wandleuchte

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen


**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Kit di installazione**  
Installation kit



**2 covers forniti**  
2 covers included



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>UBLO2</b>	160 mm	160 mm	70 mm	Colour box	6	48

UBLO2






# PLAFONIERE LED TONDE

LED ceiling lamps / Plafonniers à LED intégrés / Plafon LED / LED-Deckenlampe

## UBLO-XIR

LED

Ø 19,7 cm



UBLO-XIR



CRI > 80



25,000 hrs



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>UBLO-XIR</b>	220-240V ~ 50 Hz	LED SMD 2835 0,2W	12W	840 Lm	4000K	Diffuse 120°	PC diffuser + ABS frame

**Descrizione / Description / Description / Descripción / Beschreibung:**

Plafoniera LED tonda con rilevatore di movimento  
LED round ceiling lamp with IR motion sensor  
Applique LED ronde avec détecteur de mouvement  
Aplicue LED redondo con detector de movimiento  
Runde LED-Wandleuchte mit IR Bewegungsmelder

Driver incluso  
Driver included  
Driver fourni  
Driver incluido  
Driver inbegriffen


**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



**Kit di installazione**  
Installation kit



**Facilità di connessione**  
Easy connect



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>UBLO-XIR</b>	197 mm	197 mm	82 mm	Colour box	6	24

UBLO-XIR





# UBLO-XXL2



UBLO-XXL2



CRI > 65



30.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>UBLO-XXL2</b>	220-240V ~ 50 Hz	LED SMD 2835	20W	1600 Lm	4000K	Diffuse 120°	PP body + PC diffuser

**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera LED tonda  
LED round ceiling lamp  
Applique LED ronde  
Applique LED redondo  
Runde LED-Wandleuchte

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:




**Kit di installazione**  
Installation kit



**EASY CONNECT** ✓  
**WATER RESISTANT** ✓



**Installazione veloce**  
Easy installation



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>UBLO-XXL2</b>	220 mm	220 mm	81 mm	Colour box	6	24

UBLO-XXL2



# PTLEDIK-E27



**ANTI VANDALISM**

**Outdoor**



PTLEDIK-E27



Protection class



Insulation class



Mechanical resistance




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Matériau Material Material
<b>PTLEDIK-E27</b>	220-240V ~ 50/60 Hz	E27 Lamp holder	Max 60W	120°	PC

**Descrizione / Description / Description / Descripción / Beschreibung:**


Plafoniera tonda IP54 con diffusore in PC  
 IP54 LED ceiling lamp with PC diffuser and structure  
 Plafonnier à LED intégrées IP54, structure et diffuseur en PC  
 Plafon Led redondo en PC + difusor  
 LED-Deckenlampe: Körper und Diffusor aus PC

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



**Kit di installazione**  
Installation kit

Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>PTLEDIK-E27</b>	270 mm	95 mm	Colour box	-	12



PTLEDIK-E27





# BIGBOB



BIGBOB-B



BIGBOB-N



Protection class



Insulation class




intertek

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
BIGBOB-B	220-240V ~ 50/60 Hz	E27 Lamp holder	Max 60W	120°	Glass+Plastic
BIGBOB-N	220-240V ~ 50/60 Hz	E27 Lamp holder	Max 60W	120°	Glass+Plastic

Descrizione / Description / Description / Descripción / Beschreibung:


Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Applique E27  
E27 bulkhead  
Hublot E27  
Aplique E27  
E27-Wandleuchte



Kit di installazione  
Installation kit

Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
BIGBOB-B	221 mm	101 mm	Bulk	-	8
BIGBOB-N	221 mm	101 mm	Bulk	-	8



BIGBOB-B



BIGBOB-N




# PLAFONIERE TONDE

Ceiling lamps / Plafonniers / Plafon / Deckenlampe



## BUBBLE



Protection class



Insulation class



intertek

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>BUBBLE-B</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder	max 60W	Diffuse	Glass + Plastic
<b>BUBBLE-N</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder	max 60W	Diffuse	Glass + Plastic


Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Applique E27  
E27 bulkhead  
Hublot E27  
Aplique E27  
E27-Wandleuchte



Kit di installazione  
Installation kit



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>BUBBLE-B</b>	188 mm	188 mm	96 mm	Shrink	12	24
<b>BUBBLE-N</b>	188 mm	188 mm	96 mm	Shrink	12	24





# TARTARUGA



TARTARUGA-N



TARTARUGA-B



CRI > 65



30.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
TARTARUGA-N	110V-240V ~ 50/60 Hz	LED SMD 2835	5,5W	450 Lm	4000K	Diffuse	PP
TARTARUGA-B	110V-240V ~ 50/60 Hz	LED SMD 2835	5,5W	450 Lm	4000K	Diffuse	PP

Descrizione / Description / Description / Descripción / Beschreibung:

Applique LED  
LED bulkheads  
Hublots LED  
Applique LED  
LED-Wandleuchte

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen



Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Perfetta per installazione con canalina  
Perfect for installation with electrical conduit pipes



Kit di installazione  
Installation kit



Codice prodotto Item code Code Codigo Code	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TARTARUGA-N	125 mm	65 mm	175 mm	Shrink	12	48
TARTARUGA-B	125 mm	65 mm	175 mm	Shrink	12	48

TARTARUGA-N



TARTARUGA-B




# APPLIQUE DA ESTERNO

LED bulkheads / Hublots LED / Aplique Led / LED-Wandleuchten



## PALPEBRA



PALPEBRA-B



PALPEBRA-N



CRI > 65



30.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>PALPEBRA-B</b>	110V-240V ~ 50/60 Hz	LED SMD 2835	5,5W	450 Lm	4000K	Diffuse	PP
<b>PALPEBRA-N</b>	110V-240V ~ 50/60 Hz	LED SMD 2835	5,5W	450 Lm	4000K	Diffuse	PP

Descrizione / Description / Description / Descripción / Beschreibung:

Applique LED  
LED bulkheads  
Hublots LED  
Aplique LED  
LED-Wandleuchte


Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Perfetta per installazione con canalina**  
Perfect for installation with electrical conduit pipes

**Kit di installazione**  
Installation kit



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>PALPEBRA-B</b>	175 mm	125 mm	65 mm	Shrink	12	48
<b>PALPEBRA-N</b>	175 mm	125 mm	65 mm	Shrink	12	48

PALPEBRA-B



PALPEBRA-N





# TARTARUGA-XL2



TARTARUGA-XL2



CRI > 65



30.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material
TARTARUGA-XL2	220V-240V ~ 50 Hz	LED SMD 2835	14W	1000 Lm	4000K	Diffuse 120°	PC body + PC diffuser + ABS frame

**Descrizione / Description / Description / Descripción / Beschreibung:**

Applique LED  
LED bulkheads  
Hublots LED  
Applique LED  
LED-Wandleuchte

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen


**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



Kit di installazione  
Installation kit



2 covers forniti  
2 covers included



Codice prodotto Item code Code Codigo Code	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TARTARUGA-XL2	212 mm	119 mm	60.5 mm	Colour box	6	24

TARTARUGA-XL2





# APPLIQUE DA ESTERNO

LED bulkheads / Hublots LED / Applique Led / LED-Wandleuchten

## TARTARUGA-XXL2



TARTARUGA-XXL2



CRI > 80



30.000 hrs



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>TARTARUGA-XXL2</b>	220V-240V ~ 50 Hz	LED SMD 2835	20W	1600 Lm	4000K	Diffuse 120°	PP body + PC diffuser

**Descrizione / Description / Descripción / Beschreibung:**

Applique LED  
LED bulkheads  
Hublots LED  
Applique LED  
LED-Wandleuchte

Driver incluso  
Driver Included  
Driver fournis  
Driver incluido  
Driver inbegriffen

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**




**Kit di installazione**  
Installation kit



**EASY CONNECT** ✓  
**WATER RESISTANT** ✓



**Installazione veloce**  
Easy installation



Codice prodotto Item code Code Codigo Code	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>TARTARUGA-XXL2</b>	270 mm	145 mm	81 mm	Colour box	6	24

TARTARUGA-XXL2





# TURTLE



TURTLE-B



TURTLE-N



Protection class



Insulation class



intertek

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Materiale Material Materiäu Material Material
<b>TURTLE-B</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder	Max 60W	Glass + plastic
<b>TURTLE-N</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder	Max 60W	Glass + plastic


Descrizione / Description / Description / Descripción / Beschreibung:

Applique ovale E27  
E27 bulkheads  
Hublots E27  
Aplique E27  
E27-Wandleuchte

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Kit di installazione  
Installation kit



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>TURTLE-B</b>	175 mm	125 mm	65 mm	Shrink	12	24
<b>TURTLE-N</b>	175 mm	125 mm	65 mm	Shrink	12	24

TURTLE-B



TURTLE-N



# APPLIQUE DA ESTERNO

E27 bulkheads / Hublots E27 / Applique E27 / E27-Wandleuchten


## DAFT



**NEW**



Outdoor lighting



IS701



Protection class






Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>IS701</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder (bulb not included)	Max 60W	Diffuse 120°	Plastic + Aluminium

### Descrizione / Description / Description / Descripción / Beschreibung:

Applique E27 antracite  
Dark grey E27 bulkhead  
Hublot E27 anthracite  
Applique E27 gris oscura  
E27-Wandleuchte Anthrazit



### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Kit di installazione**  
Installation kit

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>IS701</b>	249 mm	120 mm	158 mm	Colour box	6	12

IS701





NEW



IS702



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>IS702</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder (bulb not included)	Max 60W	Diffuse 120°	Plastic + Aluminium

**Descrizione / Description / Description / Descripción / Beschreibung:**



Applique E27 antracite  
Dark grey E27 bulkhead  
Hublot E27 anthracite  
Aplique E27 gris oscura  
E27-Wandleuchte Anthrazit



**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



**Kit di installazione**  
Installation kit



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>IS702</b>	249 mm	120 mm	158 mm	Colour box	6	12

IS702



# APPLIQUE DA ESTERNO

E27 bulkheads / Hublots E27 / Applique E27 / E27-Wandleuchten

## DJARIN



**NEW**



Outdoor lighting



IS703



Protection class





Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>IS703</b>	220V-240V ~ 50/60 Hz	E27 Lamp holder (bulb not included)	Max 60W	Diffuse 120°	Plastic + Aluminium

### Descrizione / Description / Description / Descripción / Beschreibung:

Applique E27 antracite  
Dark grey E27 bulkhead  
Hublot E27 anthracite  
Applique E27 gris obscure  
E27-Wandleuchte Anthrazit



### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Kit di installazione**  
Installation kit

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>IS703</b>	249 mm	120 mm	158 mm	Colour box	6	12

IS703



## BRIK

## ZEBRA



IS720



IS724



Protection class



Insulation class



intertek



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Matériau Material Material
IS720	220V-240V ~ 50/60 Hz	E27 Lamp holder	max 40W	Diffuse	Glass + Plastic + Aluminium
IS724	220V-240V ~ 50/60 Hz	E27 Lamp holder	max 40W	Diffuse	Glass + Plastic + Aluminium

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lampada segnapasso da parete in alluminio con scatola da incasso  
 Aluminium outdoor recessed wall light  
 Spot à encastrer extérieur en fonte d'aluminium  
 Lámpara cuenta pasos de aluminio con caja para empotrar en pared  
 Aluminium-Wandleuchte mit versenkter Box




Scatola da incasso  
 Recessed mounting box



Kit di installazione  
 Installation kit

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS720	329 mm	101 mm	93,8 mm	Shrink	6	18
IS724	329 mm	101 mm	93,8 mm	Shrink	6	18



IS720



IS724




# SPOT DA ESTERNO

Outdoor spotlights / Spots extérieurs / Focos de exterior / Außenstrahler

## SHAFT



**NEW**



IS728



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Temp. di funzionamento Working temperature Température de fonctionnement Temperatura de funcionamiento Betriebstemperatur	Peso max supp. Max. supp. weight Poids max. supporté Peso máx. soportado Max. Gewicht unterstützt	Materiale Material Materiau Material Material
IS728	220V-240V ~ 50Hz	GU10 Lamp holder (Bulb not included) LED compatible	Max 10W	Focus	-20°/+50°C	1000 Kg	Steel INOX 316


### Descrizione / Description / Description / Descripción / Beschreibung;

Faretto da incasso per esterno  
Outdoor recessed spotlight  
Spot encastrable extérieur  
Foco empotrable para exterior  
Einbaustrahler für den Außenbereich

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Cavo / Cable / Cable / Câble / Kabel:  
25 cm



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
IS728	ø 93 mm	100 mm	Colour box	4	12

IS728





SNAIL



NEW



IS726



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Matériau Material Material
IS726	220V-240V ~ 50Hz	GU10 Lamp holder (Bulb not included) LED compatible	Max 28W	Focus	Aluminium


Descrizione / Description / Description / Descripción / Beschreibung:

Faretto da esterno con picchetto  
Outdoor spotlight with spike  
Spot d'extérieur à piquer  
Foco de exterior con pincho  
Außenstrahler mit Erdspieß

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Cavo / Cable / Cable / Câble / Kabel:  
H0SRN-F3G1.0mm<sup>2</sup> 1,5 mt

Picchetto / Spike / Piquet / Pincho / Erdspieß



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS726	ø 100 mm	326 mm	Colour box	6	24

IS726





# SPOT DA ESTERNO

Outdoor spotlights / Spots extérieurs / Focos de exterior / Außenstrahler

## PRINCE



**NEW**



CRI > 65



25.000 hrs



Not Dimmable



Protection class



Insulation class



IS730



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>IS730</b>	220V-240V ~ 50 Hz	COB LED	6W	300 Lm	4000K	Focus 60°	Aluminium + Glass

### Descrizione / Description / Description / Descripción / Beschreibung:

Faretto LED da esterno con picchetto  
LED Outdoor spotlight with spike  
Spot d'extérieur LED à piquet  
Foco LED de exterior con pincho  
LED-Außenstrahler mit Erdspeiß


### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Cavo / Cable / Cable / Câble / Kabel:**  
H05SRN-F3G1.0mm² 80 cm



**Picchetto / Spike / Piquet / Pincho / Erdspeiß**



Codice prodotto Item code Code Codigo Code	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>IS730</b>	72 mm	60 mm	115 mm	Colour box	4	12

IS730





Outdoor lighting

# PADLIGHT 5



IS740-5-4000K



IS745-5-4000K



IS755-5-4000K



IS760-5-4000K



CRI >65



25.000 hrs



15000  
Switch



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
IS740-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	10W	800 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS745-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	20W	1600 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS755-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	30W	2400 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS760-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	50W	4000 Lm		Die cast aluminium	Diffuse 100°	>0,9

**Descrizione / Description / Description / Descripción / Beschreibung:**

Faro LED da esterno  
LED outdoor floodlight  
Phare extérieur LED  
Faro exterior de LED  
Flutlicht für Außenbereiche

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**

Cavo 30cm VDE  
Câble 30cm VDE  
Cable 30cm VDE  
Cable 30cm VDE  
Kabel 30cm VDE



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS740-5-4000K	108 mm	24 mm	100 mm	Colour box	10	40
IS745-5-4000K	143 mm	24 mm	130 mm	Colour box	10	40
IS755-5-4000K	187 mm	24 mm	167 mm	Colour box	8	32
IS760-5-4000K	217 mm	26 mm	185 mm	Colour box	8	16

IS740-5-4000K



IS745-5-4000K



IS755-5-4000K



IS760-5-4000K





# PADLIGHT 5 + PIR

Outdoor lighting



IS743-5-4000K



IS748-5-4000K



IS768-5-4000K



CRI >65



25.000 hrs



15000 Switch



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
IS743-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	10W	800 Lm	<b>4000K</b> <b>COOL WHITE</b>	Die cast aluminium	Diffuse 100°	>0,9
IS748-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	20W	1600 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS768-5-4000K	220-240V ~ 50 Hz	2835 SMD LED	50W	4000 Lm		Die cast aluminium	Diffuse 100°	>0,9

**Descrizione / Description / Description / Descripción / Beschreibung:**

Faro LED da esterno  
LED outdoor floodlight  
Phare extérieur LED  
Faro exterior de LED  
Flutlicht für Außenbereiche

<b>Angolo di rilevazione / Degrees motion sensor / Angle / Grados de sensor / Erfassungswinkel</b>	120°
<b>Raggio d'azione / Detection range / Rayon d'action / Rayo de accion / Reichweite</b>	4-10 m
<b>Tempo di funzionamento / Working time / Temps de fonctionnement / Tiempo de funcionamiento / Betriebszeit</b>	from 10 sec up to 8 min approx



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS743-5-4000K	108 mm	55 mm	155 mm	Colour box	6	24
IS748-5-4000K	143 mm	55 mm	180 mm	Colour box	6	24
IS768-5-4000K	217 mm	45 mm	230 mm	Colour box	4	16

IS743-5-4000K



IS748-5-4000K



IS768-5-4000K





Outdoor lighting

# PADLIGHT 5



IS740-5-6500K



IS745-5-6500K



IS755-5-6500K



IS760-5-6500K



CRI >65



25.000 hrs



15000  
Switch



Not Dimmable



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
IS740-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	10W	800 Lm	<b>6500K</b> COLD LIGHT	Die cast aluminium	Diffuse 100°	>0,9
IS745-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	20W	1600 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS755-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	30W	2400 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS760-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	50W	4000 Lm		Die cast aluminium	Diffuse 100°	>0,9

**Descrizione / Description / Description / Descripción / Beschreibung:**

Faro LED da esterno  
LED outdoor floodlight  
Phare extérieur LED  
Faro exterior de LED  
Flutlicht für Außenbereiche

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**

Cavo 30cm VDE  
Cable 30cm VDE  
Cable 30cm VDE  
Cable 30cm VDE  
Kabel 30cm VDE



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS740-5-6500K	108 mm	24 mm	100 mm	Colour box	10	40
IS745-5-6500K	143 mm	24 mm	130 mm	Colour box	10	40
IS755-5-6500K	187 mm	24 mm	167 mm	Colour box	8	32
IS760-5-6500K	217 mm	26 mm	185 mm	Colour box	8	16

IS740-5-6500K



IS745-5-6500K



IS755-5-6500K



IS760-5-6500K





# PADLIGHT 5 + PIR

Outdoor lighting



IS743-5-6500K



IS748-5-6500K



IS768-5-6500K



CRI >65



25,000 hrs



15000 Switch



Not Dimmable



Protection class




Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
IS743-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	10W	800 Lm	<b>6500K</b> COLD LIGHT	Die cast aluminium	Diffuse 100°	>0,9
IS748-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	20W	1600 Lm		Die cast aluminium	Diffuse 100°	>0,9
IS768-5-6500K	220-240V ~ 50 Hz	2835 SMD LED	50W	4000 Lm		Die cast aluminium	Diffuse 100°	>0,9

**Descrizione / Description / Description / Descripción / Beschreibung:**

Faro LED da esterno  
LED outdoor floodlight  
Phare extérieur LED  
Faro exterior de LED  
Flutlicht für Außenbereiche



IS743-5-6500K



IS748-5-6500K



IS768-5-6500K



<b>Angolo di rilevazione / Degrees motion sensor / Angle / Grados de sensor / Erfassungswinkel</b>	120°
<b>Raggio d'azione / Detection range / Rayon d'action / Rayo de accion / Reichweite</b>	4-10 m
<b>Tempo di funzionamento / Working time / Temps de fonctionnement / Tiempo de funcionamiento / Betriebszeit</b>	from 10 sec up to 8 min approx

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS743-5-6500K	108 mm	55 mm	155 mm	Colour box	6	24
IS748-5-6500K	143 mm	55 mm	180 mm	Colour box	6	24
IS768-5-6500K	217 mm	45 mm	230 mm	Colour box	4	16



Outdoor lighting

# PADLIGHT POWER



100W



150W



200W



IS781



IS783



IS786



CRI >70



20.000 hrs



15000 Switch



Not Dimmable



Protection class



Insulation class

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consummation Verbrauch	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor
IS781	220-240V ~ 50/60 Hz	LED SMD	100W	100W	8000 Lm		Die cast aluminium	Diffuse 120°	>0,9
IS783	220-240V ~ 50 Hz	LED SMD	150W	150W	12500 Lm		Die cast aluminium	Diffuse 120°	>0,95
IS786	220-240V ~ 50 Hz	LED sanan 2835	200W	200W	15000 Lm		Die cast aluminium	Diffuse 120°	>0,95

**Descrizione / Description / Description / Descripción / Beschreibung:**

Faro LED da esterno  
LED outdoor floodlight  
Phare extérieure LED  
Faro exterior de LED  
Flutlicht für Außenbereiche


**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**

**IS781-IS786:**

Cavo 30cm VDE  
Câble 30cm VDE  
Cable30cm VDE  
Cable30cm VDE  
Kabel 30cm VDE



**IS783:**



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS781	287 mm	32 mm	232 mm	Colour box	4	8
IS783	330 mm	78.5 mm	289 mm	Colour box	-	2
IS786	362 mm	59 mm	304 mm	Colour box	-	2

IS781



IS783



IS786





# PADLIGHT RGB




IS744



## ADDITIONAL RC



RC744



25.000 hrs



15000 Switch



Protection class



Insulation class

RGB




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consommation Verbrauch	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Fattore potenza Power factor Factor de potencia Leistungsfaktor
IS744	220V-240V ~ 50/60 Hz	SMD LED	20W	20W	N/A	-	Aluminium	Diffuse 100°	>0,9
RC744	1 x CR2025 (included)	-	-	-	-	-	-	-	-

### Descrizione / Description / Description / Descripción / Beschreibung:

Faro LED RGB da esterno 20W  
20W RGB LED outdoor floodlight  
Phare extérieure LED RGB 20W  
Foco proyector Led RGB multicolor de 20W para exterior  
20W RGB LED multi-color Außenlampe

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

1 x Telecomando / Remote control



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS744	136 mm	77.5 mm	132 mm	Colour box	6	24
RC744				Polybag	1	20

IS744



RC744






## COLOUR PARTY LIGHT

15 m

LED




PS066



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Tipo di lampadina Bulb Type Type de l'ampoule Tipo de bombilla Leuchtmitteltyp	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consummation Verbrauch	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
PS066	24V~9W AC/DC adaptor	5 pcs x SMD 2835 LED / bulb	G50 (ø 50 mm) not replaceable	0,34W / bulb	0,34W / bulb	25 Lm / bulb	-	Rubber	Black: 3 m + 12 m Rubber ø4.3 mm 2 x 0.2 mm <sup>2</sup>

### Descrizione / Description / Description / Descripción / Beschreibung:

Catenaria luminosa prolungabile con 20 lampadine LED  
20 LED bulbs extendable light chain  
Guirlande lumineuse prolongeable avec 20 ampoules LED  
Guirnalda luminosa extensible con 20 bombillas LED  
20 LED-Glühlampen Lichterkette, ausziehbar



### Collegamenti massimi / Maximum connections / Connexions maximales

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PS066	15000mm	50mm	112mm	Colour box	4	8



PS066





# CATENARIE LUMINOSE

Extendable light chains / Guirlandes lumineuses / Guiraldas luminosas / Ausziehbare Lichterkette



## CLASSY PARTY LIGHT

15 m

LED




PS067



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Tipo di lampadina Bulb Type Type de l'ampoule Tipo de bombilla Leuchtmitteltyp	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consumation Verbrauch	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
PS067	24V~9W AC/DC adaptor	5 pcs x SMD 2835 LED / bulb	G50 (ø 50 mm) not replaceable	0,34W / bulb	0,34W / bulb	25 Lm / bulb	3000K	Rubber	White: 3 m + 12 m Rubber ø4.3 mm 2 x 0.2 mm <sup>2</sup>

### Descrizione / Description / Description / Descripción / Beschreibung:

Catenaria luminosa prolungabile con 20 lampadine LED  
20 LED bulbs extendable light chain  
Guirlande lumineuse prolongeable avec 20 ampoules LED  
Guirnalda luminosa extensible con 20 bombillas LED  
20 LED-Glühlampen Lichterkette, ausziehbar



### Collegamenti massimi / Maximum connections / Connexions maximales

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PS067	15000mm	50mm	112mm	Colour box	4	8



HANGABLE

PS067





# RETRO' PARTY LIGHT

**NEW**

7.5 m

LED




PS048



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Tipo di lampadina Bulb Type Type de ampoule Tipo de bombilla Leuchtmitteltyp	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consommation Verbrauch	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiu Material Material	Cavo Cable Câble Cable Kabel
PS048	24V~9W AC/DC adaptor	LED ø 5 (filament)	G50 (ø 50 mm) not replaceable	0,07W / bulb	0,07W / bulb	5 Lm / bulb	2200K	Rubber	Black: 2.5 m + 5 m Rubber ø4.3 mm 2 x 0.2 mm <sup>2</sup>

**Descrizione / Description / Description / Descripción / Beschreibung:**

Catenaria luminosa prolungabile con 10 lampadine LED  
 10 LED bulbs extendable light chain  
 Guirlande lumineuse prolongeable avec 10 ampoules LED  
 Guirnalda luminosa extensible con 10 bombillas LED  
 10 LED-Glühlampen Lichterkette, ausziehbar



**Collegamenti massimi / Maximum connections / Connexions maximales**

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PS048	7500mm	50mm	112mm	Colour box	4	16

PS048



# CATENARIE LUMINOSE


Extendable light chains / Guirlandes lumineuses / Guiraldas luminosas / Ausziehbare Lichterkette



## RETRO' PARTY LIGHT

15 m

LED




PS068



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Tipo di lampadina Bulb Type Type de l'ampoule Tipo de bombilla Leuchtmitteltyp	Potenza (W) Watt power Puissance Potencia Leistung	Consumo elettrico (W) Consumption Consumation Verbrauch	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
PS068	24V~9W AC/DC adaptor	LED ø 5 (filament)	G50 (ø 50 mm) not replaceable	0,07W / bulb	0,07W / bulb	5 Lm / bulb	2200K	Rubber	Black: 3 m + 12 m Rubber ø4.3 mm 2 x 0.2 mm <sup>2</sup>

### Descrizione / Description / Description / Descripción / Beschreibung:

Catenaria luminosa prolungabile con 20 lampadine LED  
20 LED bulbs extendable light chain  
Guirlande lumineuse prolongeable avec 20 ampoules LED  
Guirnalda luminosa extensible con 20 bombillas LED  
20 LED-Glühlampen Lichterkette, ausziehbar



Collegamenti massimi / Maximum connections / Connexions maximales

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PS068	15000mm	50mm	112mm	Colour box	4	8



PS068





**PS100W**

10 m


FOR 10 E27 BULBS (NOT INCLUDED)



**PS200W**

20 m


FOR 20 E27 BULBS (NOT INCLUDED)



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Matériau Material Material	Cavo Cable Câble Cable Kabel
<b>PS100W</b>	230V ~	10 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 8,5 m H05SRN-F2x1mm <sup>2</sup>
<b>PS200W</b>	230V ~	20 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 18,5 m H05SRN-F2x1mm <sup>2</sup>

**Descrizione / Description / Description / Descripción / Beschreibung:**

Catenaria luminosa prolungabile con 10/20 lampadine LED  
 10/20 LED bulbs extendable light chain  
 Guirlande lumineuse prolongeable avec 10/20 ampoules LED  
 Guirnalda luminosa extensible con 10/20 bombillas LED  
 10/20 LED-Glühlampen Lichterkette, ausziehbar



**Collegamenti massimi / Maximum connections / Connexions maximales**

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>PS100W</b>	10000mm	44mm	63mm	White box	-	6
<b>PS200W</b>	20000mm	44mm	63mm	White box	-	6



# CATENARIE LUMINOSE

Extendable light chains / Guirlandes lumineuses / Guiraldas luminosas / Ausziehbare Lichterkette



## PS100B



PS100B



## PS200B




PS200B



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
PS100B	230V ~	10 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 8,5 m H05RN-F2x1mm <sup>2</sup>
PS200B	230V ~	20 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 18,5 m H05RN-F2x1mm <sup>2</sup>

### Descrizione / Description / Description / Descripción / Beschreibung:

Catenaria luminosa prolungabile con 10/20 lampadine LED  
10/20 LED bulbs extendable light chain  
Guirlande lumineuse prolongeable avec 10/20 ampoules LED  
Guirnalda luminosa extensible con 10/20 bombillas LED  
10/20 LED-Glühlampen Lichterkette, ausziehbar



### Collegamenti massimi / Maximum connections / Connexions maximales

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PS100B	10000mm	44mm	63mm	White box	-	6
PS200B	20000mm	44mm	63mm	White box	-	6

PS100B



PS200B



Outdoor lighting



NEW

PS100G

10 m

FOR 10 E27 BULBS (NOT INCLUDED)



PS200G

20 m

FOR 20 E27 BULBS (NOT INCLUDED)




new colour  
Dark Green



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Cavo Cable Câble Cable Kabel
PS100G	230V ~	10 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 8,5 m H05RN-F2x1mm <sup>2</sup>
PS200G	230V ~	20 x E27 (Bulbs not included) - LED compatible	Rubber	1,5m + 18,5 m H05RN-F2x1mm <sup>2</sup>

Descrizione / Description / Description / Descripción / Beschreibung:

Catenaria luminosa prolungabile con 10/20 lampadine LED  
10/20 LED bulbs extendable light chain  
Guirlande lumineuse prolongeable avec 10/20 ampoules LED  
Guirnalda luminosa extensible con 10/20 bombillas LED  
10/20 LED-Glühlampen Lichterkette, ausziehbar




Collegamenti massimi / Maximum connections / Connexions maximales

Fino a 3 catenarie dello stesso tipo / Up to 3 light chains of the same type



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PS100G	10000mm	44mm	63mm	White box	-	6
PS200G	20000mm	44mm	63mm	White box	-	6





**APOLUX**  
ENJOY YOUR SUMMER



# APOLUX

Outdoor lighting



SPH200



SPH205



SPH208



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiau Material Material
SPH200	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA
SPH205	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA
SPH208	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA

**Descrizione** / Description / Description / Descripción / Beschreibung:

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Sfera per esterno  
Outdoor globe  
Sphère d'extérieur  
Bola de exteriores  
Outdoor Lichtkugel



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions // Dimensiones / Dimensions / Größe						Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
	A	B	C	D	E	F			
SPH200	200 mm	95 mm	91 mm	15 mm	3 mm	185 mm	Bulk	-	8
SPH205	200 mm	95 mm	91 mm	15 mm	3 mm	185 mm	Bulk	-	8
SPH208	200 mm	95 mm	91 mm	15 mm	3 mm	185 mm	Bulk	-	8

SPH200



SPH205



SPH208





# LUCI PER IL GIARDINO

Garden lights / Lumières d'extérieur / Luces para jardín / Gartenleuchten



## APOLUX



**NEW** **NEW**



SPH250



SPH253



SPH254



SPH255



SPH258



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiu Material Material
SPH250	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA
SPH253	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA
SPH254	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA
SPH255	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA
SPH258	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA

**Descrizione** / Description / Description / Descripción / Beschreibung:

Sfera per esterno  
Outdoor globe  
Sphère d'extérieur  
Bola de exteriores  
Outdoor Lichtkugel

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:




Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / //Dimensiones / Dimensions / Größe						Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
	A	B	C	D	E	F			
SPH250	250 mm	120 mm	112 mm	13 mm	4 mm	237 mm	Bulk	-	6
SPH253	220 mm	120 mm	112 mm	15 mm	3 mm	275 mm	Bulk	-	6
SPH254	250 mm	120 mm	112 mm	13 mm	4 mm	237 mm	Bulk	-	6
SPH255	250 mm	120 mm	112 mm	13 mm	4 mm	237 mm	Bulk	-	6
SPH258	250 mm	120 mm	112 mm	13 mm	4 mm	237 mm	Bulk	-	6





**NEW**

# APOLUX HALF MOON



SPH307



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiau Material Material
SPH307	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA

**Descrizione** / Description / Description / Descripción / Beschreibung:

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Sfera per esterno trasparente con top nero  
Transparent outdoor globe with black top  
Sphère d'extérieur transparente anti-pollution lumineuse  
Esfera para exteriores transparente con tapa negra  
Leuchtkugel für außen, transparent, mit schwarzer Spitze



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / Dimensiones / Dimensions/ Größe						Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
	A	B	C	D	E	F			
SPH307	300 mm	140 mm	130 mm	15 mm	4 mm	285 mm	Bulk	-	4

SPH307






# APOLUX



**NEW**



SPH300



SPH304



SPH305



SPH308



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiu Material Material
SPH300	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA
SPH304	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA
SPH305	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA
SPH308	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Sfera per esterno  
Outdoor globe  
Sphère d'extérieur  
Bola de exteriores  
Outdoor Lichtkugel



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / Dimensiones / Dimensions/ Größe						Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
	A	B	C	D	E	F			
SPH300	300 mm	140mm	130 mm	15 mm	3 mm	285 mm	Bulk	-	4
SPH304	300mm	140mm	130 mm	15 mm	3 mm	285 mm	Bulk	-	4
SPH305	300 mm	140mm	130 mm	15 mm	3 mm	285 mm	Bulk	-	4
SPH308	300mm	140mm	130 mm	15 mm	3 mm	285 mm	Bulk	-	4





# APOLUX - GENIUS



Outdoor lighting



Protection class



Insulation class



SPH259


Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiau Material Material
SPH259	220-240V ~ 50 Hz	E27 Lamp holder	Max 60W	360°	PMMA

**Descrizione** / Description / Description / Descripción / Beschreibung:

Cupola trasparente per esterno  
Transparent outdoor dome  
Dôme d'extérieur transparent  
Cúpula transparente para exteriores  
Durchsichtige, kuppelförmige Leuchte

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Riflettore  
Reflector  
Réflecteur  
Reflector  
Reflektor



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / Dimensiones / Dimensions / Größe						Imballo Packing Emballage Verpackung	Inner Pcs	Master Pcs
	A	B	C	D	E	F			
SPH259	140 mm	120 mm	112 mm	270 mm	15 mm	3 mm	Bulk	4	12

SPH259



# LUCI PER IL GIARDINO

Garden lights / Lumières d'extérieur / Luces para jardín / Gartenleuchten

## APOLUX

**NEW**



SPH400



SPH405



SPH408



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiu Material Material
SPH400	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA
SPH405	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA
SPH408	220-240V ~ 50 Hz	E27 Lamp holder	Max 100W	360°	PMMA

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Sfera per esterno  
Outdoor globe  
Sphère d'extérieur  
Bola de exteriores  
Outdoor Lichtkugel



Codice Prodotto Item code Code Codigo Code	Dimensioni Dimensions / /Dimensiones / Dimensions/ Größe						Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
	A	B	C	D	E	F			
SPH400	400mm	150 mm	140 mm	15 mm	5 mm	385 mm	Bulk	-	2
SPH405	400 mm	150 mm	140 mm	15 mm	5 mm	385 mm	Bulk	-	2
SPH408	400 mm	150 mm	140 mm	15 mm	5 mm	385 mm	Bulk	-	2

SPH400



SPH405



SPH408





## ACCESSORI APOLUX

Accessori compatibili - Compatible accessories - Accessoires compatibles - Accesorios compatibles - Kompatibles Zubehör

Outdoor lighting

Foto	Codice Item code Code Codigo Code	Descrizione	Dimensioni Dimensions Dimensions Abmessungen	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces	Codice ean Ean code Ean code Ean code Ean code
	SPH140	Base corta Short stand Petite base Base corta Kurzer Stand	12 cm (H)	ABS	Bulk	10	50	8 003910 1106352 >
	SPH142	Base lunga Long stand Grande base Base larga Langer Stand	18 cm (H)	ABS	Bulk	10	50	8 003910 1106369 >
	SPH150	Braccio corto Short arm Bras court Braço corto <b>Only for globes with ø 200, 250, 300 mm</b>	23 cm (W)	ABS	Bulk	10	50	8 003910 1106376 >
	SPH152	Braccio lungo Long arm Bras long Braço largo Kurzer Arm <b>Only for globes with ø 350, 400 mm</b>	31 cm (W)	ABS	Bulk	10	50	8 003910 1106468 >
	SPH105	Palo 0,5m 0,5m pole Mât 0,5m Barra 0,5 m Stange 0,5m	ø 6cm	ABS	Bulk	-	12	8 003910 1106383 >
	SPH110	Palo 1m 1m pole Mât 1m Barra 1m Stange 1m	ø 6cm	ABS	Bulk	-	12	8 003910 1106390 >
	SPH115	Palo 1,5m 1,5m pole Mât 1,5m Barra 1,5 m Stange 1,5m	ø 6cm	ABS	Bulk	-	4	8 003910 1106406 >
	SPH120	Palo 2m 2m pole Mât 2m Barra 2m Stange 2m	ø 6cm	ABS	Bulk	-	4	8 003910 1106413 >
	SPH162	Base da pavimento Floor base Base de fixation au sol Base de suelo Bodenplatte	ø 16,5 cm	ABS	Bulk	6	36	8 003910 1106437 >
 <b>NEW</b>	SPH182	Testa palo per fissaggio 2 sfere 2 heads connector	86 x 100 x 110 mm	ABS	Bulk	-	1	8 003910 1108349 >
 <b>NEW</b>	SPH183	Testa palo per fissaggio 3 sfere 3 heads connector	ø125 mm h: 100 mm	ABS	Bulk	-	1	8 003910 1108356 >



# COMBINAZIONI APOLUX

## 1 Choose your globe diameter:



## 2 Choose the colour of your globe:

transparent



white



frosted white



smoked



## 3 Choose installation:

on pole:



choose the pole length:  
0,5m / 1m / 1,5m / 2m

+



SPH162 base

If you want to install 2 globes



+



OR



you must use the  
SPH182 connector

SPH150  
for globes  
200 / 250 / 300mm

SPH152  
for globes  
400mm

If you want to install 3 globes



+



OR



you must use the  
SPH183 connector

SPH150  
for globes  
200 / 250 / 300mm

SPH152  
for globes  
400mm

on wall:



OR



SPH150  
for globes  
200 / 250 / 300mm

SPH152  
for globes  
400mm

on stand:



OR



Short base: SPH140

Long base SPH142



# APOLUX

Outdoor lighting

**NEW**



SPH202P



SPH206P



SPH209P



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type of faisceau Tipo de haz Ausstrahlungswinkel	Materiale Materials Materiau Material Material
SPH202P	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA
SPH206P	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA
SPH209P	220-240V ~ 50 Hz	E27 Lamp holder	Max 40W	360°	PMMA

**Descrizione** / Description / Description / Descripción / Beschreibung:

Applique sphérisca  
Outdoor globe with bracket  
Applique sphérique d'extérieur  
Applique esférica de exteriores  
Outdoor Lichtkugel mit Halterung

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
SPH202P	200 mm	265 mm	245 mm	Bulk	-	6
SPH206P	200 mm	265 mm	245 mm	Bulk	-	6
SPH209P	200 mm	265 mm	245 mm	Bulk	-	6

SPH202P



SPH206P



SPH209P







## SOLAR NOVA

## SOLAR NOVA XL



SL528



SL532



REMOTE CONTROL (included)



Protection class



DIMMABLE (by remote control)  
7 different colours + white

RGB



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel
SL528	6V 1W Monocrystalline solar panel	2 x 5050 RGBW LED	0.4W	30 Lm	3000K (White) + RGB (7 colours)	3,7V 1200mAh Li-ion	6 hrs (when fully charged)	PE	Diffuse 270°
SL532	6V 1W Monocrystalline solar panel	2 x 5050 RGBW LED	0.4W	30 Lm	3000K (White) + RGB (7 colours)	3,7V 1200mAh Li-ion	6hrs (when fully charged)	PE	Diffuse 270°

Descrizione / Description / Description / Descripción / Beschreibung:

Sfera luminosa solare LED RGB  
RGB LED solar garden ball  
Sphère solaire LED RGB  
Solar LED-RGB-Lichtkugel  
Bola de led luminosa solar RGB

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Telecomando  
Remote control  
(1 x CR2025 batteria inclusa / battery included)



Picchetto da giardino  
Ground spike



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
SL528	250 mm	250 mm	250 mm	White box	-	4
SL532	300 mm	300 mm	300 mm	White box	-	2

SL528



SL532





Outdoor lighting

SOLARE & AUTONOMO

Solar lighting / Éclairage solaire / Iluminación con carga solar / Solarbeleuchtung

# SOLAR STONE



REMOTE CONTROL (included)



SL561



Protection class



DIMMABLE (by remote control)  
7 different colours + white

RGB



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Batteria Battery Batterie Bateria Batterie	Autonomia Runtime Autonomie Autonomía Autonomía	Materiale Material Materiiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel
SL561	6V 1,5W Monocrystalline solar panel	4 x 5050 RGBW LED	0.8W	30 Lm	3000K (White) + RGB (7 colours)	3,7V 1200mAh Li-ion	6 hrs (when fully charged)	PE	Diffuse 270°

Descrizione / Description / Description / Descripción / Beschreibung:

Sasso luminoso solare LED  
Solar LED stone  
Pierre solaire LED  
Piedra luminosa LED solar  
LED Solar-Lichtstein

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Telecomando  
Remote control  
(1 x CR2025 batteria inclusa / battery included)



Picchetto da giardino  
Ground spike




Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SL561	400 mm	300 mm	150 mm	White box	-	2


SL561



# MINI ESTENZA SOLAR



SL2044



Protection class



RGB

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel
SL2044	6V 1W Monocrystalline solar panel	3 x 5050 RGB LED + 3 x 2835 White LED	0.6W	30 Lm	3000K (White) + RGB (7 colours)	3,7V 1200mAh Li-ion	6 hrs (when fully charged)	PE	Diffuse 270°

Descrizione / Description / Description / Descripción / Beschreibung:

Lampada da tavolo solare LED  
Solar LED table lamp  
Lampe solaire LED de table  
Lámpara de mesa LED solar  
LED Solar-Tischlampe

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Telecomando**  
Remote control  
(1 x CR2025 batteria inclusa / battery included)



**Cavo USB**  
Usb cable



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SL2044	200	200	360	White box	-	2

SL2044





Outdoor lighting


SOLARE & AUTONOMO

Solar lighting / Éclairage solaire / Iluminación con carga solar / Solarbeleuchtung

# SL3432 - ESTENSA SOLAR



SL3432



Protection class



RGB

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Batteria Battery Batterie Bateria Batterie	Autonomia Runtime Autonomie Autonomia Autonomie	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel
SL3432	6V 1.5W Monocrystalline solar panel	6 x 5050 RGB LED + 15 x 2835 White LED	3W	White 1° step: 100 Lm White 2° step: 200 Lm White 3° step: 300 Lm	3000K (White) + RGB (7 colours)	3,7V 1800mAh Li-ion	8 hrs (Sunny days) 12 hrs (Rainy day, winter) 4 hrs (USB charge)	PE+Steel	Diffuse 270°

Descrizione / Description / Description / Descripción / Beschreibung:

Lampada da terra solare LED per esterni  
Outdoor LED solar floor lamp  
Lampadaire LED solaire  
Lámpara de pie LED solar para uso exterior  
LED Solar-Stehlampe für den Aussenbereich

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Telecomando**  
Remote control  
(1 x CR2025 batteria inclusa / battery included)



**Cable USB**  
USB cable:  
2m



Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SL3432	240 mm	340 mm	1500 mm	White box	-	1

SL3432



## TL3430 - EXTENZA



TL3430



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material
TL3430	220-240V ~ 50 Hz	E27 Lamp holder (Bulb not included) - LED compatible	Max 15W LED	360°	PE

## Descrizione / Description / Description / Descripción / Beschreibung:

Lampada da terra per esterni  
Outdoor floor lamp  
Lampadaire extérieur  
Outdoor Stehlampe  
Lampara de pie de exterior

## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Cavo di alimentazione 150 cm / Power supply cable 150 cm



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL3430	340 mm	1500 mm	Colour box	-	1

TL3430





# IS352 - FROG

Outdoor lighting



450  
LUMEN

2 x 5W  
CREE®



A PILE  
BATTERY OPERATED

MOTION DETECTOR  
140°



Protection class

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel
IS352	Dry Batteries: 4 x C / LR14 (not included)	2 x CREE® LED	2 x 5W	450 Lm	6000K	ABS	Focus Light

**Descrizione** / Description / Description / Descripción / Beschreibung:

Faro LED a pile con rilevatore di movimento  
Dry battery operated LED spotlight with motion sensor  
Projecteur LED à piles avec détecteur de mouvements  
Proyector LED con sensor de movimiento con pilas  
Scheinwerfer LED batteriegeladen, mit Bewegungsmelder<

<b>Angolo di rilevazione</b> / Degrees motion sensor/ Angle / Grados de sensor / Erfassungswinkel	140°
<b>Tempo di funzionamento</b> / Working time / Temps de fonctionnement / Tiempo de funcionamiento / Betriebszeit	from 5 sec up to 7 min approx

Codice prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IS352	138 mm	169 mm	116 mm	Colour box	-	6

IS352



# IS342 - INCA

**NEW**



Solar charging



Protection class



IS342



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Autonomia Runtime Autonomie Autonomia Autonomie	Materiale Material Materiau Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Cavo Cable Câble Cable Kabel
IS342	1W Amorphous solar panel Battery: Li-ion 3,7V 1200mAh type 18650 (included) Replaceable	LED COB 10W	10W	1600 Lm	50 min (Continuous use)	ABS+PC	Diffuse Light 120°	3,7 m

**Descrizione** / Description / Description / Descripción / Beschreibung:

Faro LED a carica solare con rilevatore di movimento  
Solar charged LED floodlight with motion sensor  
Projecteur solaire LED avec détecteur de mouvements  
Projector LED solar con sensor de movimiento  
Solar LED-Scheinwerfer mit Bewegungsmelder

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

**Connection cable:**  
3,7m



**USB cable:** 1 mt



<b>Angolo di rilevazione</b> / Degrees motion sensor / Angle / Grados de sensor / Erfassungswinkel	120°
<b>Tempo di funzionamento</b> / Working time / Temps de fonctionnement / Tiempo de funcionamiento / Betriebszeit	25 sec



**Il proiettore può essere utilizzato con un caricabatterie da 5V AC/DC (non incluso)**

The floodlight can be used with a 5V AC/DC charger (not included)

IS342



8 003910 107410 >



### SL210 - DORY

Applique LED a carica solare con rilevatore di movimento  
*Solar motion welcome light*  
 Applique solaire LED avec détecteur de mouvements  
 Aplica solar LED con detector de movimientos  
 Solar LED-Leuchte mit Bewegungsmelder



SL210




Solar Charging

COD.	💡	🕒	🕒	☀️	📏	🔋	🔌	📦	+	Packing	Inner Pces	Master Pces
SL210	0,8W SMD LED	40 Lm	15 hrs	Diffuse Light	86 x 41 x 114 mm	Lithium 3.7V 600mAh (included)	Monocrystalline solar panel: 0.6W 5V 120mA	ABS+PS	Double sided sticker + 2 screws	Blister F4	6	24

### SL235 - ARMOUR

Applique LED a carica solare con rilevatore di movimento  
*Solar charged LED wall lamp with motion sensor*  
 Applique solaire LED avec détecteur de mouvements  
 Lámpara de pared LED con carga solar y sensor de movimiento  
 LED Solar Wandleuchte mit Bewegungsmelder



SL235



Solar Charging

COD.	💡	🕒	🕒	☀️	📏	🔋	🔌	📦	+	Packing	Inner Pces	Master Pces
SL235	3 SMD LED 2,2W	220 Lm	6 hrs	Diffuse Light	205 x 200 x 95 mm	3x AA Ni-MH 600mAh (included)	Monocrystalline solar panel: 5,5V 110mA	Plastic + Steel	2 screws	Colour box	6	12



# SOLARE & AUTONOMO

Solar lighting / Éclairage solaire / Iluminación con carga solar / Solarbeleuchtung

## SL238 - TECNO

Applique LED a carica solare con rilevatore di movimento

Solar motion welcome light

Applique solaire LED avec détecteur de mouvements

Aplica solar LED con detector de movimientos

Solar LED-Leuchte mit Bewegungsmelder

**NEW**




SL238



Solar  
Charging



**3 MODES:**



COD.									+	Packing	Inner Pces	Master Pces
<b>SL238</b>	6W SMD LED 2835	600 Lm	8 hrs	Diffuse Light	205 x 106 x 40 mm	Lithium 3.7V 2200mAh (type 18650) (included)	Monocrystalline solar panel: 6W / 1.8W / 0.3A	ABS+PC	2 screws	Colour box	6	24




Outdoor lighting



### SL320 - MALIS

Applique LED a carica solare con rilevatore di movimento  
 Solar charged LED wall lamp with motion sensor  
 Applique solaire LED avec détecteur de mouvements  
 Lámpara de pared LED con carga solar y sensor de movimiento  
 LED Solar Wandleuchte mit Bewegungsmelder



SL320



Solar Charging



COD.								+	Packing	Inner Pcs	Master Pcs
SL320	3 x SMD LED 2,2W	220 Lm	6 hrs	Diffuse Light	3.7V 1200mAh 18650 Li-ion type (included)	Monocrystalline solar panel: 5.5V 90mA	Steel + plastic	2 screws	Colour box	6	12

### SL420 - MALIS XL

Lampada solare da terra per esterno con rilevatore di movimento  
 LED solar garden light with motion sensor  
 Lampe de jardin LED solaire sur pied avec détecteur de mouvements  
 LED luz de jardín solar con sensor de movimiento  
 LED Solar Gartenleuchte mit Bewegungsmelder



GARDEN SPIKE  
(INCLUDED)



SL420



Solar Charging



COD.								+	Packing	Inner Pcs	Master Pcs
SL420	3 SMD LED 2,2W	220 Lm	6 hrs	Diffuse Light	3.7V 1200mAh 18650 Li-ion type (included)	Monocrystalline solar panel: 5.5V 90mA	Steel + Plastic	2 screws + spike	Colour box	-	6

# SOLARE & AUTONOMO

Solar lighting / Eclairage solaire / Iluminacion con carga solar / Solarbeleuchtung

## SL330 - DEVILS

Appliche LED a carica solare con rilevatore di movimento  
 Solar charged LED wall lamp with motion sensor  
 Applique solaire LED avec détecteur de mouvements  
 Lámpara de pared LED con carga solar y sensor de movimiento  
 LED Solar Wandleuchte mit Bewegungsmelder



SL330




Solar Charging

3 MODES:

ALWAYS ON



ON + PIR



OFF + PIR



COD.								+	Packing	Inner Pces	Master Pces
SL330	SMD LED	600 Lm	8 hrs	Diffuse Light	3.7V 2200mAh 18650 Li-ion (18650 type) (included)	6V 0.3A Monocrystalline solar panel	Steel + PC	2 screws	Colour box	-	6

## SL340 - DEVILS TOWER

Lampada solare da terra per esterno con rilevatore di movimento  
 LED solar garden light with motion sensor  
 Lampe de jardin LED solaire sur pied avec détecteur de mouvements  
 LED luz de jardín solar con sensor de movimiento  
 LED Solar Gartenleuchte mit Bewegungsmelder



SL340




Solar Charging

3 MODES:

A ALWAYS ON



B ON + PIR



C OFF + PIR



COD.								+	Packing	Inner Pces	Master Pces
SL340	SMD LED	600 Lm	8 hrs	Diffuse Light	3.7V 2200mAh 18650 Li-ion (18650 type) (included)	6V 0.3A Monocrystalline solar panel	Steel + PC	2 screws + spike	Colour box	-	6



**NEW**

Outdoor lighting

### SL344 - TULUM

Lampada solare da terra per esterno con rilevatore di movimento  
 LED solar garden light with motion sensor  
 Lampe de jardin LED solaire sur pied avec détecteur de mouvements  
 LED luz de jardín solar con sensor de movimien  
 LED Solar Gartenleuchte mit Bewegungsmelder

GARDEN SPIKE  
(INCLUDED)



ø 16 cm



54 cm



**3 MODES:**

**A ALWAYS ON**  
 20 Lm

**B ON + PIR**  
 20 Lm    400 Lm x 8 sec

**C OFF + PIR**  
 OFF    600 Lm x 8 sec



SL344



Solar Charging

COD.	💡	⚡	🕒	☀️	🔋	👤	📏	+	Packing	Inner Pcs	Master Pcs
SL344	6W SMD LED 2835	600 Lm	8 hrs	Diffuse Light	Lithium 3.7V 2200mAh (type 18650) (included)	Monocrystalline solar panel: 6W / 1.8W / 0.3A	Steel + PC	3 x screws + spike	Colour box	-	4

## SOLARE & AUTONOMO

Solar lighting / Eclairage solaire / Iluminacion con carga solar / Solarbeleuchtung

### SPK02 - BLOSSOM

Lampada solare LED da giardino  
Solar garden LED light  
Borne solaire LED  
Lampara LED con recarga solar para el jardin  
Solar LED-Gartenlampe



Solar  
Charging

SPK02



COD.								Packing	Inner Pcs	Master Pcs
<b>SPK02</b>	1 Standard LED	2 Lm	8 hrs	Diffuse Light	ø 56 x 260 mm	Ni-Mh AAA 1,2V 100mAh (included)	ABS	Display 20 pcs	20	40

### SPK03 - BLOSSOM

Lampada solare LED da giardino  
Solar garden LED light  
Borne solaire LED  
Lampara LED con recarga solar para el jardin  
Solar LED-Gartenlampe



Solar  
Charging

SPK03



COD.								Packing	Inner Pcs	Master Pcs
<b>SPK03</b>	1 Standard LED	2 Lm	8 hrs	Diffuse Light	ø 56 x 260 mm	Ni-Mh AAA 1,2V 100mAh (included)	ABS	Display 20 pcs	20	40

### SPK05 - POLE

Lampada solare LED da giardino  
Solar garden LED light  
Borne solaire LED  
Lampara LED con recarga solar para el jardin  
Solar LED-Gartenlampe



Solar  
Charging

SPK05



COD.								Packing	Inner Pcs	Master Pcs
<b>SPK05</b>	1 Standard LED	2 Lm	6 hrs	Diffuse Light	47 x 47 x 330 mm	1 x 1,2V 200mAh Ni-Mh (included)	ABS	Display 24 pcs	24	48



### SPK10 - GLOBE

Lampada solare LED da giardino  
 Solar garden LED light  
 Borne solaire LED  
 Lampara LED con recarga solar para el jardin  
 Solar LED-Gartenlampe



Solar Charging



SPK10



COD.								Packing	Inner Pces	Master Pces
SPK10	1 Standard LED	2 Lm	8 hrs	Diffuse Light	100 x 100 x 340 mm	1 x AAA 1,2V 100mAh Ni-Mh (included)	ABS	Display 20 pces	20	40

### SPK08 - BULB LIGHT

Lampada solare LED da giardino  
 Solar garden LED light  
 Borne solaire LED  
 Lampara LED con recarga solar para el jardin  
 Solar LED-Gartenlampe



Solar Charging



SPK08



COD.								Packing	Inner Pces	Master Pces
SPK08	4 micro LED	2 Lm	4 hrs	Diffuse Light	76 x 76 x 185 mm	1,2V 40 mAh Ni-Mh (included)	ABS	Display 12 pces	-	12

# Indoor lighting



DURANDAL

Indoor lighting



CRI &gt;80



30.000 hrs



Switch



Not Dimmable



Protection class



Insulation class



RS SERIES




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Comparazione Cfl CFL equivalent Equivalence CFL Equivalencia CFL CFL Äquivalent	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Kelvin Temperatura de luz °K	Materiale Material Materiu Material Material	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Collegamenti Connections Connexions Conexiones Anschlüsse
RS4-4W	220V-240V ~ 50/60 Hz	26 x 4014 SMD LED	4W	8W	320 Lm	4000K	PC	120°/150°	max 100W
RS8-8W	220V-240V ~ 50/60 Hz	48 x 4014 SMD LED	8W	13W	640 Lm	4000K	PC	120°/150°	max 100W
RS10-10W	220V-240V ~ 50/60 Hz	70 x 4014 SMD LED	10W	21W	800 Lm	4000K	PC	120°/150°	max 100W
RS14-14W	220V-240V ~ 50/60 Hz	90 x 4014 SMD LED	14W	28W	1120 Lm	4000K	PC	120°/150°	max 100W

Descrizione / Description / Description / Descripción / Beschreibung:

Lampada sottopensile LED - Ideali per sostituire le vecchie reglette fluo T5. Con interruttore LED cabinet light - Ideal substitute to the old style T5 neon barlights. With switch  
Réglettes LED - Idéales pour la substitution des vieilles réglettes au néon de type T5. Avec interrupteur on-off  
Regletas led - Ideal para sustituir las regletas mas antiguas con tubos  
LED-Unterbauleuchte - Ideal als Ersatz für die alten Leuchten vom Typ T5. Mit Ein- und Ausschalter

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Kit di installazione  
Installation kitCavo di alimentazione  
Power cable 150 cmCavo di connessione  
Connector 15 cm

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
RS4-4W	313 mm	22 mm	30 mm	Colour box	10	30
RS8-8W	576 mm	22 mm	30 mm	Colour box	10	30
RS10-10W	873 mm	22 mm	30 mm	Colour box	10	30
RS14-14W	1173 mm	22 mm	30 mm	Colour box	10	30

RS4-4W



RS8-8W



RS10-10W



RS14-14W





# REGLETTE LED

LED bar lights / Réglettes LED / Regletas de LED / LED-Linienlampen

## PLAFONIERE PER TUBI LED T8



ONLY FOR  
LED TUBES

Indoor lighting



Protection class



Tubes not included




PI20 SERIES

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Formato Format Format Formato Format	Attacco Lamp holder Culot Ataco Halterung	Materiale Material Materiu Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PI20136	220V-240V ~ 50 Hz	1 LED tube 120 cm (not included)	T8	G13	Metal	1230 mm	50 mm	73 mm	Shrink	-	12
PI20158	220V-240V ~ 50 Hz	1 LED tube 150 cm (not included)	T8	G13	Metal	1530 mm	102 mm	74 mm	Shrink	-	12
PI20258	220V-240V ~ 50 Hz	2 LED tubes 150 cm (not included)	T8	G13	Metal	1530 mm	102 mm	74 mm	Shrink	-	8

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera da interno da usare esclusivamente con tubi LED T8.  
Prodotto senza alimentazione  
Light fitting for indoor use, compatible with T8 LED tube  
Item without power supply  
Réglette T8 pour usage intérieur, compatible exclusivement avec tubes LED.  
Produit fourni sans alimentation  
Regleta T8 para uso en interiores, sólo es compatible con tubos LED  
Producto suministrado sin alimentación  
Deckenleuchte T8 für den Innenbereich, nur mit LED Röhren T8 zu verwenden.  
Produkt ohne Stromzufuhr.



PI20136



PI20158



PI20258



NEW



4000K

COOL WHITE  
LUCE NEUTRA

NEW

ICEBERG

LED

38W



3000K

WARM LIGHT  
LUCE CALDA

PANLE05-4000K



PANLE05-3000K



CRI &gt;80



25,000 hrs



Not Dimmable



Protection class



Insulation class



intertek



Flicker-free



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
PANLE05-4000K	220V-240V ~ 50/60 Hz	SMD 2835 LED	38W	3800 Lm	4000K	0.9	120° Diffuse	AL
PANLE05-3000K	220V-240V ~ 50/60 Hz	SMD 2835 LED	38W	3800 Lm	3000K	0.9	120° Diffuse	AL

## Descrizione / Description / Description / Descripción / Beschreibung:

Pannello LED da soffitto 60 x 60 cm - Backlight technology  
60 x 60 cm LED panel (Backlight technology)  
Panneau LED 60 x 60 cm (Backlight technology)  
Panel LED para techo 60 x 60 cm (Backlight technology)  
Decken-LED-Panel 60 x 60 cm (Backlight technology)

## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PANLE05-4000K	595	595	32	Colour box	-	5
PANLE05-3000K	595	595	32	Colour box	-	5

PANLE05-4000K



PANLE05-3000K



# PANNELLI LED

LED panels / Panneaux LED / Paneles de LED / LED-panels

## ICEBERG



**NEW**



**4000K**  
COOL WHITE  
LUCE NEUTRA

**UGR<19**  
UNIFIED GLARE RATING



PANUGR-4000K



CRI >80



25.000 hrs



Not Dimmable



Protection class



Insulation class



intertek



Flicker-free



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material
PANUGR-4000K	220V-240V ~ 50/60 Hz	SMD 2835 LED	38W	3800 Lm	4000K	0.9	120° Diffuse	AL

### Descrizione / Description / Description / Descripción / Beschreibung:

Pannello LED da soffitto 60 x 60 cm - Backlight technology  
60 x 60 cm LED panel (Backlight technology)  
Panneau LED 60 x 60 cm (Backlight technology)  
Panel LED para techo 60 x 60 cm (Backlight technology)  
Decken-LED-Panel 60 x 60 cm (Backlight technology)

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Driver incluso  
Driver Included  
Driver fourni  
Driver incluido  
Driver inbegriffen



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PANUGR-4000K	595	595	32	Colour box	-	5

PANUGR-4000K





 Ø  
29cm

20W

 ONLY  
65 mm  
SLIM


PTLED20W



CRI ≥ 80



25.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
PTLED20W	220V-240V ~ 50/60 Hz	SMD 2835 LED	20W	1400 Lm	4000K	> 0,5	Diffuse 120°	MS + Metal


**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera LED tonda con diffusore in plastica  
 LED round ceiling lamp with plastic diffuser  
 Plafonnier LED rond, diffuseur en plastique  
 Plafón LED circular, material difusor; plástico  
 LED Deckenleuchte, rund, mit Diffusor aus Kunststoff

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Driver incluso  
 Driver Included  
 Driver fourni  
 Driver incluido  
 Driver inbegriffen

Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PTLED20W	29 cm	6,5 cm	Colour box	5	10



PTLED20W



# PLAFONIERE LED TONDE

LED ceiling lamps / Plafonniers à LED intégrées / Plafon LED / LED-Deckenlampe

## MOON XL



PTLED32W



CRI ≥80



25.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>PTLED32W</b>	220V-240V ~ 50/60 Hz	SMD 2835 LED	32W	2400 Lm	4000K	> 0,5	Diffuse 120°	MS + Metal


### Descrizione / Description / Description / Descripción / Beschreibung:

Plafoniera LED tonda con diffusore in plastica  
 LED round ceiling lamp with plastic diffuser  
 Plafonnier LED rond, diffuseur en plastique  
 Plafón LED circular, material difusor: plástico  
 LED Deckenleuchte, rund, mit Diffusor aus Kunststoff

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Driver incluso  
 Driver Included  
 Driver fourni  
 Driver incluido  
 Driver inbegriffen

Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>PTLED32W</b>	39 cm	6,5 cm	Colour box	5	10





**DIMMABLE + COLOUR CHANGE**

**3000K**  
WARM LIGHT  
LUCE CALDA

**4000K**  
COOL WHITE  
LUCE NEUTRA

**6500K**  
COLD LIGHT  
LUCE FREDDA

**STARRY**



Ø  
**46cm**

**36W**

ONLY  
85 mm  
**SLIM**



STARRY



CRI ≥80



25.000 hrs



Not Dimmable



Protection class



Insulation class



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
<b>STARRY</b>	220V-240V ~ 50/60 Hz	SMD 2835 LED	36W	2600 Lm	3000K / 4000K / 6500K CCT	> 0,9	Diffuse 120°	PMMA + Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:


Plafoniera LED tonda con diffusore in PMMA  
LED round ceiling lamp with PMMA diffuser  
Plafonnier LED rond, diffuseur en PMMA  
Plafon LED circular, material difusor: PMMA  
LED Deckenleuchte, rund, mit Diffusor aus PMMA

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



**Telecomando**  
Remote control  
(2 x AAA batterie incluse / batteries included)

**Driver incluso**  
Driver included



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>STARRY</b>	46 cm	8,5 cm	Colour box	2	6

STARRY





# SIRIO



PT310



PT330



PT340



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Matériau Material Material
PT310	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT330	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT340	220V-240V ~ 50/60 Hz	2 x E27	2 x Max 40W	Diffuse 120°	Glass + Metal

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera tonda con diffusore in alabastro  
 Round ceiling lamp with alabaster diffuser  
 Plafonnier rond, diffuseur en alabâtre  
 Plafón circular, material difusor: alabastro  
 Deckenleuchte, rund, mit Diffusor aus Alabaste



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
PT310	30 cm	8,5 cm	Colour box	-	5
PT330	30 cm	8,5 cm	Colour box	-	10
PT340	40 cm	11 cm	Colour box	-	5





# SAPHIR



Ø 30cm



PT313



Ø 30cm



PT333



Ø 40cm




PT343



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material
PT313	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT333	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT343	220V-240V ~ 50/60 Hz	2 x E27	2 x Max 40W	Diffuse 120°	Glass + Metal

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Plafoniera tonda con diffusore in vetro satinato  
Round satin glass ceiling light  
Plafonnier rond, diffuseur en verre satiné  
Plafón de techo redondo con difusor de vidrio esmerilado  
Runde Deckenleuchte in Milchglas mit Diffusor



Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PT313	30 cm	8,5 cm	Colour box	-	5
PT333	30 cm	8,5 cm	Colour box	-	10
PT343	40 cm	11 cm	Colour box	-	5

PT313



PT333



PT343





# SAPHIR



30cm



40cm



PT363



PT373



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
PT363	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT373	220V-240V ~ 50/60 Hz	2 x E27	Max 2 x 40W	Diffuse 120°	Glass + Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera quadrata con diffusore in vetro satinato  
 Square satin glass ceiling light  
 Plafonnier carré, diffuseur en verre satiné  
 Plafón de techo cuadrado con difusor de vidrio esmerilado  
 Quadratische Deckenleuchte in satiniertem Glas mit Diffusor

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PT363	30 cm	30 cm	9 cm	Colour box	-	5
PT373	40 cm	40 cm	10,5 cm	Colour box	-	5

PT363



PT373





# VEGA



PT331



PT341



Protection class



Insulation class




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiau Material Material
PT331	220V-240V ~ 50/60 Hz	1 x E27	Max 40W	Diffuse 120°	Glass + Metal
PT341	220V-240V ~ 50/60 Hz	2 x E27	Max 2 x 40W	Diffuse 120°	Glass + Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera tonda con diffusore in vetro  
Round ceiling lamp with glass diffuser  
Plafonnier rond, diffuseur en verre  
Plafon circular, material difusor: cristal  
Deckenleuchte, rund, mit Diffusor aus Glas

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:


Codice Prodotto Item code Code Codigo Code	Diametro D1 Diameter Diamètre Diámetro Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PT331	30 cm	10 cm	Colour box	-	10
PT341	40 cm	11 cm	Colour box	-	5



# PLAFONIERE TONDE

Ceiling lamps / Plafonniers / Plafon / Deckenlampe

## MIRA



Indoor lighting



PT342




Protection class    Insulation class

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Materiale Material Materiu Material Material
<b>PT342</b>	220V-240V ~ 50/60 Hz	2 x E27	Max 2 x 40W	Diffuse 120°	Glass + Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Plafoniera tonda con diffusore in vetro  
 Round ceiling lamp with glass diffuser  
 Plafonnier rond, diffuseur en verre  
 Plafon circular, material difusor: cristal  
 Deckenleuchte, rund, mit Diffusor aus Glas

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>PT342</b>	43 cm	43 cm	10,5 cm	Colour box	-	5


PT342





NEW

## APOLUX - Pendant



SPH167



Protection class



Insulation class



Globe not included



Bulb not included




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Attacco Lamp holder Culot Ataco Halterung	Potenza (W) Watt power Puissance Potencia Leistung	Cavo Cable Cable Cable Kabel	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SPH167	220V-240V ~ 50 Hz	E27	max 60W	100 cm, H03VV-F 2x0.75mm <sup>2</sup>	PP	Polybag	6	24

## Descrizione / Description / Description / Descripción / Beschreibung:

Sospensioni in metallo per lampade E27  
 E27 metal pendant lamp holders  
 Suspensions métallique pour ampoule E27  
 Suspensiones metálicas para lámparas E27  
 Metallaufhängungen für E27-Lampen

ø10 cm



SPH167



8 003910 107908 &gt;

## APOLUX - Sfere

NEW



SPH251-U



SPH251-Y



SPH251-K


Bulb  
not included

CE

Codice Prodotto Item code Code Codigo Code	Colore Colour Couleur Color Farbe	Materiale Material Materiau Material Material	Diametro D1 Width Largeur Ancho Breite	Altezza L1 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SPH251-U	Blue	PMMA	250 mm	260 mm	Polybag	-	6
SPH251-Y	Yellow	PMMA	250 mm	260 mm	Polybag	-	6
SPH251-K	Pink	PMMA	250 mm	260 mm	Polybag	-	6

Descrizione / Description / Description / Descripción / Beschreibung:

Sfera per interni ed esterni in PMMA  
 Sphere for interiors and exteriors in PMMA  
 Sphère pour intérieurs et extérieurs en PMMA  
 Esfera para interiores y exteriores en PMMA  
 Sphäre für Innen- und Außenbereiche in PMMA



SPH251-U



SPH251-Y



SPH251-K




## GLAMOUR

LED

GLASS

Ø  
20cm

TL1810



25.000 hrs



Insulation class



DIMMABLE (by remote control) white + 15 colours

RGB

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
TL1810	230V ~ 50 /60Hz	LED SMD	25W	250 Lm	Diffuse light 180°	White (3000K) + 15 colours (RGB)	Glass

## Descrizione / Description / Description / Descripción / Beschreibung:

Sfera luminosa LED RGB in vetro  
 RGB LED Glass Ball Light  
 Sphère lumineuse LED RGB en verre  
 Glas Leuchtkugel mit RGB LED Licht  
 Lampara esférica de cristal LED RGB


## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Telecomando  
 Remote control  
 (1 x CR2025 batteria inclusa  
 / battery included)



Cavo di alimentazione con interruttore  
 Power supply cable with switch



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1810	200 mm	200 mm	195 mm	Colour box	4	8

TL1810




# LAMPADE DA TAVOLO

Desk lamps / Lampes de bureau LED / Lámpara de sobremesa con LED / Tischlampe

## SWAN 2



TL1602-B



TL1602-N



CRI > 85



20.000 hrs



With adaptor



Protection class



Insulation class



intertek

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiu Material Material
TL1602-B	230V ~ 50/60 Hz	2835 LED SMD	7W	420 Lm	Diffuse light	4000K	ABS
TL1602-N	230V ~ 50/60 Hz	2835 LED SMD	7W	420 Lm	Diffuse light	4000K	ABS


**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada da scrivania LED 7W con interruttore touch e portapenna  
7W LED desk lamp with touch switch and pen holder  
Lampe de bureau LED 7W avec interrupteur tactile et porte-CRAYONS  
Lámpara de escritorio LED de 7W con interruptor táctil y portapápices  
7W LED-Schreibtischlampe mit Touch-Schalter und Stifthalter

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Adattatore  
Adaptor  
Adaptateur  
Adaptador  
Adapter



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
TL1602-B	130 mm	130 mm	525 mm	Colour box	-	6
TL1602-N	130 mm	130 mm	525 mm	Colour box	-	6

TL1602-B



TL1602-N





SLIM



TL1606B



TL1606N



Dimmable



CRI > 85



30.000 hrs



With adaptor



Protection class



Insulation class



intertek

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
TL1606B	100-240V ~ 50 Hz / 12V === 420mA	LED SMD	6W	510 Lm	Diffuse light	4000K	ABS
TL1606N	100-240V ~ 50 Hz / 12V === 420mA	LED SMD	6W	510 Lm	Diffuse light	4000K	ABS


Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lampada da tavolo LED 6W  
6W Desk lamp  
Lampe de bureau LED 6W  
Lampara de sobremesa con LED 6W  
LED-Tischlampe 6W



Adattatore  
Adaptor  
Adaptateur  
Adaptador  
Adapter



Codice prod. Item code Code Codigo	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1606B	120 mm	167 mm	380 mm, max 695 mm	Colour box	4	24
TL1606N	120 mm	167 mm	380 mm, max 695 mm	Colour box	4	24





# LAMPADE DA TAVOLO

Desk lamps / Lampes de bureau LED / Lampara de sobremesa con LED / Tischlampe

## SLIM

LED



TL1609-B



125 cm



Indoor lighting



Dimmable



CRI > 85



30.000 hrs



With adaptor



Protection class  
IP20



Insulation class  
III



intertek



Codice Prodotto	Alimentazione	Tecnologia della Luce	Potenza (W)	Lumen	Apertura Fascio	Tipo di luce	Materiale
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Kelvin degrees Degrés Kelvin Temperatura de luz °K	Material Materiu Material Material
<b>TL1609-B</b>	100-240V ~ 50 Hz / 12V === 420mA	LED SMD	6W	510 Lm	Diffuse light	4000K	ABS


**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada LED da terra  
LED floor lamp  
Liseuse LED  
Lámpara de pie LED  
LED Stehlampe

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Adattatore  
Adaptor  
Adaptateur  
Adaptador  
Adapter



Codice prod.	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Inner Pces	Master Pces
Item code Code Codigo	Length Longueur Lungitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung		
<b>TL1609-B</b>	210 mm	400 mm	1250 mm	Colour box	2	12

TL1609-B






# DROID 2



DIMMER ● ● ●



CRI > 80



25.000 hrs



With adaptor



Insulation class



intertek



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Material Material Material
TL1614	100-240V ~ 50 Hz / 12V === 420mA	LED SMD	7W	530 Lm	Diffuse light	3000K - 4000K - 6500K	ABS+AL


**Descrizione / Description / Description / Descripción / Beschreibung:**

Lampada da tavolo LED 7W  
7W Desk lamp  
Lampe de bureau LED 7W  
Lampara de sobremesa con LED 7W  
LED-Tischlampe 7W

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



Adattatore  
Adaptor  
Adaptateur  
Adaptador  
Adapter



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
TL1614	140 mm	300 mm	320 mm	Colour box	4	24

TL1614



# SPOT LED CON CLIP

LED Spot with clip / Spot LED avec clip / Faro LED con clip / LED Spot mit Clip

## CHARLY


LED



TL1401-B



TL1401-N



CRI > 85



20.000 hrs



Not Dimmable



Protection class



Insulation class



Switch



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Cavo Cable Câble Cable Kabel	Materiale Material Materiu Material Material
TL1401-B	220-240V ~ 50 Hz	24 LED SMD 2835	5W	360	Diffuse	3000K	180 mm	ABS / Metal
TL1401-N	220-240V ~ 50 Hz	24 LED SMD 2835	5W	360	Diffuse	3000K	180 mm	ABS / Metal

Descrizione / Description / Description / Descripción / Beschreibung:

Spot LED con clip  
LED Spot with clip  
Spot LED avec clip  
Faro LED con clip  
LED Spot mit Clip


Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Interruttore + cavo  
Switch + cable  
Interrupteur + câble  
Conmutador + cable  
Schalter + kabel



Clip



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1401-B	90	70	150	Colour box	6	24
TL1401-N	90	70	150	Colour box	6	24

TL1401-B



TL1401-N





# MUSHROOM



Indoor lighting



TL1010-B



TL1011



TL1012

**NEW**

**NEW**



Protection class



Insulation class



Bulb not included



Switch



intertek



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Attacco Lamp holder Culot Ataco Halterung	Cavo Cable Câble Cable Kabel	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1010-B	230V ~ 50Hz	E14 (MAX 15W)	150 cm	ABS	160 mm	160 mm	25.5mm	Shrink	-	6
TL1011	230V ~ 50Hz	E14 (MAX 15W)	150 cm	ABS	160 mm	160 mm	25.5mm	Shrink	-	6
TL1012	230V ~ 50Hz	E14 (MAX 15W)	150 cm	ABS	160 mm	160 mm	25.5mm	Shrink	-	6


**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada da tavolo  
Desk lamp  
Lampe de bureau  
Lampara de sovremesa  
Tischlampe

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Interruttore + cavo  
Switch + cable  
Interrupteur + câble  
Conmutador + cable  
Schalter + kabel



# LAMPADE DA TAVOLO

Desk lamps / Lampes de bureau / Lampara de sovremesa / Tischlampe



## CHARLESTON



TL1201-B



TL1201-N



TL1201-U



TL1201-S



Protection class



Insulation class



Bulb not included



Switch



intertek




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Attacco Lamp holder Culot Ataco Halterung	Cavo Cable Câble Cable Kabel	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1201-B	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	130 mm	325 mm	Colour box	-	12
TL1201-N	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	130 mm	325 mm	Colour box	-	12
TL1201-U	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	135 mm	370 mm	Colour box	-	12
TL1201-S	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	135 mm	370 mm	Colour box	-	12

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lampada da tavolo  
Desk lamp  
Lampe de bureau  
Lampara de sovremesa  
Tischlampe



TL1201-B



TL1201-N



TL1201-U



TL1201-S





# CHARLESTON




Indoor lighting



TL1203-B



TL1203-N



Protection class



Insulation class



Bulb not included



Switch



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentación Stromversorgung	Attacco Lamp holder Culot Ataco Halterung	Cavo Cable Câble Cable Kabel	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1203-B	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	135 mm	370 mm	Colour box	-	12
TL1203-N	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	135 mm	370 mm	Colour box	-	12


Descrizione / Description / Description / Descripción / Beschreibung:

Lampada da tavolo  
Desk lamp  
Lampe de bureau  
Lampara de sovremesa  
Tischlampe

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Interruttore + cavo  
Switch + cable  
Interrupteur + câble  
Conmutador + cable  
Schalter + kabel



TL1203-B



TL1203-N



# LAMPADE DA TAVOLO

Desk lamps / Lampes de bureau / Lampara de sovremesa / Tischlampe

## CHARLESTON



Indoor lighting



TL1207-N




Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Attacco Lamp holder Culot Ataco Halterung	Cavo Cable Câble Cable Kabel	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
TL1207-N	220V ~ 50 Hz	E27	150 cm	Metal + ABS	115 mm	130 mm	325 mm	Colour box	-	6

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lampada da tavolo  
Desk lamp  
Lampe de bureau  
Lampara de sovremesa  
Tischlampe



Interruttore + cavo  
Switch + cable  
Interrupteur + câble  
Conmutador + cable  
Schalter + kabel

TL1207-N





# MAGNIFIER 4

Indoor lighting



LED

3 + 12  
DIOPTRIES

30 SMD  
LED

x1,75  
MAGNIFICATION



10.000 hrs



on-off switch  
10.000



Not Dimmable



Protection class




Insulation class



intertek



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Fattore potenza Power factor Power factor Factor de potencia Leistungsfaktor	Materiale Material Matériau Material Material
LE004LED	220V-240V ~ 50 Hz	30 x 0.2W SMD LED	6W	560 Lm	Diffuse light	6500K	> 0,5	PVC+Metal



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
LE004LED	180 mm	180 mm	360 mm	Colour box	-	4

**Descrizione / Description / Description / Descripción / Beschreibung:**

Lampada con lente di ingrandimento 3-12 diottrie  
Magnifier lamp 3-12 diopter  
Lampe avec loupe 3-12 dioptries  
Lampara profesional con lupa, 3-12 dioptrias  
Lampe mit Vergrößerungsglas 3-12 Dioptrien

LE004LED





# LAMPADE CONLENTE

Magnifier lamps / Lampes avec loupe / Lamparas con lupa / Lupenleuchten

## LORD

**NEW**



TOUCH SWITCH



25.000 hrs



Protection class



Insulation class



Codice Prod.	Alimentazione	Tecnologia della Luce	Potenza (W)	Lumen	Apertura Fascio	Batteria	Autonomia	Tipo di luce	Materiale
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Battery Batterie Batería Batterie	Runtime Autonomie Autonomía Autonomie	Kelvin degrees Degrés Kelvin Temperatura de luz °K	Material Materiau Material Material
<b>LE008</b>	5V --- 1A max	6 SMD LED	0.5W	60 Lm	Diffuse light	Battery: Li-Polymer 3,7V 400mAh	6 h	6000K	ABS


**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada LED con lente 3x/ 8x, ricaricabile  
LED lamp with 3x / 8x lens, rechargeable  
Lampe LED avec lentille 3x / 8x, rechargeable  
LED-Lampe mit 3X / 8X Linse, wiederaufladbar  
Lámpara LED con lente 3x / 8x, recargable

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Cavo micro USB: 120 cm / USB cable: 120 cm



Codice Prodotto	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Inner Pcs	Master Pcs
Item code Code Codigo Code	Length Longueur Longitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung		
<b>LE008</b>	220 mm	135 mm	300 mm	Colour box	6	24

LE008





NEW

## TROOPER

2 LED

1.0X  
1.5X  
2.0X  
2.5X  
3.5X

25.000 hrs



Protection class



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Bateria Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Matériau Material Material
LE035	Batteries	2 Standard LED	0.12W	12 Lm	Focus light	3 AAA/LR03 (not included)	24 h	6000K	ABS

Descrizione / Description / Description / Descripción / Beschreibung:

Occhiali LED con lente d'ingrandimento. 5 diottrie intercambiabili  
LED glasses with magnifying glass. 5 interchangeable diopters  
Lunettes LED avec loupe. 5 dioptries interchangeables  
Gafas LED con lupa. 5 dioptrías intercambiables  
LED-Brille mit Lupe. 5 austauschbare Dioptrien

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



5 Lenti / 5 Lens

1.0X - 1.5X - 2.0X - 2.5X - 3.5X

Banda elastica

Elastic band

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
LE035	220	145	80	Colour box	6	48



LE035



# LAMPADE CON LENTE

Magnifier lamps / Lampes avec loupe / Lamparas con lupa / Lupenleuchten

## CROTALE

**NEW**



25.000 hrs



Protection class



Insulation class



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
<b>LE037</b>	Batteries or 5V ~ 1A max	8 LED	0.4W	48 Lm	Diffuse light	3 x AAA/LR03 (not included)	30 h	6000K	ABS

**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada LED a mano o da tavolo con lente 5x/11x  
 Hand and table LED lamp with 5x/11x lens  
 Lampe LED à main ou de table avec grossissement 5x/11x  
 Lampara LED de mano o de mesa con efecto lupa 5x/11x  
 Hand- und / oder Tisch-LED-Lampe mit 5x/11x Linse

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



Cavo USB: 120 cm / USB cable: 120 cm



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>LE037</b>	48 mm	195 mm	27 mm	Colour box	6	48

LE037





### IN287 - LINXLED

Lente di ingrandimento 12 LED  
 12 LED magnifying glass  
 Loupe 12 LED  
 Lupa con 12 LED  
 Vergrößerungsglas 12 LED



12 pcs  
DISPLAY

x3

IN287



COD.									+	Packing	Inner Pces	Master Pces
IN287	12 LED SMD	15 Lm	N/S	12 hrs	Diffuse light	237 x 109 x 21,5 mm	2 x AA/LR6 (not included)	ABS	3 X Magnifier	Display 12 pcs	12	24

### IN281 - SHERLOCK

Lente d'ingrandimento LED  
 LED Magnifying glass  
 Loupe LED  
 Lupa LED  
 Vergrößerungsglas LED



12 pcs  
DISPLAY

x3

IN281



COD.									Packing	Inner Pces	Master Pces
IN281	1 Standard LED	8 Lm	4 hrs	Diffuse Light	115 x 47 x 12 mm	2 x CR1220 (included)	ABS		Display 12 pcs	12	96

## LAMPADE CONLENTE

Magnifier lamps / Lampes avec loupe / Lamparas con lupa / Lupenleuchten

### IN283 - LORD

Occhiali premontati da lettura  
Reading glasses  
Lunettes de lecture  
Gafas de lectura premontadas  
Vormontierte Lesebrille

+1.00

+1.50

+2.00

+2.50

+3.00

**5 DIOTTRIE A SCELTA**  
**5 DIOPTERS AVAILABLE**  
**5 DIOPTRIES AU CHOIX**  
**5 DIOPTRIAS PARA ELEGIR**  
**5 DIOPTRIEN IHRER WAHL**

IN283



**4 COLORI A SCELTA**  
**4 COLOURS AVAILABLE**  
**4 COULEURS AU CHOIX**  
**4 COLORES PARA ELEGIR:**  
**4 FARBEN ZUR AUSWAHL**



**20 pcs**  
**DISPLAY**

COD.	Interpupillary distance	SIZE	FR	+	Packing	Inner Pces	Master Pces
<b>IN283</b>	62+/-1mm	131 x 136 x 22 mm	Glasses frame: Metal Lens: Acrylic	Folder	Display 20 pcs	20	240

### IN232 - GOOSE

Luce da lettura LED  
LED Booklight  
Lampe de lecture LED  
Luz de lectura LED  
LED-Leselampe



IN232



COD.	LED	LM	→	⌚	☀	SIZE	BATT	FR	Packing	Inner Pces	Master Pces
<b>IN232</b>	1 Super LED	6 Lm	N/S	13 hrs	Diffuse light	265 x 34 x 22 mm	2 x CR2016 (included)	ABS	Blister F2	12	72



**NEW**

**FAIRY**



Protection class



Insulation class



Rechargeable




IR236

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
<b>IR236</b>	5V --- 1A max	9 x 2835 SMD LED	0.25W	30 Lm	Diffuse light	Li-PO 600mAh (included)	42 h (Light 20%)	CCT 2700K/4000K/6000K	ABS + AL

**Descrizione / Description / Description / Descripción / Beschreibung:**

Lampada da lettura 9 LED ricaricabile  
9 LED rechargeable reading lamp  
Lampe de lecture rechargeable à 9 LED  
Lámpara de lectura recargable de 9 LED  
9 wiederaufladbare LED-Leselampe



**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**



**Cavo micro USB: 100 cm**  
USB cable: 100 cm



**Clip**  
Clip

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>IR236</b>	71 mm	38 mm	315 mm	Blister F5	6	24

IR236



# LUCI DI SICUREZZA FISSE

Wall emergency lamps / Blocs de secours / Luminarias par iluminacion de emergencia / Sicherheitswandleuchten



## HOLLY



Indoor lighting



Not Dimmable



Protection class



Insulation class



Mechanical Resistance



Conforme EN 60598-2-22



ER122




Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Tipo Type Type Tipo Tipo Typ	Materiale Material Materiu Material Material
ER122	220V-240V ~ 50/60 Hz	LED SMD 2835	max 3.5W	140 Lm	Diffuse light	Li-ion 2 pcs 1500mAh 7.4V (included)	2h	6500K	SA + SE	PC

**Descrizione** / Description / Description / Descripción / Beschreibung:

Lampada per illuminazione d'emergenza  
Self-contained luminaire for emergency lighting  
Bloc de secours non permanent  
Aparato para iluminación de seguridad  
Lampe für Notbeleuchtung

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



1 pressacavo, 2 tasselli, 2 viti, 2 tappi 2 clips  
1 cable gland, 2 dowels, 2 screws, 2 caps, 2 clips

### INSTALLAZIONE SPORGENTE A PARETE



### INSTALLAZIONE DA INCASSO E SOFFITTO



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
ER122	292 mm	102 mm	32 mm	Colour box	6	24





# OVIDEA LED EVO

**320 LUMEN**

**LED TUBE TECHNOLOGY**



IR160EVO

Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type of faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
IR160EVO	230V ~ 50 Hz / 5V === 1000mA	SMD LED	4,5 W	320 Lm	Diffuse	3.7V 2Ah Li-ion battery (included)	2 hrs (100%) 5 hrs (50%)	6000K	PS+ABS

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lanterna portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampes portative rechargeable anti coupures de courant  
Lámpara LED recargable portátil de encendido automático  
Tragbare Antiblackout-Lampe, wiederaufladbar



220V ~ AC/DC Home adaptor



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
IR160EVO	164 mm	104 mm	286 mm	Colour box	-	6

IR160EVO





## LUCI DI SICUREZZA PORTATILI

Portable emergency lamps / Lampes portatives rechargeables anti coupures de courant /  
Lamparas recargables portátiles anti black-out / Tragbare Notleuchten

# MINI OVIDEA LED



**170  
LUMEN**



IR170EVO



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Bateria Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di Luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiu Material Material
IR170EVO	220V ~ 50 Hz / 5V --- 200mA	3W High power LED + LED Tube (COB)	3W	Spotlight: 100 Lm, LED tube: 170 Lm	Focus + Diffuse	Pb 4V 1Ah (included)	Spotlight: 3 hrs LED tube: 2,5 hrs	6500K	ABS

**Descrizione** / Description / Description / Descripción / Beschreibung:

Lanterna portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampes portative rechargeable anti coupures de courant  
Lámpara LED recargable portátil de encendido automatico  
Tragbare Antiblackout-Lampe, wiederaufladbar

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



220V ~ AC/DC Home adaptor



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IR170EVO	130 mm	75 mm	136 mm	Colour box	6	24

IR170EVO





# IRON LIGHT

Indoor lighting



**250  
LUMEN**

**LED**



IR312



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Bateria Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Materiale Material Materiau Material Material
IR312	220V ~ 50/60 Hz / 5V = 150mA	21 X 5730 SMD LED	5W	250 Lm	Diffuse	3.7V 2000mAh Li-ion (included)	100% = 2,5 hrs 50% = 5 hrs	6000K	ABS + PS

**Descrizione** / Description / Description / Descripción / Beschreibung:

Lanterna portatile ricaricabile antiblack-out  
Anti black-out portable rechargeable lantern  
Lampes portative rechargeable anti coupures de courant  
Lámpara LED recargable portátil de encendido automatico  
Tragbare Antiblackout-Lampe, wiederaufladbar



**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:



220V ~ AC/DC Home adaptor

Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IR312	126 mm	76 mm	190 mm	Colour box	6	24

IR312



## LUCI DI SICUREZZA PORTATILI

Portable emergency lamps / Lampes portatives rechargeables anti coupures de courant /  
Lamparas recargables portátiles anti black-out / Tragbare Notleuchten

### TWIX

### BIG TWIX

LED

300  
LUMEN

DIMMABLE



IR162



500  
LUMEN



IR163



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Potenza (W) Watt power Puissance Potencia Leistung	Lumen Lumen Lumen Lumen	Apertura Fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Batería Batterie	Autonomia Runtime Autonomie Autonomía Autonomie	Materiale Material Matériau Material Material
IR162	220V ~ 50/60 Hz / 5V ~ 150mA	2 x 12 pcs SMD LED (5730)	8W	1 tube: 150Lm (max) 2 tubes: 300Lm (max)	Diffuse light	Lithium 3,7V 1500mAh (included)	10%: 14 hours 100%: 1 hour	ABS + PS
IR163	220V ~ 50/60 Hz / 5V ~ 150mA	2 x 24 pcs SMD LED (5730)	16W	1 tube: 250Lm (max) 2 tubes: 500Lm (max)	Diffuse light	Lithium 3,7V 2400mAh (included)	10%: 14 hours 100%: 1 hour	ABS + PS

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Lampada portatile ricaricabile anti black-out  
Antiblack-out portable rechargeable lantern  
Lampe portative rechargeable anti coupures de courant  
Lámpara LED recargable portátil de encendido automático  
Tragbare Antiblackout-Lampe, wiederaufladbar



220V ~ AC/DC Home adaptor



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IR162	75 mm	62 mm	230 mm	Colour box	6	24
IR163	75 mm	62 mm	402 mm	Colour box	6	24





### LUCCIOLA

Luce notturna con funzione anti black-out  
 Nightlight with anti black-out function  
 Veilleuse avec fonction anti coupures de courant  
 Lampara de noche led con funcion anti black-out  
 Nachtlampe mit Anti-Blackout Funktion



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Lumen Lumen Lumen Lumen Lumen	Tipo di fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Bateria Batterie	Tempo di ricarica Charging Time Temps de recharge Tiempo de carga Ladezeit	Autonomia Runtime Autonomie Autonomia Autonomie	Materiale Material Materiau Material Material
<b>IR04</b>	230V ~ 50 Hz	2 LED 0,5W + 1 blue LED	10 Lm	Diffuse	Li - Ion 3,7V 150 mAh	6 hrs	2 hrs	PC



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>IR04</b>	24,2 mm	79,6 mm	49 mm	Blister F2	6	84

### NIGHT GUARD 2

Punto luce e torcia antiblack-out  
 Antiblack-out nightlight & flashlight  
 Veilleuse & torche avec allumage automatique  
 en cas de coupure de courant  
 Punto Luz y linterna recargable anti black-out  
 Nachtlicht mit Antiblackout-Funktion



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Lumen Lumen Lumen Lumen Lumen	Tipo di fascio Kind of beam Type de faisceau Tipo de haz Ausstrahlungswinkel	Batteria Battery Batterie Bateria Batterie	Tipo di luce Kelvin degrees Degrés Kelvin Temperatura de luz °K	Autonomia Runtime Autonomie Autonomia Autonomie	Materiale Material Materiau Material Material
<b>R720</b>	230V ~ 50Hz	6 LED (panel), 4 LED (torch)	40 Lm	Diffuse Light, Focus beam	Lithium-ion 3.7V 300mAh (included)	4000K	5 hrs	ABS + PC
<b>R720H (horizontal plug)</b>	230V ~ 50Hz	6 LED (panel), 4 LED (torch)	40 Lm	Diffuse Light, Focus beam	Lithium-ion 3.7V 300mAh (included)	4000K	5 hrs	ABS + PC



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
<b>R720</b>	58,5 mm	75 mm	112 mm	Blister F4	6	48
<b>R720H</b>	58,5 mm	75 mm	112 mm	Blister F4	6	48

## LUCI NOTTURNE

Nightlights / Veilleuses / Luzes nocturnas / Nachtlampe

### MOON

Punto luce  
Nightlight  
Veilleuse  
Luz nocturna  
Nachtlampe



Insulation  
class



IL04



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IL04	230V ~ 50 Hz	Fluorescent bulb 0,3W	PC	43 mm	43 mm	53 mm	Blister F1bis	12	120

IL04



### TWILIGHT

Punto luce LED con interruttore ON-OFF  
LED nightlight with ON-OFF switch  
Veilleuse LED avec interrupteur ON-OFF  
Luz nocturna con interruptor ON-OFF  
LED-Nachtlampe mit Ein-Aus-Schalter




Insulation  
class



IL09LED



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IL09LED 	230V ~ 50 Hz	2 LED	PC	66 mm	66 mm	65 mm	Blister F1bis	12	120

IL09LED





Indoor lighting

## DROP LED

Punto luce LED con interruttore ON-OFF  
 LED nightlight with ON-OFF switch  
 Veilleuse LED avec interrupteur ON-OFF  
 Luz nocturna con interruptor ON-OFF  
 LED-Nachtlampe mit Ein-Aus-Schalter



Insulation class



IL35



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IL35	230V ~ 50/60 Hz	2 LED 0,5W	PC	54 mm	70 mm	54 mm	Blister F1bis	12	120

IL35



## TOUCH LED

Punto luce LED crepuscolare  
 Crepuscolar LED nightlight  
 Veilleuse crépusculaire LED  
 Luz nocturna con sensor de oscuridad  
 LED-Nachtlampe mit Dämmerungssensor

**NEW**



IL28



Insulation class



## DROP LED

Punto luce LED crepuscolare  
 Crepuscolar LED nightlight  
 Veilleuse crépusculaire LED  
 Luz nocturna con sensor de oscuridad  
 LED-Nachtlampe mit Dämmerungssensor

**NEW**



IL27



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tecnologia della Luce Light technology Technologie de la lumière Tecnología de iluminación Beleuchtungstechnologie	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IL28	230V ~ 50/60 Hz	2 LED 0,5W	PC	54 mm	70 mm	54 mm	Blister F1bis	12	120
IL27	230V ~ 50/60 Hz	2 LED 0,5W	PC	54 mm	70 mm	54 mm	Blister F1bis	12	120

IL28



IL27



## LUCI PER ARMADI

Closet lighting / Lumières pour armoires / Luzes de armarios / Schrankbeleuchtung



### IL11EVO2 - CHIC 2


Luce LED con sensore di movimento

Motion sensor LED light

Lumière LED avec détecteur de mouvements

Luz LED con sensor de movimiento

LED-Leuchte mit Bewegungsmelder



IL11EVO2



COD.								+	Packing	Inner Pces	Master Pces
IL11EVO2	2 x 0,25W LED	50 Lm	>40 hrs	Diffuse Light	80 x 60 x 20 mm	3 x AAA/LR03 (not included)	ABS	Double sided tape, Screws (x1), Dowels (x1), Magnet	Blister F4	6	48

### LT011 - SMARTY

Luce LED con sensore di movimento

Motion sensor LED light

Lumière LED avec détecteur de mouvements

Luz LED con sensor de movimiento

LED-Leuchte mit Bewegungsmelder



LT011



COD.								+	Packing	Inner Pces	Master Pces
LT011	3W COB LED	200 Lm	15 hrs	Diffuse light	160 x 30.3 x 10.3 mm	3 x AAA / LR03 (not included)	ABS+AL	Velcro®, Magnet	Display: 6 pces of Blister F5	6	48

**LT018 - SILK**

Kit striscia LED con sensore di movimento LED strip with PIR sensor  
 LED strip with PIR sensor  
 Ruban LED avec détecteur de mouvements  
 Kit de tiras led con sensor de movimiento  
 LED Strip mit PIR Bewegungssensor

Indoor lighting



LT018



COD.								+	Packing	Inner Pces	Master Pces
LT018	LED 2W	110 Lm	6 hrs	Diffuse Light	1000 x 8 x 3 mm	4 x AAA/LR03 (not included)	ABS+FPC	3000K warm white	Blister F6	6	48

**IL24WS - SMART LIGHT**

Mini barretta 6 LED  
 6 LED cabinet lamp  
 Mini réglette 6 LED  
 Mini regleta 6 LED  
 Schaltschrankleuchte 6 LED



IL24WS



COD.								+	Packing	Inner Pces	Master Pces
IL24WS	6 LED SMD	15 Lm	15 hrs	Diffuse light	238 x 19 mm	3 x AAA/LR03 (not included)	AL+ABS	Double sided tape	Blister F6	12	48



## LUCI PER ARMADI

Closet lighting / Lumières pour armoires / Luzes de armarios / Schrankbeleuchtung

### IL84-R - RETRO'

Lampada LED con corda, appendibile

Hanging LED lamp

Ampoule LED avec cordon

Bombilla LED portátil con interruptor de cadena

LED-Hängelampe mit Kordel

**40  
HOURS  
LIGHT!**



IL84-R



COD.								+	Packing	Inner Pces	Master Pces
IL84-R	Standard LED 1W	50 Lm	40 hrs	Diffuse light	55 x 55 x 150 mm	3 x AAA/LR03 (not included)	ABS	Cable 105 cm (visible)	Blister F4	12	48

### IL84-B - RETRO'

Lampada LED con corda, appendibile

Hanging LED lamp

Ampoule LED avec cordon

Bombilla LED portátil con interruptor de cadena

LED-Hängelampe mit Kordel

**40  
HOURS  
LIGHT!**



IL84-B



COD.								+	Packing	Inner Pces	Master Pces
IL84-B	Standard LED 1W	50 Lm	40 hrs	Diffuse light	55 x 55 x 150 mm	3 x AAA/LR03 (not included)	ABS	Cable 105 cm (visible)	Blister F4	12	48



Indoor lighting





## IL05LED - PUSH LIGHT LED

Lampada a pressione LED

LED Push light

Lampe à pression LED

Lampara Led a presión

LED Leuchten zum Drücken



IL05LED



COD.								+	Packing	Inner Pces	Master Pces
<b>IL05LED</b>	3 Super LED	10 Lm	40 hrs	Diffuse Light	100 ø x 50 mm	2 x AA/LR6 (not included)	ABS+PS	Velcro®	Blister F4	12	72

## IL12 - MINI PUSH LIGHT LED

Push light LED

LED push light

Lampe à pression LED

Lampara LED a presión

LED Minileuchte zum Drücken



IL12



COD.								+	Packing	Inner Pces	Master Pces
<b>IL12</b>	1W COB LED	40 Lm	20 hrs	Diffuse light	ø75 x 25 mm	3 x AAA/LR03 (not included)	ABS	Double sided tape	Blister F2	12	120

## TORCE USO DOMESTICO

Flashlights for domestic use / Lampes torches pour usage domestique / Linternas para uso domestico / Taschenlampen für den Hausgebrauch



### ID72LED - LANTERNETTE EVO

Mini astuccio luminoso LED

LED Pocket lamp

Lampe de poche LED

Petaca de LED

Taschenlampe LED



ID72LED



COD.									Packing	Inner Pces	Master Pces
<b>ID72LED</b>	0,5W LED BULB	40 Lm	5 mt	40 hrs	Diffuse light	70 x 40 x 112 mm	3R12/3LR12 (not included)	Metal	Polybag	12	72

### D64 - COMPACT LED EVO

Mini astuccio luminoso 3LED

3 LED mini pocket lamp

Lampe de poche 3 LED

Linterna super compacta 3 LED

3 LED Taschenlampe



D64



COD.									Packing	Inner Pces	Master Pces
<b>D64</b>	3 LED Standard (0,3W TOTAL)	10 Lm	10 m	40 hrs	Focus light	57 x 104 x 28 mm	3 x AAA/LR03 (not included)	Metal	Blister F2	12	48



### IP05 - IMPULSE 2AA

Torcia LED 1W  
 1W LED flashlight  
 Torche LED 1W  
 Linterna LED 1W  
 Taschenlampe LED 1W



COD.										Packing	Inner Pces	Master Pces
IP05	1W High power LED	70 Lm	85 mt	10 hrs	Focus light	163 x 45 ø mm	2 x AA/LR6 (not included)	ABS+AL	Wrist band	Blister F6	6	24

### IP06 - IMPULSE 2D

Torcia LED 3W  
 3W LED flashlight  
 Torche LED 3W  
 Linterna LED 3W  
 Taschenlampe LED 3W

**IMPUGNATURA ERGONOMICA**


Ergonomic handle

**CORPO IN ALLUMINIO**

Aluminium body

**TESTA ANTIURTO**

Antishock head



**RIFLETTORE ALTO RENDIMENTO**

High performance reflector

COD.										Packing	Inner Pces	Master Pces
IP06	3W High power LED	110 Lm	120 mt	20 hrs	Focus light	200 x 65 ø mm	2 x D/LR20 (not included)	ABS+AL	Wrist band	Blister F6	6	24

# *Home appliances & electrical materials*



## PR010-2

1000W  
2000W

Insulation class




Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Vol. d'aria calda gen. Air output (m³/h) Courant d'air Vol. de salida de aire Luftstrom	Area di riscaldamento Heating area (m²) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Matériau Material Material
PR010-2	220V-240V ~50/60Hz	1000W 2000W	8.7A	Yes	Yes	144 m³/h	12m²	0-110°	PP

## Descrizione / Description / Description / Descripción / Beschreibung:

Termoventilatore  
Fan heater  
Radiateur soufflant électrique  
Calentador  
Heizlüfter

## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

120 cm cable, H05VV-F 0.75mm² 2G  
Integrated thermostat  
Overheating protection



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pcs
PR010-2	225 mm	130 mm	265 mm	Colour box	8

PR010-2



# RISCALDATORI

Domestic fan heaters / Petit chauffage domestique / Calefactores domesticos / Kleine Heizlüfte

## PR012-2



1000W  
2000W



Insulation class



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Vol. d'aria calda gen. Air output (m³/h) Courant d'air Vol. de salida de aire Luftstrom	Area di riscaldamento Heating area (m²) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Materiau Material Material
PR012-2	220V-240V ~50/60Hz	1000W 2000W	8.3A	Yes	Yes	180 m³/h	12m²	0-85°	PP

### Descrizione / Description / Description / Descripción / Beschreibung:

Termoventilatore oscillante  
Oscillating fan heater  
Chauffage électrique soufflant avec oscillation  
Calefactor Electrico Oscilante  
Heizlüfter

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

120 cm cable, H05VV-F 0.75mm² 2G  
Integrated thermostat  
Overheating protection  
Safety shutdown



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pcs
PR012-2	215 mm	180 mm	283 mm	Colour box	6

PR012-2



## PR014



Insulation class



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Courant de fonctionnement Potencia Alimentación Leistungsstrom	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Vol. d'aria calda gen. Air output (m <sup>3</sup> /h) Courant d'air Vol. de salida de aire Luftstrom	Area di riscaldamento Heating area (m <sup>2</sup> ) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebsstemperatur	Materiale Material Materiau Material
PR014	220V-240V ~50-60Hz	400W	1.74A	No	Yes	65 m <sup>3</sup> /h	10 m <sup>2</sup>	0-60°	ABS

Descrizione / Description / Description / Descripción / Beschreibung:

Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Stufa elettrica portatile - 400W con elementi in ceramica e display  
 Compact plug-in heater - 400W with ceramic elements and display  
 Radiateur électrique portable - 400W avec éléments céramique et display  
 Calentador de pared compacto - 400W con elementos de ceramica y pantalla  
 Kompakte Plug-In Heizung - 400W mit keramischen Elementen und Display



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
PR014	92 mm	82 mm	178 mm	Colour box	6	30

PR014





# RISCALDATORI

Domestic fan heaters / Petit chauffage domestique / Calefactores domesticos / Kleine Heizlüfte

## PR170

### SAFETY SHUTDOWN



Automatically  
shuts off  
if tipped



Insulation class



400W  
800W

2  
DIFFERENT HEATS

METAL  
PROTECTION  
GRILL

CARRY  
HANDLE



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Area di riscaldamento Heating area (m <sup>2</sup> ) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Matériau Material Material
PR170	220V-240V ~ 50-60Hz	400W 800W	3.5A	No	No	8 m <sup>2</sup>	-	PP

### Descrizione / Description / Description / Descripción / Beschreibung:

Stufa elettrica al quarzo  
Radiant quartz heater  
Chauffage d'appoint quartz  
Estufa eléctrica de cuarzo  
Elektrischer Quartzofen

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

120 cm cable, H05VV-F 0.75mm<sup>2</sup> 3G  
Safety shutdown



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pcs
PR170	250 mm	145 mm	360 mm	Colour box	10

PR170



## PR152

## SAFETY SHUTDOWN



Automatically  
shuts off  
if tipped



750W  
1500W



Insulation class



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Courant de fonctionnement Alimentación Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Vol. d'aria calda gen. Air output (m <sup>3</sup> /h) Courant d'air Vol. de salida de aire Luftstrom	Area di riscaldamento Heating area (m <sup>2</sup> ) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Matériau Material Material
PR152	220V-240V ~50Hz	750W 1500W	6.5A	Yes	Yes	65 m <sup>3</sup> /h	12 m <sup>2</sup>	0-85°	PP

## Descrizione / Description / Description / Descripción / Beschreibung:

Termoventilatore ceramico  
Ceramic fan heater  
Radiateur soufflant céramique  
Calefactor electrico Ceramico  
Keramik Heizlüfter

## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

120 cm cable, H05VV-F 0.75mm<sup>2</sup> 2G  
Integrated thermostat  
Overheating protection  
Safety shutdown



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pces
PR152	230 mm	150 mm	91 mm	Colour box	10

PR152



# RISCALDATORI

Domestic fan heaters / Petit chauffage domestique / Calefactores domesticos / Kleine Heizlüfte

## PR162

### SAFETY SHUTDOWN



Automatically  
shuts off  
if tipped



Insulation class



70° Oscillating function



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Area di riscaldamento Heating area (m <sup>2</sup> ) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Materiau Material Material
PR162	220V-240V ~50/60Hz	400W 800W 1200W	5.2A	No	No	8-10 m <sup>2</sup>	-	PP

### Descrizione / Description / Description / Descripción / Beschreibung:

Pannello radiante con 3 lampade alogene  
3 halogen heating elements  
Radiateur halogène 3 puissances  
Estufa Halógena con 3 elementos calefactores  
Halogen-Heizkörper

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

130 cm cable, H05VV-F 0.75mm<sup>2</sup> 3G  
Safety shutdown



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pces
PR162	305 mm	305 mm	720 mm	Colour box	1

PR162



## PR206T



Insulation class



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Potenza Power Puissance Potencia Leistung	Assorbimento Current Courant de fonctionnement Alimentación Betriebsstrom	Fusibile richiesto Required fuse Fusible Fusible Sicherung	Auto reset termostato Self-resetting Thermostat Déclanchement thermostat Termostato con rearme automático Auslösung des Thermostats	Vol. d'aria calda gen. Air output (m <sup>3</sup> /h) Courant d'air Vol. de salida de aire Luftstrom	Area di riscaldamento Heating area (m <sup>2</sup> ) Aire de chauffage Área de calefacción Bereich der Heizung	Temp. funzionamento Temperature range Temp. de fonctionnement Temp. de funcionamiento Betriebstemperatur	Materiale Material Matériau Material Material
PR206T	220V-240V ~50/60Hz	750W 1250W 2000W	8.7A	Yes	Yes	-	10-15 m <sup>2</sup>	0°-110°	Metal

## Descrizione / Description / Description / Descripción / Beschreibung:

Termoconvettore  
Convecter heater  
Convecteur mobile électrique  
Termoconvector  
Konvektor Heizkörper

## Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Cable: 1.4m H05VV-F 0.75mm<sup>2</sup> 3G  
Integrated thermostat  
Overheating protection  
Turbo function



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pcs
PR206T	530 mm	198 mm	380 mm	Colour box	1

PR206T



## VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

### VENT-USB

#### ZEFF

Mini ventilatore da tavolo con connessione USB

Mini USB table fan

Mini ventilateur de table USB

Mini Hohe Geschwindigkeit Lüfter, mit einer USB

Mini ventilador de mesa con toma USB



#### VENT-USB



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesse Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
VENT-USB	5V ~ 1A max	1800/2200 rpm	2,5W	ABS	80 mm	148 mm	160 mm	Colour box	6	30

### IN292

Miniventilatore

Minifan

Miniventilateur

Mini ventilador

Miniventilator



#### IN292



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Autonomia Runtime Autonomie Autonomía Autonomie	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IN292	2 x AA/LR6 (not included)	2,5 hrs	PS	70 mm	60 mm	100 mm	Display 12 pcs	12	72

### IN294

Miniventilatore con laccio da collo

Minifan with neck lace

Miniventilateur avec lacet tour de cou

Mini ventilador con collar

Miniventilator mit Halsband



#### IN294



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Autonomia Runtime Autonomie Autonomía Autonomie	Materiale Material Materiau Material Material	Accessori forniti Accessories included Accessoires fournis Accesorios suministrados Mitgeliefertes Zubehör	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
IN294	2 x AA/LR6 (not included)	2,5 hrs	PS	Neck lace (40 cm)	60 mm	50 mm	90 mm	Display 12 pcs	12	72

**VENT-P23T3  
TERRAL 3**

Ventilatore da tavolo  
Desk fan  
Ventilateur de table  
Ventilador sobre mesa  
Tischventilator



VENT-P23T3



**VENT-P30T3  
ALIZE' 3**

Ventilatore da tavolo  
Desk fan  
Ventilateur de table  
Ventilador sobre mesa  
Tischventilator



VENT-P30T3



**VENT-P40T4  
ZONDA 4**

Ventilatore da tavolo  
Desk fan  
Ventilateur de table  
Ventilador sobre mesa  
Tischventilator



VENT-P40T4



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pces
VENT-P23T3	220V-240V ~50Hz	1750 / 2100 rpm	21W	ABS	275 mm	365 mm	215 mm	Colour box	6
VENT-P30T3	220V-240V ~50Hz	1000 / 1150 / 1250 rpm	40W	ABS	345 mm	240 mm	480 mm	Colour box	1
VENT-P40T4	220V-240V ~50/60Hz	810 / 954 / 1250 rpm	40 W	ABS	415 mm	250 mm	530 mm	Colour box	1

# VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

## VENT-P40C3 HURRICANE 3

Ventilatore a piantana

Pedestal fan

Ventilateur sur pied

Ventilador sobre pié

Standventilator



Power  
**50w**

**3**  
Speeds

Automatic  
rotation

ø 40 cm

CE

TÜV  
with Measurement Service

**MAX**  
**129 cm**  
MIN: 103 cm

VENT-P40C3



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Verpackung	Master Pces
VENT-P40C3	220V-240V ~50/60Hz	950 / 1100 / 1200 rpm	50W	ABS + Metal	620 mm	620 mm	1290 mm	Colour box	1

## VENT-P40RC ZEFIRO

Ventilatore a piantana con telecomando  
Pedestal fan with remote control  
Ventilateur sur pied avec télécommande  
Ventilador de pie con control remoto  
Standventilator mit Fernbedienung



Power  
**45W**

**3**  
Speeds

Automatic  
rotation

**ø 40 cm**

Timer  
**7,5h**

CE SGS

**MAX**  
**126 cm**  
MIN: 109 cm



VENT-P40RC



Codice Prodotto	Alimentazione	Velocità di funzionamento	Potenza	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Master Pces
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Working speeds Vitesses Velocidades Geschwindigkeiten	Power Puissance Potencia Leistung	Material Materiau Material Material	Length Longueur Lungitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung	
<b>VENT-P40RC</b>	220V-240V ~50/60Hz	1055 / 1112 / 1322 rpm	45W	ABS	430 mm	400 mm	1260 mm	Colour box	2



# VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

## VENT-M30T3 BORA 3

Ventilatore da tavolo  
Desk fan  
Ventilateur de table  
Ventilador sobre mesa  
Tischventilator



## VENT-M40C3 MISTRAL 3

Ventilatore a piantana  
Pedestal fan  
Ventilateur sur pied  
Ventilador sobre pié  
Standventilator



**MAX**  
130 cm  
MIN: 84 cm

VENT-M30T3



VENT-M40C3



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Embalaje Verpackung	Master Pces
VENT-M30T3	220V-240V ~50Hz	950 / 1180 / 1280 rpm	35W	Metal	340 mm	260 mm	410 mm	Colour box	1
VENT-M40C3	220V-240V ~50Hz	950 / 1180 / 1280 rpm	50W	Metal	445 mm	410 mm	1300 mm	Colour box	1

**VENT-TURB4  
TRAMONTANA 4**

Ventilatore a turbina da pavimento  
High velocity floor fan  
Brasseur d'air  
Ventilador turbina de suelo  
Hochgeschwindigkeitsfan

Power  
**75W**

**3**  
Speeds

Adjustable  
tilt

ø 45 cm

CE SGS



VENT-TURB4



Codice Prodotto	Alimentazione	Velocità di funzionamento	Potenza	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Master Pces
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Working speeds Vitesses Velocidades Geschwindigkeiten	Power Puissance Potencia Leistung	Material Materiau Material Material	Length Longueur Lungitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung	
<b>VENT-TURB4</b>	220V-240V ~50/60Hz	1050 / 1219 / 1327 rpm	75W	Metal	500 mm	200 mm	485 mm	Colour box	1

# VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

## VENT-BOX-3 KATIA 3

Ventilatore da tavolo quadrato  
Box fan  
Ventilateur box  
Ventilador de sobremesa cuadrado  
Tischventilator



Home appliances & electric materials

### VENT-BOX3



Codice Prodotto	Alimentazione	Velocità di funzionamento	Potenza	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Master Pcs
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Working speeds Vitesses Velocidades Geschwindigkeiten	Power Puissance Potencia Leistung	Material Materiau Material Material	Length Longueur Lungitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung	1
<b>VENT-BOX3</b>	220V-240V ~50Hz	1060 / 1187 / 1286 rpm	50W	ABS	370 mm	142 mm	405 mm	Colour box	1

**VENT-COLT4  
PAMPERO 4**

Ventilatore a colonna con timer  
Tower fan with timer  
Ventilateur colonne avec programmateur  
Ventilador de columna con temporizador  
Säulenventilator

Power  
**45W**

3  
Speeds

Automatic  
rotation

Timer  
**2h**

CE SGS



H  
**73cm**



VENT-COLT4



Codice Prodotto	Alimentazione	Velocità di funzionamento	Potenza	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Master
Item code	Power source	Working speeds	Power	Material	Length	Width	Height	Packing	Pces
Code	Alimentación	Vitesse	Puissance	Material	Longueur	Largeur	Hauteur	Emballage	
Codigo	Alimentación	Velocidades	Potencia	Material	Lungitud	Ancho	Altura	Embalaje	
Code	Stromversorgung	Geschwindigkeiten	Leistung	Material	Länge	Breite	Höhe	Verpackung	
<b>VENT-COLT4</b>	220V-240V ~50/60Hz	950 / 1150 / 1290 rpm	45W	ABS	220	220	730	Colour box	1

# VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

## VENT-CEL32 IRMA 3



Luce accendibile separatamente:  
1 x E27 (max.60W - lampadina non inclusa)  
Independent light control:  
1 x E27 (max 60W – bulb not included)  
Lumière avec allumage indépendant:  
1 x E27 (max 60W – ampoule non fournie)  
Luzes encendibles separadamente:  
1 x e27 (max.60W - lámpara no incluida)  
Unabhängige Lichtkontrolle:  
1 x E27 (max 60W – Leuchtmittel nicht im  
Lieferumfang)

VENT-CEL32



INCLUDED



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pces
VENT-CEL32	220V-240V ~50Hz	130 / 210 / 285 rpm	60W	Metal + ABS	1200 mm	1200 mm	630 mm	Colour box	1

## VENT-CEL33 HAVANA 3



Luce accendibile separatamente:  
1 x E27 (max.60W - lampadina non inclusa)  
Independent light control:  
1 x E27 (max 60W – bulb not included)  
Lumière avec allumage indépendant:  
1 x E27 (max 60W – ampoule non fournie)  
Luzes encendibles separadamente:  
1 x e27 (max.60W - lámpara no incluida)  
Unabhängige Lichtkontrolle:  
1 x E27 (max 60W – Leuchtmittel nicht im  
Lieferumfang)

VENT-CEL33



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Master Pces
VENT-CEL33	220V-240V ~50Hz	115 / 185 / 235 rpm	50W	Metal + MDF	1070 mm	1070 mm	630 mm	Colour box	1

## MINICOOL ADELY

Mini raffrescatore evaporativo  
Mini air cooler  
Mini ventilateur et rafraichisseur d'air  
Mini enfriador evaporativo  
Mini Verdunstungskühler



Codice Prodotto Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Velocità di funzionamento Working speeds Vitesses Velocidades Geschwindigkeiten	Potenza Power Puissance Potencia Leistung	Materiale Material Materiau Material Material	Batteria Battery Batterie	Funzioni Functions Fonctions Función Funktionen
MINICOOL	5V ~ 1A max (not included)	3 speeds: 2200 / 3000 / 3350 rpm	Fan function: 5W Ionizer function: 1W	ABS	3V 2000mAh	<ul style="list-style-type: none"> <li>Fan function: 3 speeds</li> <li>Ionizer function:                             <ul style="list-style-type: none"> <li>Ions concentration : 1x106 PCS/cm<sup>3</sup></li> <li>Ozone concentration : &lt;0.03 PPM</li> </ul> </li> <li>Night light</li> </ul>



**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**  
Cavo USB incluso / 100 cm USB cable included

**Accessori compatibili / Compatible accessories / Accessoires compatibles / Accesorios compatibles / Kompatibles Zubehör:**

MINICOOL-PAD	12 Filtri in cotone per MINICOOL 12 Cotton filters for MINICOOL 12 Filtras en coton pour MINICOOL 12 Filtros en algodón para MINICOOL 12 Filter aus Baumwolle für MINICOOL	Polybag	 8 003910 107120 >
--------------	--	---------	--



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Longitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pcs	Master Pcs
MINICOOL	120 mm	127 mm	132 mm	Colour box	4	32

# VENTILATORI

Fans / Ventilateurs / Ventilador / Ventilator

## COOLER34 EMPEROR

Raffrescatore evaporativo  
Aircooler  
Ventilateur et rafraichisseur d'air  
Enfriador evaporativo  
Verdunstungskühler

**NEW**

Power  
**75w**

Oscillating wings

**3**  
Speeds

**3,5 liters**  
Tank

CE

TÜV



2 ice boxes included



COOLER34



Codice Prodotto	Alimentazione	Flusso d'aria	Potenza	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Master
Item code Code Codigo Code	Power source Alimentation Alimentación Stromversorgung	Air flow Flux d'air Flujo de aire Lufstrom	Power Puissance Potencia Leistung	Material Materiau Material Material	Length Longueur Longitud Länge	Width Largeur Ancho Breite	Height Hauteur Altura Höhe	Packing Emballage Embalaje Verpackung	Pcs
<b>COOLER34</b>	220V-240V ~50/60Hz	300m³/h	75W	ABS	250 mm	270 mm	570 mm	Colour box	1



### REPEL01 - MOSQUITO STOP

Dispositivo antizanzare  
 Mosquito repellent plug-in  
 Prise anti-moustiques  
 Dispositivo repelente de mosquitos  
 Mückenschutzgerät



**NEW**

220V

ULTRA SOUND  
3-20 KHz

15m<sup>2</sup>



REPEL01



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Area protetta Designed to protect about Conque pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
REPEL01	220-240V ~ 50/60Hz	15m <sup>2</sup>	0,5W	ABS	70	30	55	Blister	6	48

### REPEL02 - SMASH

Racchetta elettrica anti zanzare  
 Electric mosquito swatter  
 Raquette électrique anti-moustiques  
 Elektrische Mückenklatsche  
 Raqueta eléctrica antimosquitos



REPEL02



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Rete Net Grille Rejilla Gitter	Materiale Material Materiau Material Material	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
REPEL02	2 x AA/LR6 (not included)	1900V / 2100V	3 Layers	ABS / Metal	480	180	30	Polybag	12	36



# ANTIZANZARE

Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz



## MK040 - MINIZAP



UV LED  
**1W**

**12m<sup>2</sup>**

NON TOXIC

NON ODOR

NO NOISE

NO RADIATION



**MK040**



**MK040H**



Cod. Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Technologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Accessori forniti Accessories included Accessoires fournis Accesorios suministrados Mitgeliefertes Zubehör	Materiale Material Materiau Material Material
<b>MK040</b>	220-240V ~ 50/60Hz	800V / 1000V	4 UV LED (0,06W)	12m <sup>2</sup>	1W	1 Spazzola	ABS / Metal
<b>MK040H</b>	220-240V ~ 50/60Hz	800V / 1000V	4 UV LED (0,06W)	12m <sup>2</sup>	1W	1 Brush	ABS / Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 1W  
Mosquito killer 1W  
Moustiquaire électrique 1W  
Red mosquito eléctrico 1W  
Elektrisches Moskitonetz 1W

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

1 spazzola  
1 Brush



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK040</b>	101	61	120	Colour box	6	60
<b>MK040H</b>	101	61	120	Colour box	6	60

**MK040**



**MK040H**





ANTIZANZARE

Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz

# MK180 GHOST

**NEW**

Home appliances & electric materials

**HOW DOES IT WORK?**

THE UV LIGHT ATTRACTS INSECTS

THEY ARE KILLED FROM THE ELECTRIC DISCHARGE

THE FAN ASPIRATES THEM AND MAKES THEM FALL INTO THE TRAY



UV FLUORESCENT LAMP  
**14W**

**30m<sup>2</sup>**

NON TOXIC

NON ODOR

NO NOISE

NO RADIATION



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Technologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Materiale Material Materiau Material Material
<b>MK180</b>	220-240V ~ 50/60Hz	800V / 1000V	1 Fluorescent UV lamp type: BL-2U-F9W	30 m <sup>2</sup>	14W	ABS / Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 14W  
Mosquito killer 14W  
Moustiquaire électrique 14W  
Red mosquito eléctrico 14W  
Elektrisches Moskitonetz 14W

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

1 spazzola  
1 Brush



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK180</b>	190	1110	223	Colour box	-	6

MK180



# ANTIZANZARE

Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz



## MK170 BLACKZAP



UV  
FLUORESCENT  
LAMP  
**7W**

**25m<sup>2</sup>**

NON  
TOXIC

NON  
ODOR

NO  
NOISE

NO  
RADIATION



Home appliances & electric materials

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Technologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Materiale Material Materiau Material Material
<b>MK170</b>	220-240V ~ 50/60Hz	800V / 1000V	1 Fluorescent UV lamp type: PL1X7W	25m <sup>2</sup>	7W	ABS / Metal

### Descrizione / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 7W  
Mosquito killer 7W  
Moustiquaire électrique 7W  
Red mosquito eléctrico 7W  
Elektrisches Moskitonetz 7W

### Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

1 spazzola  
1 Brush



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK170</b>	131	131	258	Colour box	6	24

MK170





# MK174E RATTAN

**NEW**



UV  
FLUORESCENT  
LAMP  
**19W**

**80m<sup>2</sup>**

NON  
TOXIC

NON  
ODOR

NO  
NOISE

NO  
RADIATION



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Betriebsspannung	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Materiale Material Materiau Material Material
<b>MK174E</b>	220-240V ~ 50/60Hz	2700V / 3000V	1 Fluorescent UV lamp type: PL18W	80 m <sup>2</sup>	19W	ABS / Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 19W  
Mosquito killer 19W  
Moustiquaire électrique 19W  
Red mosquito eléctrico 19W  
Elektrisches Moskitonetz 19W

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

1 spazzola e un gancio per sospensione  
1 Brush, 1 Hook for hanging



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK174E</b>	165	165	310	Colour box	-	6

**MK174E**



# ANTIZANZARE

Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz



## MK312 THUNDER MINI

**NEW**



UV  
FLUORESCENT  
TUBES  
**2x6W**

**30m<sup>2</sup>**

NON  
TOXIC

NON  
ODOR

NO  
NOISE

NO  
RADIATION



Home appliances & electric materials

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentación Stromversorgung	Tensione di funzionamento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Technologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energía Energieverbrauch	Materiale Material Materiau Material Material
<b>MK312</b>	220-240V ~ 50/60Hz	2200V / 2500V	2 x 6W UV neon fluorescent tubes	30m <sup>2</sup>	12W	ABS, Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 2X6W  
Mosquito killer 2X6W  
Moustiquaire électrique 2X6W  
Red mosquito eléctrico 2X6W  
Elektrisches Moskitonetz 2X6W

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Catena per sospensione  
Hanging chain



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK312</b>	260	73	265	Colour box	-	6

**MK312**





# MK320 THUNDER MIDI



UV  
FLUORESCENT  
TUBES  
**2x10W**

**80m<sup>2</sup>**

NON  
TOXIC

NON  
ODOR

NO  
NOISE

NO  
RADIATION



Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funziona- mento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Leuchtentechnologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energia Energieverbrauch	Accessori forniti Accessories included Accessoires fournis Accesorios suministrados Mitgeliefertes Zubehör	Materiale Material Materiau Material Material
<b>MK320</b>	220-240V ~ 50/60Hz	2200V / 2500V	2 x 10W UV neon fluorescent tubes	80m <sup>2</sup>	20W	Hanging Chain	ABS, Metal

**Descrizione** / Description / Description / Descripción / Beschreibung:

Zanzariera elettrica 2X10W  
Mosquito killer 2X10W  
Moustiquaire électrique 2X10W  
Red mosquito eléctrico 2X10W  
Elektrisches Moskitonetz 2X10W

**Accessori inclusi** / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:

Catena per sospensione  
Hanging chain



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK320</b>	379	72	264	Colour box	-	6

**MK320**




# ANTIZANZARE

Mosquito killers / Moustiquaires électriques / Red mosquito eléctricos / Elektrisches Moskitonetz



## MK340 THUNDER MAXI



UV  
FLUORESCENT  
TUBES  
**2x18W**

**150m<sup>2</sup>**

NON  
TOXIC

NON  
ODOR

NO  
NOISE

NO  
RADIATION



Home appliances & electric materials

Codice Prod. Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Tensione di funziona- mento Working voltage Tension de fonctionnement Tensión de funcionamiento Betriebsspannung	Tecnologia Technology Technologie Tecnología Leuchtentechnologie	Area protetta Designed to protect about Conçue pour environ Diseñado para aprox. Konzipiert für ca.	Consumo energetico Power consumption Consommation électrique Consumo de energia Energieverbrauch	Accessori forniti Accessories included Accessoires fournis Accesorios suministrados Mitgeliefertes Zubehör	Materiale Material Materiau Material Material
<b>MK340</b>	220-240V ~ 50/60Hz	2200V / 2500V	2 x 18W UV neon fluorescent tubes	150m <sup>2</sup>	36W	Hanging chain	ABS, Metal

**Descrizione / Description / Description / Descripción / Beschreibung:**

Zanzariera elettrica 2X18W  
Mosquito killer 2X18W  
Moustiquaire électrique 2X18W  
Red mosquito eléctrico 2X18W  
Elektrisches Moskitonetz 2X18W

**Accessori inclusi / Accessories included / Accessoires fournis / Accesorios incluidos / Mitgeliefertes Zubehör:**

Catena per sospensione  
Hanging chain



Codice Prodotto Item code Code Codigo Code	Lunghezza L1 Length Longueur Lungitud Länge	Larghezza L2 Width Largeur Ancho Breite	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>MK340</b>	637	72	264	Colour box	-	4

**MK340**



**THERM03 - ROUND**

Mini stazione meteo

Mini weather statio

Mini station météo

Estacion meteorologica inaldmbrica para interno

Mini-Wetterstation

**THERM03**

Codice Item code Code Codigo Code	Larghezza L1 Width Largeur Ancho Breite	Lunghezza Length Longueur Lungitud Länge	Altezza Height Hauteur Altura Höhe	Batterie Battery Batterie Batterie Batterie	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>THERM03</b>	77 mm	20 mm	77 mm	1 x AAA/LR03 (not included)	ABS	Blister F2	12	72

**THERM02 - COSY METEO**

Stazione meteo da interno

Indoor weather station

Station météo d'intérieur

Estacion meteorologica inaldmbrica para intern

Wetterstation für Inneno

**THERM02**

Codice Item code Code Codigo Code	Larghezza Width Largeur Ancho Breite	Lunghezza Length Longueur Lungitud Länge	Altezza Height Hauteur Altura Höhe	Batterie Battery Batterie Batterie Batterie	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
<b>THERM02</b>	57 mm	50 mm	113 mm	1 X AG10 (included)	ABS	Blister F4	12	72



# DOMOTICA

Domotics / Domotique / Domotica / Domotik

## DOM001 - DOORBELL

Campanello senza fili a pile

Battery operated wireless doorbell

Carillon sans fil à piles

Timbre inalambrico con pilas

Drahtlose Klingel, batteriebetrieben



DOM001



(Button)

Codice Item code Code Codigo Code		Raggio d'azione Detection range Rayon d'action Rayo de accion Reichweite	Larghezza Width Largeur Ancho Breite	Lunghezza Length Longueur Lungitud Länge	Altezza Height Hauteur Altura Höhe	Batterie Battery Baterie Baterie Batterie	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
DOM001	25 melodies	100 m	95 mm	30 mm	66 mm	Bell: 2 x AA (not included) Button: 1 x CR2032 (included)	ABS	Blister F4	6	48

## MS004 - VIGIL

Rilevatore di movimento 2 funzioni

2 fonctions motion detector

Détecteur de mouvements 2 fonctions

Detector de movimiento con 2 funciones

Bewegungsmelder 2 Funktionen



MS004



Codice Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Raggio d'azione Detection range Rayon d'action Rayo de accion Reichweite	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	IP IP IP	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MS004	9V or adaptor (not included)	140° - 8 m	55 mm	78 mm	62 mm	IP20	ABS	Blister F4	6	36

## CCTV01

Cartello di segnalazione area videosorveglianza



CCTV01




Codice Item code Code Codigo Code	Larghezza Width Largeur Ancho Breite	Altezza Height Hauteur Altura Höhe	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
CCTV01	200 mm	300 mm	Acrylic	Polybag	10	80

**MS002 - MOTION SENSOR 2**

Rilevatore di movimento ad infrarossi

*Infrared motion detector**Détecteur de mouvements infrarouge**Detector de movimiento infrarrojo**Infrarot-Bewegungsmelder*

MS002



Code Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Altezza d'install. Installation height Hauteur d'installation Altura para instalación Installationshöhe	Carico max. Max. load Charge max. Carga máx. Last max.	Sensibilità lum. Min. ambient light Sensibilité lumineuse min. Sensibilidad luminosa min. Lichtempfindlichkeit min.	Raggio d'azione Detection range Rayon d'action Rayo de acción Reichweite	Durata Working time Temps de fonct. Tiempo de func. Betriebsdauer	Apertura focale Angle Angle Abertura del foco Blendenöffnung	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MS002	220V ~ 50 Hz	3,5 m (+/- 0,5 m)	1000W	3 Lux	max 12 m	8 sec - 7 min	140°-180°	ABS	Blister F4	6	36

**MS005 - MOTION SENSOR 2 BLACK**

Rilevatore di movimento ad infrarossi

*Infrared motion detector**Détecteur de mouvements infrarouge**Detector de movimiento infrarrojo**Infrarot-Bewegungsmelder*

MS005



Code Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Altezza d'install. Installation height Hauteur d'installation Altura para instalación Installationshöhe	Carico max. Max. load Charge max. Carga máx. Last max.	Sensibilità lum. Min. ambient light Sensibilité lumineuse min. Sensibilidad luminosa min. Lichtempfindlichkeit min.	Raggio d'azione Detection range Rayon d'action Rayo de acción Reichweite	Durata Working time Temps de fonct. Tiempo de func. Betriebsdauer	Apertura focale Angle Angle Abertura del foco Blendenöffnung	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MS005	220V ~ 50 Hz	3,5 m (+/- 0,5 m)	1000W	3 Lux	max 12 m	8 sec - 7 min	140°-180°	ABS	Blister F4	6	36

**MS007 - CELENS**

Rilevatore di movimento ad infrarossi da incasso  
 Recessed mounting infrared motion detector  
 Détecteur de mouvements infrarouge encastré  
 Detector de movimiento infrarrojo para techo  
 Einbaumontage Infrarot-Bewegungsmelder



MS007



Codice Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Altezza d'install. Installation height Hauteur d'installation Altura para instalation Installationshöhe	Carico max. Max. load Charge max. Carga máx. Last max.	Sensibilità lum. Min. ambient light Sensibilité lumineuse min. Sensibilidad luminosa min. Lichtempfindlichkeit min.	Durata Working time Temps de fonct. Tiempo de func. Betriebsdauer	Raggio d'azione Detection range Rayon d'action Rayo de accion Reichweite	Apertura focale Angle Angle Abertura del foco Blendenöffnung	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MS007	220V ~ 50 Hz	2,2m - 4 m	1200W	3 Lux	10 sec - 7 min	max 6 m	360°	ABS	Blister F4	6	36

**MS012 - CIVETTA**

Interruttore crepuscolare  
 Crepuscular detector switch  
 Interrupteur crépusculaire  
 Interruptor con sensor crepuscular  
 Dämmerungsschalter



MS012



Codice Item code Code Codigo Code	Alimentazione Power source Alimentation Alimentación Stromversorgung	Altezza d'install. Installation height Hauteur d'installation Altura para instalation Installationshöhe	Assorbimento. max. Max. absorption Charge max. Carga máx. Stromaufnahme max.	Sensibilità lum. Min. ambient light Sensibilité lumineuse min. Sensibilidad luminosa min. Stromaufnahme max.	Carico max. Maximum load Charge maximale Carga máxima Maximale Last	Materiale Material Materiau Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MS012	220V ~ 50 Hz	1,8 - 2,5 m	10A	10-250 Lux	120 W (LED) (1000W for CFL Lamp)	ABS	Blister F4	6	36

**SH110 - WORLD TRAVEL ADAPTOR**

Adattatore da viaggio  
Travel adaptor  
Adaptateur de voyage  
Adaptador de viaje  
Adapter für Reisen



SH110



Codice Prodotto Item code Code Codigo Code	Use Utilisation Use Verwendung	Materiale Material Materiau Material Material	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SH110	Indoor	PC	50 mm	50 mm	85 mm	Blister F2	6	72

**SH115 - WORLD TRAVEL ADAPTOR + USB**

Adattatore da viaggio + USB  
Travel adaptor + USB  
Adaptateur de voyage + USB  
Adaptador de viaje + USB  
Adapter für Reisen + USB



SH115



Codice Prodotto Item code Code Codigo Code	Use Utilisation Use Verwendung	Materiale Material Materiau Material Material	Larghezza L1 Width Largeur Ancho Breite	Lunghezza L2 Length Longueur Lungitud Länge	Altezza L3 Height Hauteur Altura Höhe	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
SH115	Indoor	PC	62,5 mm	57 mm	50 mm	Blister F2	6	48



## SH001 - MINI TIMER GIORNALIERO

Mini programmatore 24 ore con segmenti da 30 minuti



SH001



24  
ORE



Codice Prodotto	Intervallo min. di programmazione	Spina	Potenza max	Uso	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Inner Pces	Master Pces
SH001	30 min	16A	3600W	Interno	PC	54 mm	71 mm	102 mm	Blister F2	6	48

## SH005 - PROGRAMMATORE SETTIMANALE DIGITALE

Possibilità di programmare fino a 10 cicli ON/OFF al giorno  
Possibilità di programmare cicli ON/OFF diversi da un giorno all'altro  
Batteria inclusa (1xLR920)



SH005



7  
GIORNI



Codice Prodotto	Intervallo min. di programmazione	Spina	Potenza max	Uso	Materiale	Lunghezza L1	Larghezza L2	Altezza L3	Imballo	Inner Pces	Master Pces
SH005	1 min	16A	3600W	Interno	PC	62 mm	71 mm	102 mm	Blister F4	6	48





Spina dritta 10A



PLUG-IT-10A



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-10A	Bulk	25	500

Spina 90° 10A



PLUG-IT-10AK



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-10AK	Bulk	25	500

Pres a volante 10A



PLUG-IT-10F



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-10F	Bulk	25	500

Spina dritta 16A



PLUG-IT-16A



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-16A	Bulk	25	500

Spina 90° 16A



PLUG-IT-16AK



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-16AK	Bulk	25	500

Pres a volante 16A



PLUG-IT-16F



Codice Prodotto	Imballo	Inner Pcs	Master Pcs
PLUG-IT-16F	Bulk	25	500



Adattatore triplo 10A



ADAPT-3-10A



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-3-10A	Bulk	25	200

Adattatore triplo 16A



ADAPT-3-16A



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-3-16A	Bulk	25	200

Adattatore schuko 10A



ADAPT-IT-10S



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-IT-10S	Bulk	25	200

Adattatore schuko 16A



ADAPT-IT-16S



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-IT-16S	Bulk	25	200

Adattatore schuko + 2 prese 10A



ADAPT-3-10S



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-3-10S	Bulk	25	200

Adattatore schuko + 2 prese bivalenti



ADAPT-3-16S



Codice Prodotto	Imballo	Inner Pces	Master Pces
ADAPT-3-16S	Bulk	25	200



Multipresa con interruttore termico di sicurezza



MULTIT-I-102



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-102	1,5 m	Plastic hanger	5	30

Multipresa universale con cavo



MULTIT-I-S36



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S36	1,5 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S30



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S30	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S24



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S24	1,5 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S36K



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S36K	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S30K



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S30K	1 m	Plastic hanger	5	25



Multipresa universale con cavo



MULTIT-I-S40



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S40	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S40K



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S40K	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S50



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S50	1,5 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S50K



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S50K	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S60



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S60	1 m	Plastic hanger	5	25

Multipresa universale con cavo



MULTIT-I-S60K



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
MULTIT-I-S60K	1 m	Plastic hanger	5	25



Prolunga domestica

Prolunga domestica

**NEW**



PROLIT10A-3



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROLIT10A-3	3 m	3G0,75	Polybag appendibile	5	30

Prolunga domestica

**NEW**



PROLIT10A-5



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROLIT10A-5	5 m	3G0,75	Polybag appendibile	5	30

Prolunga domestica



PROLITS-5



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROLITS-5	5 m	3G1,5	Polybag appendibile	5	20

**NEW**



PROLIT10A-3K



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROLIT10A-3K	3 m	3G0,75	Polybag appendibile	5	30

Prolunga domestica

**NEW**



PROLIT10A-5K



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROLIT10A-5K	5 m	3G0,75	Polybag appendibile	5	30



Prolunga domestica


**PROLIT16A-3**


Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
<b>PROLIT16A-3</b>	3 m	3G1	Polybag appendibile	5	30

Prolunga domestica


**PROLIT16A-5**


Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
<b>PROLIT16A-5</b>	5 m	3G1	Polybag appendibile	5	30

 Avvolgitore domestico con protezione termica  
 Cavo 5m H05VV-F3G1.0mm<sup>2</sup>  
 2300W max


Codice Prodotto	Cavo arrotolato	Cavo srotolato	Imballo	Master Pces
<b>DOMREEL-5-IT</b>	1000W	2300W	Bulk	10

Prolunga domestica


**PROLIT16A-3K**


Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
<b>PROLIT16A-3K</b>	3 m	3G1	Polybag appendibile	5	30

Prolunga domestica


**PROLIT16A-5K**


Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
<b>PROLIT16A-5K</b>	5 m	3G1	Polybag appendibile	5	30

 Avvolgitore domestico con protezione termica  
 Cavo 10m H05VV-F3G1.0mm<sup>2</sup>  
 2300W max


Codice Prodotto	Cavo arrotolato	Cavo srotolato	Imballo	Master Pces
<b>DOMREEL-10-IT</b>	1000W	2300W	Bulk	10



### REEL-IT-15

Avvolgicavo con protezione termica



15 m



REEL-IT-15



Codice Prodotto	Tensione nominale	Cavo arrotolato	Cavo srotolato	Cavo	Lunghezza	n° prese	Materiale	Lunghezza	Larghezza	Altezza	Imballo	Master Pces
REEL-IT-15	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	15 m	4	PVC + PP	190 mm	255 mm	270 mm	Brown box	4

### REEL-IT-25

Avvolgicavo con protezione termica



25 m



REEL-IT-25



Codice Prodotto	Tensione nominale	Cavo arrotolato	Cavo srotolato	Cavo	Lunghezza	n° prese	Materiale	Lunghezza	Larghezza	Altezza	Imballo	Master Pces
REEL-IT-25	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	25 m	4	PVC + PP	235 mm	175 mm	325 mm	Brown box	4

### REEL-IT-50

Avvolgicavo con protezione termica



50 m



REEL-IT-50



Codice Prodotto	Tensione nominale	Cavo arrotolato	Cavo srotolato	Cavo	Lunghezza	n° prese	Materiale	Lunghezza	Larghezza	Altezza	Imballo	Master Pces
REEL-IT-50	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	50 m	4	PVC + PP	235 mm	175 mm	325 mm	Brown box	2



## REEL-22G

Avvolgicavo da giardino con protezione termica  
Garden cable reel with thermal protection  
Enrouleur de câble de jardin avec protection thermique  
Enrollador de cable de jardín con protección térmica  
Gartenseilrolle mit Wärmeschutz



**NEW**

20 m



REEL-22G



Codice Prodotto	Tensione nominale	Cavo arrotolato	Cavo srotolato	Cavo	Lunghezza	n° prese	Materiale	Lunghezza	Larghezza	Altezza	Imballo	Master Pces
REEL-22G	230V~	1100W	3200W	H05VV-F 2x1.5mm <sup>2</sup>	20 m	1	PP+PVC	220 mm	200 mm	310 mm	Brown box	1

## REEL-42G

Avvolgicavo da giardino con protezione termica  
Garden cable reel with thermal protection  
Enrouleur de câble de jardin avec protection thermique  
Enrollador de cable de jardín con protección térmica  
Gartenseilrolle mit Wärmeschutz



**NEW**

40 m



REEL-42G



Codice Prodotto	Tensione nominale	Cavo arrotolato	Cavo srotolato	Cavo	Lunghezza	n° prese	Materiale	Lunghezza	Larghezza	Altezza	Imballo	Master Pces
REEL-42G	230V~	1100W	3200W	H05VV-F 2x1.5mm <sup>2</sup>	40 m	1	PP+PVC	270 mm	180 mm	350 mm	Brown box	1

## PROHD16A-FR-20

Prolunga da giardino  
Garden extension  
Extension de jardin  
Ampliación de jardín  
Gartenerweiterung



PROHD16A-FR-20



Codice Prodotto	Lunghezza	Sezione	Imballo	Inner Pces	Master Pces
PROHD16A-FR-20	20 m	2x1,5	Polybag appendibile	-	6



Biplite 2P+T frontale 16A



ADAT-FR-1



Code produit Item code	Emballage Packing	Inner Pces	Master Pces
ADAT-FR-1	Bulk	10	100

Triplite frontale 3x6A



ADAT-FR-2



Code produit Item code	Emballage Packing	Inner Pces	Master Pces
ADAT-FR-2	Bulk	10	100

Triplite frontale 16A + 2x6A



ADAT-FR-3



Code produit Item code	Emballage Packing	Inner Pces	Master Pces
ADAT-FR-3	Bulk	10	100

Triplite triangulaire 3x16A



TRIPLITE



Code produit Item code	Emballage Packing	Inner Pces	Master Pces
TRIPLITE	Bulk	10	60

Mini programmeur journalier 24 heures à segments



24 HEURES



SH001H.FR



Code produit Item code	Intervalle min. de programmation Min. programming range	Fiche Plug	Puissance max Power	Utilisation Use	Matériau Material	Longueur L1 Length	Largeur L2 Width	Hauteur L3 Height	Emballage Packing	Inner Pces	Master Pces
SH001H.FR	30 min	16A	3600W	Indoor	PC	54 mm	71 mm	102 mm	Blister F2	6	48



## BLOCS MULTIPRISES



Bloc multiprise 3x10/16A (2P+T)  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-3**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-3	1 m	Plastic hanger	10	50

Bloc multiprise 4x10/16A (2P+T)  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-4**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-4	1 m	Plastic hanger	10	50

Bloc multiprise 5x10/16A (2P+T)  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-5**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-5	1 m	Plastic hanger	10	40

Bloc multiprise 3x10/16A (2P+T) avec interrupteur  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-I-3**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-I-3	1 m	Plastic hanger	10	50

Bloc multiprise 4x10/16A (2P+T)A avec interrupteur  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-I-4**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-I-4	1 m	Plastic hanger	10	50

Bloc multiprise 5x10/16A (2P+T) avec interrupteur  
Câble 1 m H05VV-F3G1.0mm<sup>2</sup>



**MULTIP-FR-I-5**



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pcs	Master Pcs
MULTIP-FR-I-5	1 m	Plastic hanger	5	40



BLOCS MULTIPRISES



Bloc 3 prises + 2 prises USB  
avec interrupteur  
Câble 1,5 m H05VV-F3G1.0mm<sup>2</sup>  
3680W. Max

Bloc 5 prises + 2 prises USB  
avec interrupteur  
Câble 1,5 m H05VV-F3G1.0mm<sup>2</sup>  
3680W. Max.



MULTIP-FR-USB3



MULTIP-FR-USB5



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pces	Master Pces
MULTIP-FR-USB3	1,5 m	Plastic hanger	5	40

Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pces	Master Pces
MULTIP-FR-USB5	1,5m	Plastic hanger	5	40

Prolongateur 16A (2P+T)  
Câble H05VV-F3G1.5mm<sup>2</sup>  
3500W max



PRO16A-FR-3



PRO16A-FR-5



PRO16A-FR-10



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pces	Master Pces
PRO16A-FR-3	3 m	Plastic hanger	5	20
PRO16A-FR-5	5 m	Plastic hanger	5	20
PRO16A-FR-10	10 m	Plastic hanger	5	10





PROLONGATEURS



Prolongateur 6A  
Câble H03VVH2-F2X0.75mm<sup>2</sup>  
1250W max



PRO10A-FR-2



PRO10A-FR-5



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pces	Master Pces
PRO10A-FR-2	2 m	Plastic hanger	10	80
PRO10A-FR-5	5 m	Plastic hanger	10	50

Prolongateur 16A (2P+T)  
Câble 10m H07RN-F3G1.5mm<sup>2</sup>  
3500W max

Enrouleur domestique avec disjoncteur thermique.  
Câble 10m H05VV-F3G1.0mm<sup>2</sup>  
2300W max



PRO715-10F



DOMREEL-10



Code produit Item code	Longueur du câble Length of cable	Emballage Packing	Inner Pces	Master Pces
PRO715-10F	10 m	Plastic hanger	6	6

Code	Câble complètement enroulé	Câble complètement déroulé	Matériau	Emballage Packing	Master Pces
DOMREEL-10	900W	2300W	PP	Bulk	10



### REEL-FR-15

Enrouleur bricolage avec disjoncteur thermique

15 m

REEL-FR-15



Code	Tension assignée	Câble complètement enroulé	Câble complètement déroulé	Câble	Longueur	Nombre de prises	Matériau	Largeur	Longueur	Hauteur	Imballo	Master Pces
REEL-FR-15	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	15 m	4 prises 2P+T 16A	Fût et flasques: PP Support tubulaire: Acier	190 mm	255 mm	270 mm	Brown box	4

### REEL-FR-25

Enrouleur bricolage avec disjoncteur thermique

25 m

REEL-FR-25



Code	Tension assignée	Câble complètement enroulé	Câble complètement déroulé	Câble	Longueur	Nombre de prises	Matériau	Largeur	Longueur	Hauteur	Imballo	Master Pces
REEL-FR-25	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	25 m	4 prises 2P+T 16A	Fût et flasques: PP Support tubulaire: Acier	230 mm	180 mm	360 mm	Brown box	1

### REEL-FR-40

Enrouleur bricolage avec disjoncteur thermique

40 m

REEL-FR-40



Code	Tension assignée	Câble complètement enroulé	Câble complètement déroulé	Câble	Longueur	Nombre de prises	Matériau	Largeur	Longueur	Hauteur	Imballo	Master Pces
REEL-FR-40	230V~	1100W	3200W	H05VV-F3G1.5mm <sup>2</sup>	40 m	4 prises 2P+T 16A	Fût et flasques: PP Support tubulaire: Acier	270 mm	180 mm	360 mm	Brown box	1



# MULTIMETRI DIGITALI

Digital multimeters / Multimètres digitaux / Multimetros digitales / Digitales Multimeter




## DM600 - DIGITOP

Multimetro digitale 6 in 1  
6 in 1 Digital multimeter  
Multimètre digital 6 en 1  
Multimetro digital 6 en 1  
Digitales Multimeter 6 in 1



CE SGS



DM600




COD.	DESCRIZIONE	Packing	Inner Pces	Master Pces
DM600	68,5 x 124 x 27 mm	Blister	6	60

## DM700 - DIGITOP

Multimetro digitale 7 in 1  
7 in 1 Digital multimeter  
Multimètre digital 7 en 1  
Multimetro digital 7 en 1  
Digitales Multimeter 7 in 1



CE SGS



DM700



COD.	DESCRIZIONE	Packing	Inner Pces	Master Pces
DM700	78,5 x 130 x 33 mm	Blister	6	60

Home appliances & electric materials

**CF001**  
**VOLTAGE TESTER XL**

Cercafase 140mm  
Voltage tester  
Testeur de voltage  
Medidores de tensión  
Phasenprüfer

140 mm



CF001



COD.	Length	Packing	Inner Pces	Master Pces
CF001	140 mm	Blister	12	288

**CF002**  
**VOLTAGE TESTER XXL**

Cercafase 190 mm  
Voltage tester  
Testeur de voltage  
Medidores de tensión  
Phasenprüfer

190 mm



CF002



COD.	Length	Packing	Inner Pces	Master Pces
CF002	190 mm	Blister	12	288

**MORSETTIERE PER CAVI ELETTRICI**

Terminals blocks / Bornes de raccordement / Regleta Clema / Anschlussklemme für elektrische Kontakte



All models except  
MG301



Codice Item code Code Codigo Code	A	Dimensioni Dimensions Dimensions Abmessungen	Materiale Materials Materiau Material	Codice ean Ean code Ean code Ean code	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces
MG303	3A	4 mm <sup>2</sup>	PP	=	Shrink 10 pcs =		
MG306	6A	6 mm <sup>2</sup>	PP	=	Shrink 10 pcs =		
MG310	10A	10 mm <sup>2</sup>	PP	=	Shrink 10 pcs =		
MG330	30A	16 mm <sup>2</sup>	PP	=	Shrink 10 pcs =		
MG360	60A	25 mm <sup>2</sup>	PP	=	Shrink 10 pcs =		

## FASCETTE PER CABLAGGIO IN NYLON 6.6

Nylon Cable ties / Serre-câbles en nylon / Bidas Nylon / Nylonkabelbinder




Code Item code Code Codigo Code	Diametro massimo Max diameter A	Dimensioni Dimensions Dimensions Dimensions Abmessungen	Materiale Material Materiu Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces	Code ean Ean code Ean code Ean code Ean code
MG101	max 22 mm	2,5 x 100 mm	Nylon 6.6	Polybag 100 pcs	10	500	8 003910 101173 >
MG102	max 35 mm	2,5 x 150 mm	Nylon 6.6	Polybag 100 pcs	10	350	8 003910 101180 >
MG103	max 53 mm	2,5 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	300	8 003910 101197 >
MG111	max 53 mm	3,6 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	200	8 003910 101210 >
MG112	max 70 mm	3,6 x 280 mm	Nylon 6.6	Polybag 100 pcs	10	160	8 003910 101227 >
MG113	max 26 mm	4,6 x 120 mm	Nylon 6.6	Polybag 100 pcs	10	200	8 003910 101272 >
MG120	max 53 mm	4,8 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	140	8 003910 101234 >
MG121	max 82 mm	4,8 x 300 mm	Nylon 6.6	Polybag 100 pcs	10	100	8 003910 101241 >
MG122	max 90 mm	4,8 x 350 mm	Nylon 6.6	Polybag 100 pcs	10	90	8 003910 101258 >
MG130	max 160 mm	7,6 x 550 mm	Nylon 6.6	Polybag 50 pcs	5	50	8 003910 101265 >
MG140	max 33 mm	6,8 x 150 mm	Nylon 6.6	Polybag 50 pcs	5	200	8 003910 101289 >

## FASCETTA BIANCA PER CABLAGGIO IN NYLON RIAPRIBILE

White releasable nylon cable ties / Serre-câbles blancs, en nylon, réutilisables / Bidas de cables reutilizables blancas, de nylon / Kabelbinder Nylon weiss mit Verschiebevorrichtung

Code Item code Code Codigo Code	Diametro massimo Max diameter A	Dimensioni Dimensions Dimensions Dimensions Abmessungen	Materiale Material Materiu Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces	Code ean Ean code Ean code Ean code Ean code
MG199	max 35 mm	7,5 x 150 mm	Nylon 6.6	Polybag 50 pcs	5	200	8 003910 101319 >



FASCETTE PER CABLAGGIO IN NYLON 6.6

Nylon Cable ties / Serre-câbles en nylon / Bridas Nylon / Nylonkabelbinder



Codice Item code Code Codigo Code	Diámetro massimo Max diameter ⊙ A	Dimensioni Dimensions Dimensions Abmessungen	Materiale Material Material Material	Imballo Packing Emballage Embalaje Verpackung	Inner Pces	Master Pces	Codice ean Ean code Ean code Ean code Ean code
MG201	max 22 mm	2,5 x 100 mm	Nylon 6.6	Polybag 100 pcs	10	500	8 003910 101074 >
MG202	max 35 mm	2,5 x 150 mm	Nylon 6.6	Polybag 100 pcs	10	350	8 003910 101081 >
MG203	max 53 mm	2,5 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	300	8 003910 101098 >
MG211	max 53 mm	3,6 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	200	8 003910 101111 >
MG212	max 70 mm	3,6 x 280 mm	Nylon 6.6	Polybag 100 pcs	10	160	8 003910 101128 >
MG220	max 53 mm	4,8 x 200 mm	Nylon 6.6	Polybag 100 pcs	10	140	8 003910 101135 >
MG221	max 82 mm	4,8 x 300 mm	Nylon 6.6	Polybag 100 pcs	10	100	8 003910 101142 >
MG222	max 90 mm	4,8 x 350 mm	Nylon 6.6	Polybag 100 pcs	10	90	8 003910 101159 >
MG230	max 160 mm	7,6 x 550 mm	Nylon 6.6	Polybag 50 pcs	5	50	8 003910 101166 >

## ACCESSORI VARI

Electrical accessories / Accessoires divers / Varios accesorios / Verschiedenes Zubehör

### CIP681

Connettore due poli IP68  
Connecteur IP68  
IP68 connector  
Conector bipolar IP68  
IP68 Verbinder für die Außenverkabelung



CIP681



Codice Prodotto	Imballo	Inner Pces	Master Pces
CIP681	Polybag appendibile	12	192

### CIP682

Connettore a T IP68  
Connecteur IP68  
IP68 connector  
IP68 Verbinder für die Außenverkabelung  
Conector en T IP68



CIP682



Codice Prodotto	Imballo	Inner Pces	Master Pces
CIP682	Polybag appendibile	12	96

### CIP607

Scatola di protezione spina e presa volante  
Waterproof box for sockets and plugs  
Boitier de protection étanche pour prises  
Caja de protección para clavija y toma  
Sicherheitsbox

**NEW**



CIP607



Codice Prodotto	Imballo	Inner Pces	Master Pces
CIP607	Shrink	10	50

### LHGU10

Portalamпада in ceramica per microcriche / GU10  
con cavo 15 cm 2x0,75mm<sup>2</sup>  
Ceramic lamp holder for GU10 bulbs. With 15 cm 2x0,75mm<sup>2</sup> cable  
Douille GU10 en céramique avec câble 15 cm 2x0,75mm<sup>2</sup>  
Portalamparas  
Lampenfassung in Keramik für Dichroic LED / GU10 mit 15cm x 0,75mm<sup>2</sup> Kabel



LHGU10



Codice Prodotto	Imballo	Inner Pces	Master Pces
LHGU10	Bulk	50	1000

### START22

Starter 4-22W



4-22W

START22



Codice Prodotto	Imballo	Inner Pces	Master Pces
START22	Bulk	50	2000

### START65

Starter 4-65W



4-65W

START65



Codice Prodotto	Imballo	Inner Pces	Master Pces
START65	Bulk	50	2000

# CAT5E

## NETWORK CABLES

UTP Cat.5E Network cable  
CCA/PE High Density  
PVC 5.0 mm (external)



**305 meters**  
(1000 feet)

LAN5EU-305



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN5EU-305	300m	Pull box	-	2

UTP Cat.5E Network cable  
CCA/PE High Density  
PVC 5.0 mm (external)



**100 meters**  
(328 feet)

LAN5EU-100



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN5EU-100	100m	Shrink	-	8

FTP Cat.5E Network cable  
CCA/PE High Density  
PVC 5.0 mm (external)



**305 meters**  
(1000 feet)

LAN5EF-305



Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN5EF-305	300m	Pull box	-	2



Router



Computer



Printer



Office



Gaming



TV



CCTV



Voip

Connettori RJ45 CAT5E UTP da crimpare  
RJ45 CAT5E UTP crimp connectors  
Connecteurs RJ45 CAT5E UTP à sertir  
Conectores RJ45 CAT5E UTP para crimpar  
RJ45 CAT5E UTP Crimp Verbinder

X 100



LANCSU-100



Codice Prodotto	Pcs x imballo	Imballo	Inner Pcs	Master Pcs
LANCSU-100	100	Polybag	-	25

Connettori blindati RJ45 CAT5E FTP da crimpare  
RJ45 CAT5E FTP shielded crimp connectors  
Connecteurs blindés RJ45 CAT5E FTP à sertir  
Conectores RJ45 blindados CAT5E FTP para crimp  
RJ45 CAT5E FTP Geschirmter Crimp-Verbinder

X 100



LANCSF-100



Codice Prodotto	Pcs x imballo	Imballo	Inner Pcs	Master Pcs
LANCSF-100	100	Polybag	-	25



NETWORK CABLES

CAT6



UTP Cat.6 Network cable  
CCA/PE High Density  
PVC 6.0 mm (external)



**305 meters**  
(1000 feet)

LAN6U-305



**NEW**

Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN6U-305	300m	Pull box	-	2

UTP Cat.6 Network cable  
CCA/PE High Density  
PVC 6.0 mm (external)



**100 meters**  
(328 feet)

LAN6U-100



**NEW**

Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN6U-100	100m	Shrink	-	8

FTP Cat6 Network cable  
CCA/PE High Density  
PVC 6.0 mm (external)



**305 meters**  
(1000 feet)

LAN6F-305



**NEW**

Codice Prodotto	Lunghezza	Imballo	Inner Pcs	Master Pcs
LAN6F-305	300m	Pull box	-	2



Router



Computer



Printer



Office



Gaming



TV



CCTV



Voip

Connettori RJ45 CAT6 UTP da crimpare  
RJ45 CAT6 UTP crimp connectors  
Connecteurs RJ45 CAT6 UTP à sertir  
Conectores RJ45 CAT6 UTP para crimpar  
RJ45 CAT6 UTP Crimp Verbinder

**X 100**



LANC6U-100



**NEW**

Codice Prodotto	Pcs x imballo	Imballo	Inner Pcs	Master Pcs
LANC6U-100	100	Polybag	-	25

Connettori blindati RJ45 CAT6 FTP da crimpare  
RJ45 CAT6 FTP shielded crimp connectors  
Connecteurs blindés RJ45 CAT6 FTP à sertir  
Conectores RJ45 blindados CAT6 FTP para crimpar  
RJ45 CAT6 FTP Geschirmter Crimp-Verbinder

**X 100**



LANC6F-100



**NEW**

Codice Prodotto	Pcs x imballo	Imballo	Inner Pcs	Master Pcs
LANC6F-100	100	Polybag	-	25



## DL101

Lampada da lavoro 24 led con gancio e calamita  
24 LED work light with hook and magnet  
Lampe de travail 24 LED avec aimant et crochet  
Lámpara para taller 24LED con iman y gancho  
Arbeitslampe 24 LED mit Haken und Magnet



DL101



COD.									+	Packing	Inner Pces	Master Pces
DL101	24 + 4 LED	12Lm	20 mt	16 hrs	Diffuse light	90 x 55 x 35 mm	3 x AAA/LR03 (not included)	Rubber ABS	Magnet Hook	Display 12 pcs	12	96

## DL104 - R2D2

Torcia LED + pannello luminoso COB. Con gancio e magnete.  
2 in 1 LED work light. With hook and magnet  
Lampe de travail LED 2 en 1. Avec aimant et crochet  
Linterna LED + Panel LED COB. Con gancho y imán  
LED-Taschenlampe + COB-Lichtpanel. Mit Haken und Magnet.



DL104



COD.									+	Packing	Inner Pces	Master Pces
DL104	3W LED COB	150Lm	10 mt	15 hrs	Focus + Diffuse light	69 x 98 x 34 mm	3 x AAA/LR03 (not included)	ABS	Magnet Hook	Display 12 pcs	12	96

## ESPOSITORI DA BANCO

Displays / Présentoirs / Expositores / Display

### IS463

Lampada da lavoro COB LED con gancio e calamita  
 COB LED work light with hook and magnet  
 Lampe de travail COB LED avec aimant et crochet  
 Lámpara para taller COB LED con iman y ganche  
 Arbeitslampe COB LED mit Haken und Magnet



IS463



COD.								+	Packing	Inner Pces	Master Pces
IS463	3W COBLED	200 Lm	8 hrs	Diffuse light	205 x 50 x 25 mm	4 x AAA/LR03 (not included)	ABS	Magnet Hook	Display 12 pcs	12	72

### IN322 - GRAM

Torcia 3 LED ricaricabile con dinamo  
 3 LED Hand Press Crank  
 Torche 3 LED avec dynamo  
 Linterna recargable de 3 LED con dinamo  
 Wiederaufladbare 3W LED-Leuchte mit Dynamo



**NEW**



IN322



COD.								+	Packing	Inner Pces	Master Pces
IN322	3 Standard LED	10 Lm	30 min	Diffuse	100 x 25 x 50 mm	3 x LR1130	ABS	Wrist band	Display 12 pcs	12	48



## DL202 - STICK

Torcia LED in ABS  
ABS LED flashlight  
Lampe torche LED en ABS  
Linterna ABS LED  
LED-Taschenlampe aus ABS

**NEW**



DL202



COD.									Packing	Inner Pcs	Master Pcs
DL202	1W SMD LED	60 Lm	10 m	24 hrs	Focus light	ø35 x 153 mm	2 x AA/ LR6 (not included)	ABS	Display 12 pcs	12	96

## D68 - TULIP

Torcia LED in ABS  
ABS LED flashlight  
Lampe torche LED en ABS  
Linterna ABS LED  
LED-Taschenlampe aus ABS



D68



COD.									+	Packing	Inner Pcs	Master Pcs
D68	1 High power LED 0,5W	30 Lm	20 mt	>15 hrs	Focus light	95 x 31 ø mm	3 x AAA/ LR03 (not included)	ABS	Wrist band	Display 12 pcs	12	48

## ESPOSITORI DA BANCO

Displays / Présentoirs / Expositores / Display

### IN238 - ACID

Torcia metallica 1 LED con clip  
 1 LED metal flashlight with clip  
 Torche métallique 1 LED avec clip  
 Mini Linterma 1 LED con clip  
 Metalltaschenlampe 1 LED mit Clip



IN238



COD.										Packing	Inner Pces	Master Pces
IN238	1 High power LED 0,5W	20 Lm	20 mt	30 hrs	Focus light	95 x ø 20 mm	1 x AA/LR6 (not included)	AL	Clip	Display 20 pcs	20	120

### D85 - ODIN

Pochet lamp  
 Pocket lamp  
 Lampe de poche  
 Linterna de mano  
 Taschenlampe



D85



COD.										Packing	Inner Pces	Master Pces
D85	3W LED	120 Lm	110 mt	10 hrs	Focus light	35,5ø x 114 mm	3 AAA/LR6 (not included)	AL	Wrist band	Display 12 pcs	12	96



### D89 - THOR

Torcia LED con zoom + lanterna COB  
Flashlight with zoom + COB lantern  
Torche LED avec zoom + lanterne COB  
Linterna portátil LED COB  
Taschenlampe mit COB LED Panel



D89



COD.									+	Packing	Inner Pcs	Master Pcs
D89	1W LED	80 Lm	30 mt	5 hrs	Focus light Diffuse light	23 ø x 108 mm	1 AA/LR6 (not included)	AL	Clip	Display 12 pcs	12	96

### IN256 - BIG DADDY

Torcia con pannello L  
COB flashlight  
Torche LED COB  
Linterna portátil LED L  
Taschenlampe mit COB



IN256



COD.								Packing	Inner Pcs	Master Pcs
IN256	3W COB LED / red blink	400 Lm	30 hrs	Diffuse light	191 x ø 33 mm	3 x AA / LR6 (not included)	AL	Display 12 pcs	12	48

## ESPOSITORI DA BANCO

Displays / Présentoirs / Expositores / Display

### IN221 - SURF

Portachiavi con pannello LED COB  
 COB LED keychain  
 Porte-clef LED COB  
 Ilavero con Luz LED COB  
 Schlüsselanhänger mit COB-LED-Panel

**NEW**

**LED  
COB**



**12 pcs  
DISPLAY**

IN221



COD.									Packing	Inner Pces	Master Pces
IN221	3W COB LED	100Lm	15 hrs	Diffuse light	70 x 35 x 15 mm	3 x AAA/ LR03 (not included)	ABS	Magnet	Display 12 pcs	12	48

### IN239 - MAVERICK

Torcia metallica 1 LED con clip  
 1 LED metal flashlight with clip  
 Torche métallique 1 LED avec clip  
 Mini Linterma 1 LED con clip  
 Metalltaschenlampe 1 LED mit Clip

**NEW**



**12 pcs  
DISPLAY**



IN239



COD.								Packing	Inner Pces	Master Pces
IN239	1 High power LED 0,2W	20Lm	10 hrs	Focus light	146 x 90 x 118 mm	1 x AAA/ LR03 (not included)	AL	Display 12 pcs	12	48





**IN229 - RED DOT 2**

Puntatore laser con luce LED e UV

Laser + LED + UV keychain

Porte-clefs pointeur + lumière LED + UV

Super puntero Laser + luz LED+UV con llavero

Laserpointer + LED + UV



IN229



COD.									Packing	Inner Pcs	Master Pcs
IN229	1 white LED 1 UV light 1 RED Laser	5 Lm	2 mt	29 hrs	Focus light	13 x 15 x 75 mm	3 x LR44 (included)	AL	Display 24 pcs	24	192

**IC207 - PUSHUP**

Mini lanterna 3W

Mini camping lantern 3 W

Mini lanterne de camping 3W

Mini linterna de camping 3 W

Mini Campinglampe 3 W



IC207



COD.								Packing	Inner Pcs	Master Pcs
IC207	3W LED	200 Lm	5 hrs	Diffuse Light	97 x 68ø mm	3 x AAA/LR03 (not included)	ABS	Display 6 pcs	12	48




## ESPOSITORI DA BANCO

Displays / Présentoirs / Expositores / Display

### D83 - GYVER

Pinza multiuso  
Multitool  
Pince multifonction  
Alicates multiherramientas  
Multifunktionale Zange



D83



COD.	Functions	SIZE	Material	Packing	Inner Pces	Master Pces
D83	Regular Pliers, Wire cutters, Mini flat screwdriver, Phillips Screwdriver, Big Sharp Knife, Filer, Punch needle, Saw, Sharp Knife, Can Opener, Maxi flat screwdriver, Keyring	42 x 17 x 71 mm	Metal	Display 12pcs	12	48

### IL01 - LUMINO

Lumino votivo riutilizzabile a batterie  
Battery operated votive light  
Lumière votive à piles  
Lumino votivo LED de batería electrónica  
Votivlicht batteriebetrieben



IL01



COD.	Light	Power	Color	Life	Light Type	SIZE	Battery	Material	Packing	Inner Pces	Master Pces
IL01	1 LED	5 Lm	N/S	15 days	Diffuse Light	70 ø x 115 mm	2 x C/R14 (not included)	ABS	Color box	12	48

**IL01E - U&G LUMINO**

Lumino votivo a batterie included "usa e getta"

Battery operated disposable votive light

Lumière votive jetable

Lumino votivo LED desechable

„Einweg“-Votivlicht batteriebetrieben



IL01E



COD.							Packing	Inner Pces	Master Pces
IL01E	1 LED	30 days	Diffuse Light	56 ø x 94 mm	2 x C/R14 (included)	ABS	Display 12 pcs	24	96

**IL01W - U&G LUMINO**

Lumino votivo a batterie included "usa e getta"

Battery operated disposable votive light

Lumière votive jetable

Lumino votivo LED desechable

„Einweg“-Votivlicht batteriebetrieben

**NEW**

IL01W



COD.							Packing	Inner Pces	Master Pces
IL01W	1 LED	30 days	Diffuse Light	56 ø x 94 mm	2 x C/R14 (included)	ABS	Display 12 pcs	24	96



**Batteries**



R03/4BP



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
R03/4BP	AAA/MINISTILO/R03	Zinc-Carbon	1,5	12	144

R6/4BP



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
R6/4BP	AA/STILO/R6	Zinc-Carbon	1,5	12	144

R14/2BP



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
R14/2BP	C/1/2 TORCIA/R14	Zinc-Carbon	1,5	12	72

R20/2BP



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
R20/2BP	D / TORCIA/R20	Zinc-Carbon	1,5	10	60

3R12/1BP



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
3R12/1BP	3R12/PIATTA/3R12	Zinc-Carbon	4,5	10	120



4R25/1B



COD.	Technology	Voltage (V)	Master (pcs)	Pallets (pcs)
4R25/1B	Zinc-Carbon	6V	24	1152



# PILE ALCALINE

Alkaline / Alkaline / Alkalinas / Alkaline

**LR03/4BP**




COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR03/4BP</b>	AAA/MINISTILO/LR03	Alkaline	1,5	12	144

**LR6/4BP**




COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR6/4BP</b>	AA/STILO/LR6	Alkaline	1,5	12	144



**LR03/8BP**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR03/8BP</b>	AAA/MINISTILO/LR03	Alkaline	1,5	10	120



**LR6/8BP**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR6/8BP</b>	AA/STILO/LR6	Alkaline	1,5	10	60

**LR14/2BP**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR14/2BP</b>	C/1/2 TORCIA/LR14	Alkaline	1,5	12	72

**LR20/2BP**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR20/2BP</b>	D / TORCIA/LR20	Alkaline	1,5	10	60

**6LR61/1BP**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>6LR61/1BP</b>	9V / TRANSISTOR/6LR61	Alkaline	9	12	144

**LR23A**



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
<b>LR23A</b>	12V/ TELECOMANDO/23A	Alkaline	12	12	144



LR03/12PACK



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
LR03/12PACK	AAA/MINISTILO/LR03	Alkaline	1,5	6	96

LR6/12PACK



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
LR6/12PACK	AA/STILO/LR6	Alkaline	1,5	6	48

B23716

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Litio recargable  
Wiederaufladbare Lithium-Batterie



B23716



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
B23716	18650	Lithium	3.7V	2200mAh	12	192

23717.R

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Litio recargable  
Wiederaufladbare Lithium-Batterie



23717.R



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
23717.R	18650	Lithium	3.7V	3250mAh	5	50

CBT06

Carica batterie  
Battery charger  
Chargeur de batterie  
Cargador de batería  
Akkuladegerät

Only for  
Li-ion  
batteries



CBT06



COD.	Dimensions (mm)	Packing	Inner (pcs)	Master (pcs)
CBT06	45 x 29 x 101 mm	Colour box	6	24



## PILE LITIO

Lithium / Lithium / Lito / Lithium

### BATTIR867

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Lito recargable  
Wiederaufladbare Lithium-Batterie

FOR IR867



BATTIR867



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
BATTIR867	18650x2	Lithium	7.4V	4400mAh	10	10

### BATT3744

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Lito recargable  
Wiederaufladbare Lithium-Batterie



BATT3744




COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
BATT3744	18650x2	Lithium	3,7V	4400mAh	5	50

### BATTIR666

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Lito recargable  
Wiederaufladbare Lithium-Batterie

FOR DOOMSTER SERIES



BATTIR666



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
BATTIR666	18650	Lithium	3.7V	2200mAh	5	50

### BATT7480

Batteria al litio ricaricabile  
Rechargeable lithium battery  
Batterie Lithium rechargeable  
Bateria al Lito recargable  
Wiederaufladbare Lithium-Batterie



BATT7480



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
BATT7480	18650x8	Lithium	7,4V	8000mAh	5	50

## COMPATIBILITA' BATTERIE / BATTERY COMPATIBILITY

CODICE CODE	4R25	LR20	BATTIR666 Li-ion 3.7V 2Ah	23716.R Li-ion 3.7 2.2Ah	B23716 Li-ion 3.7 2.2Ah	23717.R Li-ion 3.7V 3250mAh	BATT3744 Li-ion 3.7V 4.4Ah	BATTIR867 Li-ion 7.4V 4Ah	BATT7480 Li-ion 7.4V 8Ah	23722 Pb 6V 4Ah
IR554			√				√			
IR558			√				√			
IR666-5W			√				√			
IR666-10W			√				√			
ST999-5L			√				√			
ST999-10L			√				√			
R930								√		
IR867								√		
IR882			√				√			
IS342				√	√	√				
ST223								√	√	
ST225								√	√	
SL320				√	√	√				
SL420				√	√	√				
IS340				√	√	√				
IMR90				√	√	√				
ST201				√	√	√				
IR547				√	√	√				
IR666-DRY	√	√								
R920										√



**CR24X**

24 pieces button cell set

CR2025



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
CR2025	Button Cell	Lithium	3		50	1000

CR2016



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
CR2016	Button Cell	Lithium	3	75	50	1000

CR2032



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
CR2032	Button Cell	Lithium	3	210	50	1000



CR24X



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
CR24X	Button Cell	Lithium / Alkaline	1,5V / 3V	AG1/364/LR621 13mAh x2 AG3/392/LR41 40mAh x2 AG4/377/LR626 19mAh x2 AG5/393/LR754 60mAh x2 AG8/391/LR1120 45mAh x2 AG10/389/LR1130 70mAh x2 AG12/386/LR43 100mAh x2 AG13/357/LR44 150mAh x2 CR1620 / 70mAh x2 CR2016 / 70mAh x2 CR2025 / 150mAh x2 CR2032 / 200mAh x2	25	100

**BATTERIE RICARICABILI**

Rechargeable / Rechargeables / Recargables / Wiederaufladbar

HR03/4BP



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
HR03/4BP	AAA/MINISTILO/HR03	Ni-Mh	1,2	1000	12	144

HR6-2600/2BP



COD.	Type	Technology	Voltage (V)	Capacity (mAh)	Inner (pcs)	Master (pcs)
HR6-2600/2BP	AA/STILO/HR6	Ni-Mh	1,2	2600	12	120



## BATTERIE AL PIOMBO RICARICABILI

Rechargeable lead acid batteries / Batteries au plomb rechargeables / Baterias recargables al plomo / Wiederaufladbare Bleibatterien



Home appliances & electric materials



23721



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23721	4V 2Ah	Lead acid	45 x 33 x 81	5	50



23719



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23719	4V 4,5Ah	Lead acid	46 x 46 x 106	5	50



23720



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23720	6V 1,3Ah	Lead acid	98 x 24 x 59	20	20



23729



**NEW**

COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23729	6V 2,8Ah	Lead acid	66 x 33 x 103	10	10



23725



**NEW**

COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23725	6V 3,2Ah	Lead acid	134 x 34 x 67	10	20



23722



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23722	6V 4Ah	Lead acid	71 x 48 x 108	20	20



23726



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23726	6V 7Ah	Lead acid	151 x 35 x 98	-	10

23728



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23728	12V 7Ah	Lead acid	150 x 165 x 100	-	10



23723



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23723	12V 1,3Ah	Lead acid	98 x 44 x 58	-	20

23724



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23724	12V 2,2 Ah	Lead acid	178 x 35 x 67	-	20

# BATTERIE AL PIOMBO RICARICABILI

Rechargeable lead acid batteries / Batteries au plomb rechargeables / Baterias recargables al plomo / Wiederaufladbare Bleibatterien



Home appliances & electric materials

**NEW**



23732



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23732	12V 9Ah	Lead acid	151 x 65 x 100	10	10

23731



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23731	12V 12 Ah	Lead acid	151 x 98 x 101	-	4

**NEW**



23735



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23735	12V 18Ah	Lead acid	180 x 77 x 168	-	2

23734



COD.	Type	Technology	Dimensions (mm)	Inner (pcs)	Master (pcs)
23734	12V 26Ah	Lead acid	166 x 175 x 125	-	1

# Energizer®



NLR61



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR61	LR61	Alkaline	9	12	12



NLR6X4



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR6X4	AA/STILO/LR6	Alkaline	1,5	24	24



NLR6X5



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR6X5	AA/STILO/LR6	Alkaline	1,5	24	24



NLR03X4



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR03X4	AAA/MINISTILO/LR03	Alkaline	1,5	12	12



NLR03X5



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR03X5	AAA/MINISTILO/LR03	Alkaline	1,5	24	24



NLR14



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR14	C/MEZZATORCIA/LR14	Alkaline	1,5	12	12



NLR20



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR20	D/TORCIA/LR20	Alkaline	1,5	12	12

NLR44X2



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NLR44X2	LR44	Alkaline	1,5	10	100

NCR2032X2



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NCR2032X2	CR2032	Lithium	3	10	100

NCR2016X2



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NCR2016X2	CR2016	Lithium	3	10	100

NCR2025X2



COD.	Type	Technology	Voltage (V)	Inner (pcs)	Master (pcs)
NCR2025X2	CR2025	Lithium	3	10	100



EXPO BANCO

8 facings

688251



ANTENNA DISPLAY


16 facings

688249





## MINI EXPO DA BANCO IN METALLO 10 FACINGS



UNIEXPO





COD.

UNIEXPO

Aperto - Non montato / Open - Unmounted: 47 x 43 x 0,5 cm  
Montato / Mounted: 30 x 43 x 17 cm

# ESPOSITORI

Displays / Présentoirs / Expositores / Display



**PALBOX4M**



COD.	DESCRIZIONE
<b>PALBOX4M</b>	60 x 32 x 170 cm 60x32x30cm (single case)

**CRAVATTA**



COD.	DESCRIZIONE
<b>CRAVATTA</b>	6cm x 98 cm

**EXPO18**

















COD.	DESCRIZIONE
<b>EXPO18</b>	600 x 1739 x 325 mm

Home appliances & electric materials

# GRADO DI PROTEZIONE IP

INDEX OF PROTECTION - GRADO DE PROTECCIÓN IP - INDICE DE PROTECTION

1 Cifra: protezione contro il contatto di corpi solidi 1st figure: protection against solid bodies 1er chiffre (dizaine): protection contre les solides 1ª Cifra: Protección contra el contacto de cuerpos sólidos			2 Cifra: protezione dalla penetrazione di liquidi 2nd figure: protection against liquids 2º Cifra: Protección contra la penetración de líquidos. 2e chiffre (unité): protection contre l'intrusion d'eau.		
IP	TESTS		IP	TESTS	
0		Nessuna protezione No protection Aucune protection. Ninguna protección	0		Nessuna protezione No protection Aucune protection. Ninguna protección
1		Protezione contro corpi solidi di dimensioni superiori a 50 mm (dal contatto accidentale con le mani) Protected against solid bodies larger than 50 mm (eg.: accidental contact with the hand) Protégé contre les corps solides supérieurs à 50 mm Protección contra cuerpos sólidos de dimensiones superiores a 50 mm (por contacto accidental con las manos)	1		Protezione dalla caduta verticale di gocce d'acqua (condensa) Protected against vertically-falling drops of water (condensation) Protégé contre les chutes verticales de gouttes d'eau Protección de la caída vertical de gotas de agua (agua de condensación)
2		Protezione contro corpi solidi di dimensioni superiori a (dal contatto accidentale con le mani) 12,5 mm Protected against solid bodies larger than 2,5 mm (eg.: accidental contact with the hand) Protégé contre les corps solides supérieurs à 12,5 mm Protección contra cuerpos sólidos de dimensiones superiores a 12,5 mm (por contacto accidental con las manos)	2		Protezione dalla caduta di gocce d'acqua inclinazione max 15° Protected against drops of water falling at up to 15° from the vertical Protégé contre les chutes de gouttes d'eau jusqu'à 15° de la verticale Protección de la caída de gotas de agua, inclinación max 15°
3		Protezione contro corpi solidi di dimensioni superiori a 2,5 mm (utensili, cavi) Protected against solid bodies larger than 2,5 mm (tools, wires) Protégé contre les corps solides supérieurs à 2,5 mm Protección contra cuerpos sólidos de dimensiones superiores a 2,5 mm (útiles, cables)	3		Protezione dalla caduta di gocce d'acqua inclinazione max 60° Protected against drops of rainwater at up to 60° from the vertical Protégé contre l'eau en pluie jusqu'à 60° de la verticale Protección de la caída de gotas de agua, inclinación max 60°
4		Protezione contro corpi solidi di dimensioni superiori a 1 mm (piccoli utensili, cavi sottili) Protected against solid bodies larger than 1 mm (fine tools, small wires) Protégé contre les corps solides supérieurs à 1 mm Protección contra cuerpos sólidos de dimensiones superiores a 1 mm (pequeños utensilios, cables finos)	4		Protezione contro gli spruzzi d'acqua provenienti da tutte le direzioni Protected against projections of water from all directions Protégé contre les projections d'eau de toutes directions Protección contra las rociadas de agua desde de todas las direcciones
5		Protezione contro la polvere (no deposito dannoso) Protected against dust (no harmful deposit) Protégé contre les poussières et autres résidus microscopiques Protección contra los polvo (no depósito dañino)	5		Protezione contro getti d'acqua provenienti da tutte le direzioni Protected against jets of water from all directions Protégé contre les jets d'eau de toutes directions à la lance Protección contra chorros de agua desde todas las direcciones
6		Protezione completa dalla polvere Completely protected against dust Totalement protégé contre les poussières Protección completa contra los polvos.	6		Protezione contro ondate o getti d'acqua potenti Completely protected against jets of water or similar force to heavy seas. Protégé contre les forts jets d'eau de toutes directions à la lance Protección contra olas o poderosos chorros de agua.
			7		Protezione contro gli effetti dell'immersione Protected against the effects of immersion Protégé contre les effets de l'immersion temporaire (jusqu'à 1 m) et pendant 30 minutes. Protección contra los efectos de la inmersión
			8		Protezione contro gli effetti della prolungata immersione a condizioni particolari. Protected against effects of prolonged immersion under specified conditions Matériel submersible dans des conditions spécifiées en durée et en pression (immersion prolongée)4 au-delà de 1 m. Protección contra los efectos de inmersión prolongada en condiciones especiales

## LEGENDA SIMBOLI CONTENUTI NELLE TABELLE INFORMATIVE DEI PRODOTTI

Legend of symbols used in the catalogue - Légende des symboles utilisés - Símbolos de los caracteres contenido en los ficheros de los productos - Legende der verwendeten Symbole

	<b>Tecnologia della Luce</b> / Light technology / Technologie de la lumière / Tecnología de iluminación / Beleuchtungstechnologie
	<b>Lumen</b> / Lumen / Lumen / Lumen / Lumen
	<b>Portata</b> / Range / Distance d'éclairage / Alcance alumbrado / Reichweite
	<b>Autonomia</b> / Runtime / Autonomie / Autonomía / Autonomía / Autonomie
	<b>Fascio di luce</b> / Kind of beam / Type de faisceau / Tipo de haz / Tipo de haz / Ausstrahlungswinkel
	<b>Dimensioni prodotto</b> / Product dimensions / Dimensions/ Dimensiones producto/ Dimensiones producto / Abmessungen
	<b>Batteria</b> / Battery / Batterie / Batería/ Batería / Batterie
	<b>Materiale</b> / Material / Matériau / Material / Material
	<b>Accessori inclusi</b> / Accessories included / Accessoires fourni / Accesorios incluidos / Mitgeliefertes Zubehör
	<b>Grado di protezione</b> / Protection degré / Degré de protection / Estandaridad / Schutzklasse
	<b>Alimentazione</b> / Power source / Alimentation / Alimentación / Stromversorgung
	<b>Non significativo</b> / Not significant / Non significatif / No significativo / Nicht signifikant



# GRADO DI RESISTENZA MECCANICA

DEGREE OF PROTECTION AGAINST MECHANICAL WEAR & TEAR EN 62262 - GRADO DE RESISTENCIA MECÁNICA - INDICE DE RÉSISTANCE MÉCANIQUE

L'indicazione della resistenza meccanica IK è composta dalle lettere IK e il suo livello in una scala di undici gradi (da "00" a "10").

Più alto è il valore numerico del parametro IK, maggiore è la sua resistenza meccanica.

The Mechanical Protection ratings are defined by an IK rating, and IK ratings indicate how much impact energy an object can withstand. This energy is measured in joules, and the test is quite simply hitting the object with a known weight dropped from a known distance.

L'indice de résistance mécanique IK est composé des lettres IK et d'une échelle de 11 degrés (de «00» à «10»). Plus l'indice est élevé, meilleure est la résistance mécanique

La indicación de la resistencia mecánica IK es compuesta por las letras IK y su nivel en una escala de once grados (de "00" a "10"). Cuanto mayor sea el valor numérico del parámetro IK, mayor será su resistencia mecánica.

Livello IK	Test	Equivalente dell'impatto h (cm) Mechanical Protection Weight x Swing	Resistenza all'impatto Impact energy (J)
00		Nessuna protezione - No protection - Aucune résistance - Ninguna protección	0 J
01		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 56 mm Equivalent to impact of 0.25 kg mass dropped from 56 mm above impacted surface Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 56mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 56 mm.	Protetto contro l'impatto di 0,14 joules. Protected against 0,14 joules impact. Résistance à un impact de 0,14 joules Protegido contra el impacto de 0,14 joules
02		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 80 mm. Equivalent to impact of 0.25 kg mass dropped from 80 mm above impacted surface Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 80mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 80 mm.	Protetto contro l'impatto di 0,2 joules. Protected against 0,2 joules impact. Résistance à un impact de 0,2 joules Protegido contra el impacto de 0,2 joules
03		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 140 mm. Equivalent to impact of 0.25 kg mass dropped from 140 mm above impacted surface Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 140mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 140 mm	Protetto contro l'impatto di 0,35 joules. Protected against 0,35 joules impact. Résistance à un impact de 0,35 joules Protegido contra el impacto de 0,35 joules
04		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 200 mm. Equivalent to impact of 0.25 kg mass dropped from 200 mm above impacted surface Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 200mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 200 mm	Protetto contro l'impatto di 0,50 joules. Protected against 0,50 joules impact. Résistance à un impact de 0,5 joules Protegido contra el impacto de 0,50 joules
05		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 280 mm. Equivalent to impact of 0.25 kg mass dropped from 280 mm above impacted surface Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 280mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 280 mm	Protetto contro l'impatto di 0,70 joules. Protected against 0,70 joules impact. Résistance à un impact de 0,7 joules Protegido contra el impacto de 0,70 joules
06		Equivalente dell'impatto di un oggetto di 0,25 kg da un'altezza di 400 mm. Equivalent to impact of 0.25 kg mass dropped from 400 mm above impacted surface. Équivalent à l'impact d'une masse de 0,25kg tombant d'une hauteur de 400mm. Equivalente al impacto de un objeto de 0,25 kg desde una altura de 400 mm.	Protetto contro l'impatto di 1 joules. Protected against 1 joules impact. Résistance à un impact de 1 joule Protegido contra el impacto de 1 joule.
07		Equivalente dell'impatto di un oggetto di 0,5 kg da un'altezza di 400 mm. Equivalent to impact of 0.5 kg mass dropped from 400 mm above impacted surface Équivalent à l'impact d'une masse de 0,5kg tombant d'une hauteur de 400mm. Equivalente al impacto de un objeto de 0,5 kg desde una altura de 400 mm.	Protetto contro l'impatto di 2 joules. Protected against 2 joules impact. Résistance à un impact de 2 joules Protegido contra el impacto de 2 joules.
08		Equivalente dell'impatto di un oggetto di 1,7 kg da un'altezza di 300 mm. Equivalent to impact of 1,7 kg mass dropped from 300 mm above impacted surface Équivalent à l'impacto de un objeto de 1,7 kg desde una altura de 300mm. Équivalent à l'impact d'une masse de 1,7kg tombant d'une hauteur de 300mm.	Protetto contro l'impatto di 5 joules. Protected against 5 joules impact. Résistance à un impact de 5 joules Protegido contra el impacto de 5 joules.
09		Equivalente dell'impatto di un oggetto di 5 kg da un'altezza di 200 mm. Equivalent to impact of 5 kg mass dropped from 200 mm above impacted surface Équivalent à l'impact d'une masse de 5kg tombant d'une hauteur de 200mm. Equivalente al impacto de un objeto de 5 kg desde una altura de 200 mm	Protetto contro l'impatto di 10 joules. Protected against 10 joules impact. Résistance à un impact de 10 joules Protegido contra el impacto de 10 joules
10		Equivalente dell'impatto di un oggetto di 5 kg da un'altezza di 400 mm. Equivalent to impact of 5 kg mass dropped from 40 mm above impacted surface Équivalent à l'impact d'une masse de 5kg tombant d'une hauteur de 400mm. Equivalente al impacto de un objeto de 5 kg desde una altura de 400 mm	Protetto contro l'impatto di 20 joules. Protected against 20 joules impact. Résistance à un impact de 20 joules Protegido contra el impacto de 20 joules.

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
<b>20999</b>	8003910923225	White Box	1	50	0,200	29
<b>23719</b>	8003910902206	Bulk	5	50	0,440	215
<b>23720</b>	8003910006799	Bulk	20	20	0,270	215
<b>23721</b>	8003910006614	Bulk	5	50	0,246	215
<b>23722</b>	8003910900172	Bulk	20	20	0,660	215
<b>23723</b>	8003910006805	Bulk	20	20	0,500	216
<b>23724</b>	8003910006812	Bulk	20	20	0,850	216
<b>23725</b>	8003910107427	Bulk	10	20	0,614	215
<b>23726</b>	8003910001046	Bulk	10	10	1,065	216
<b>23728</b>	8003910006829	Bulk	10	10	1,850	216
<b>23729</b>	8003910108059	Bulk	10	10	-	215
<b>23731</b>	8003910104563	Bulk	4	4	3,538	217
<b>23732</b>	8003910108288	Bulk	10	10	-	217
<b>23734</b>	8003910108295	Bulk	1	1	-	217
<b>23735</b>	8003910104556	Bulk	2	2	5,000	217
<b>688249</b>	7638900882490	Bulk	1	1	-	219
<b>688251</b>	7638900882513	Bulk	1	1	-	219
<b>23717.R</b>	8003910105621	Bulk	50	500	0,520	212
<b>3R12/1BP</b>	8003910900561	Shrink	10	120	0,080	210
<b>4R25/1B</b>	8003910900615	Bulk	24	24	0,480	210
<b>6LR61/1BP</b>	8003910900059	Blister	12	144	0,047	211
<b>ADAPT-3-10A</b>	8003910904323	Bulk	25	200	0,040	181
<b>ADAPT-3-10S</b>	8003910904347	Bulk	25	200	0,006	181
<b>ADAPT-3-16A</b>	8003910904330	Bulk	25	200	0,040	181
<b>ADAPT-3-16S</b>	8003910904354	Bulk	25	200	0,058	181
<b>ADAPT-IT-10S</b>	8003910904309	Bulk	25	200	0,039	181
<b>ADAPT-IT-16S</b>	8003910904316	Bulk	25	200	0,035	181
<b>ADAT-FR-1</b>	8003910102033	Bulk	10	100	0,065	188
<b>ADAT-FR-2</b>	8003910102040	Bulk	10	100	0,060	188
<b>ADAT-FR-3</b>	8003910102057	Bulk	10	100	0,355	188
<b>B23716</b>	8003910107618	Blister	12	192	0,050	212
<b>BATT3744</b>	8003910107755	Bulk	5	50	0,092	213
<b>BATT7480</b>	8003910107762	Bulk	5	50	0,362	213
<b>BATTIR666</b>	8003910105638	Bulk	5	50	0,048	213
<b>BATTIR867</b>	8003910102552	Bulk	5	50	0,180	213
<b>BIGBOB-B</b>	8003910102798	Bulk	8	8	1,100	50
<b>BIGBOB-N</b>	8003910102804	Bulk	8	8	1,100	50
<b>BUBBLE-B</b>	8003910101845	Bulk	12	24	1,000	51
<b>BUBBLE-N</b>	8003910101852	Bulk	12	24	1,200	51
<b>CAPO1</b>	8003910104839	Plastic hanger	6	48	0,111	14
<b>CAPO2</b>	8003910104846	Plastic hanger	6	48	0,111	14
<b>CAPO3</b>	8003910104853	Plastic hanger	6	48	0,111	15
<b>CAPO4</b>	8003910106475	Plastic hanger	6	48	0,111	15
<b>CAPO5</b>	8003910106482	Plastic hanger	6	48	0,111	15
<b>CAPO6</b>	8003910106499	Plastic hanger	6	48	0,111	15
<b>CAPO7</b>	8003910106505	Plastic hanger	6	48	0,111	16
<b>CAPO8</b>	8003910107465	Plastic hanger	6	48	0,108	16

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
<b>CAP09</b>	8003910107441	Plastic hanger	6	48	0,108	16
<b>CAP10</b>	8003910107458	Plastic hanger	6	48	0,108	16
<b>CAP11</b>	8003910107472	Plastic hanger	6	48	0,108	17
<b>CAP15</b>	8003910107496	Plastic hanger	6	48	0,108	17
<b>CAP16</b>	8003910107502	Plastic hanger	6	48	0,108	17
<b>CAP17</b>	8003910107519	Plastic hanger	6	48	0,108	17
<b>CAP18</b>	8003910107526	Plastic hanger	6	48	0,108	18
<b>CAP19</b>	8003910107601	Plastic hanger	6	48	0,108	18
<b>CBT06</b>	8003910107878	Colour Box	6	24	0,074	212
<b>CCTV01</b>	8003910003996	Bulk	10	80	0,140	175
<b>CF001</b>	8003910007239	Blister	12	288	0,033	194
<b>CF002</b>	8003910007246	Blister	12	288	0,060	194
<b>CIP607</b>	8003910107861	Shrink	10	50	-	197
<b>CIP681</b>	8003910102231	Polybag	12	192	0,400	197
<b>CIP682</b>	8003910102248	Polybag	12	96	0,060	197
<b>COOLER34</b>	8003910108097	Colour Box	1	1	5,093	165
<b>CR2016</b>	8003910900851	Blister	50	1000	0,004	214
<b>CR2025</b>	8003910900868	Blister	50	1000	0,005	213
<b>CR2032</b>	8003910900875	Blister	50	1000	0,005	213
<b>CR24X</b>	8003910102835	Blister	25	100	0,060	213
<b>CRAVATTA</b>	8003910106673	Bulk	1	1	-	221
<b>D64</b>	8003910102569	Blister	12	48	0,135	145
<b>D68</b>	8003910120433	Display 12 pces	12	48	0,032	202
<b>D83</b>	8003910107342	Display 12 pces	12	48	-	207
<b>D85</b>	8003910902237	Display 12 pces	12	96	0,090	203
<b>D89</b>	8003910105256	Display 12 pces	12	96	0,046	204
<b>DL101</b>	8003910006669	Display 12 pces	12	96	0,065	200
<b>DL104</b>	8003910106888	Display 12 pces	12	96	-	200
<b>DL202</b>	8003910107335	Display 12 pces	12	96	-	201
<b>DMT600</b>	8003910923393	Blister	6	60	0,164	193
<b>DMT700</b>	8003910923386	Blister	6	60	0,207	193
<b>DOM001</b>	8003910009806	Blister	6	48	0,170	175
<b>DOMREEL-10</b>	8003910902626	Bulk	10	10	1,265	191
<b>DOMREEL-10-IT</b>	8003910107847	Bulk	10	10	-	185
<b>DOMREEL-5-IT</b>	8003910107854	Bulk	10	10	-	185
<b>ECOPOWER218</b>	8003910104433	Colour Box	12	12	0,680	40
<b>ECOPOWER236</b>	8003910104440	Colour Box	12	12	1,260	40
<b>ECOPOWER258</b>	8003910104457	Colour Box	12	12	1,445	40
<b>ER122</b>	8003910107281	Colour Box	6	24	0,416	133
<b>EXP018</b>	8003910102859	White box	1	1	12,200	221
<b>EXPOCAP2</b>	8003910107717	Bulk	1	1	1,212	18
<b>HR03/4BP</b>	8003910900714	Blister	12	144	0,052	213
<b>HR6-2600/2BP</b>	8003910900707	Blister	12	120	0,060	213
<b>IC207</b>	8003910105225	Display 12 pces	12	48	0,122	206
<b>ID72LED</b>	8003910101661	Polybag	12	72	0,200	145
<b>IF06B</b>	8003910902923	Blister	12	48	0,400	6
<b>IH510.DL</b>	8003910006065	Blister	6	48	0,300	11

# INDICE ALFABETICO PRODOTTI

Alphabetical index product

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
IH522	8003910902220	B blister	6	72	0,080	11
IH523	8003910106086	B blister	6	48	0,138	12
IH535	8003910102644	B blister	6	36	0,220	12
IL01	8003910200784	Colour Box	12	48	0,120	207
IL01E	8003910117693	Display 12 pcs	24	96	0,163	208
IL01W	8003910107946	Display 12 pcs	24	96	0,163	28
IL04	8003910100138	B blister	12	120	0,040	139
IL05LED	8003910116627	B blister	12	72	0,200	144
IL09LED	8003910901384	B blister	12	120	0,040	139
IL11EVO2	8003910105263	B blister	6	48	0,080	141
IL12	8003910120082	B blister	12	120	0,100	144
IL24WS	8003910003828	B blister	12	48	0,120	142
IL27	8003910004023	B blister	12	120	0,053	140
IL28	8003910107595	B blister	12	120	0,050	140
IL35	8003910001107	B blister	12	120	0,040	140
IL84-B	8003910105034	B blister	12	48	0,080	143
IL84-R	8003910105027	B blister	12	48	0,080	143
IM38	8003910003590	B blister	6	24	-	10
IM42	8003910902039	B blister	6	72	0,120	8
IN221	8003910107953	Display 12 pcs	12	48	-	204
IN229	8003910902817	Display 24 pcs	24	192	0,015	206
IN232	8003910902565	B blister	12	72	0,048	131
IN238	8003910007499	Display 20 pcs	20	120	0,020	203
IN239	8003910007369	Display 12 pcs	12	48	-	205
IN240	8003910310254	B blister	6	48	0,100	8
IN247	8003910904583	B blister	6	48	0,150	9
IN256	8003910102811	Display 12 pcs	12	48	0,130	206
IN281	8003910106680	Display 12 pcs	12	96	0,063	130
IN283	8003910106826	Display 20 pcs	20	240	0,036	131
IN287	8003910923300	Display 12 pcs	12	48	0,146	130
IN292	8003910100091	Display 12 pcs	12	72	0,050	155
IN294	8003910100114	Display 12 pcs	12	72	0,052	155
IN322	8003910108370	Display 12 pcs	12	48	-	201
IP05	8003910923195	B blister	6	24	0,166	146
IP06	8003910923201	B blister	6	24	0,260	146
IR04	8003910004054	B blister	6	84	0,055	138
IR160EVO	8003910100336	Colour Box	6	6	0,670	134
IR162	8003910106031	Colour Box	6	24	0,480	137
IR163	8003910106048	Colour Box	6	24	0,680	137
IR170EVO	8003910102583	Colour Box	6	24	0,500	135
IR236	8003910108387	B blister	6	48	-	132
IR312	8003910106024	Colour Box	6	24	0,625	136
IR439	8003910106642	B blister	6	48	0,216	20
IR471	8003910104860	B blister	6	48	0,180	19
IR547	8003910104419	Colour Box	6	24	0,374	9
IR551LED	8003910009110	Colour Box	6	24	0,495	24
IR554LED	8003910003576	Colour Box	6	24	0,524	24

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
IR558	8003910100299	Colour Box	6	24	0,512	25
IR561	8003910107731	Colour Box	6	12	-	25
IR666-10W	8003910003897	Colour Box	6	18	1,000	29
IR666-5W	8003910003880	Colour Box	6	18	0,950	28
IR666-DRY	8003910003873	Bulk	6	18	0,700	23
IR827	8003910105560	Colour Box	4	24	0,623	31
IR867	8003910100244	Colour Box	4	4	1,700	31
IR882	8003910107304	Colour Box	6	18	0,930	30
IRUB1LED	8003910115019	B blister	12	72	0,150	7
IRUB20LED	8003910118034	Bulk	6	24	0,480	23
IRUB2LED	8003910115026	B blister	12	48	0,500	7
IRUB3LED	8003910115033	B blister	12	48	0,600	7
IS314	8003910101944	B blister	6	48	0,060	6
IS342	8003910107410	Colour Box	4	4	1,060	93
IS352	8003910902701	Colour Box	6	6	0,485	92
IS400	8003910314009	Colour Box	6	6	1,800	32
IS404	8003910007383	B blister	6	48	0,220	19
IS419	8003910108363	B blister	6	48	-	10
IS463	8003910105232	Display 12 pcs	12	72	0,084	201
IS475	8003910004061	B blister	6	24	0,520	20
IS525	8003910902190	Polybag	12	24	0,800	22
IS529	8003910902718	Polybag	12	24	1,100	22
IS540	8003910923188	Polybag	12	24	0,420	21
IS575	8003910003651	B blister	6	24	0,460	21
IS590	8003910105669	B blister	6	24	0,737	30
IS701	8003910107779	Colour Box	6	12	0,727	57
IS702	8003910107786	Colour Box	6	12	0,789	58
IS703	8003910107793	Colour Box	6	12	0,824	59
IS720	8003910105577	Shrink	6	18	0,680	60
IS724	8003910105584	Shrink	6	18	0,798	60
IS726	8003910107359	Colour Box	6	24	-	62
IS728	8003910108226	Colour Box	4	12	-	61
IS730	8003910108219	Colour Box	4	12	-	63
IS740-5-4000K	8003910106918	Colour Box	10	40	0,225	64
IS740-5-6500K	8003910106987	Colour Box	10	40	0,225	66
IS743-5-4000K	8003910106956	Colour Box	6	30	0,305	65
IS743-5-6500K	8003910107021	Colour Box	6	30	0,305	67
IS744	8003910105119	Colour Box	6	24	0,566	69
IS745-5-4000K	8003910106925	Colour Box	10	40	0,300	64
IS745-5-6500K	8003910106994	Colour Box	10	40	0,300	66
IS746-50W	8003910107298	Colour Box	2	2	4,150	38
IS747-3	8003910105317	Colour Box	4	4	4,100	37
IS748-5-4000K	8003910106963	Colour Box	6	24	0,398	65
IS748-5-6500K	8003910107038	Colour Box	6	24	0,398	67
IS749-2	8003910904446	Colour Box	4	4	3,370	36
IS750-3	8003910105010	Colour Box	8	8	1,056	33
IS755-5-4000K	8003910106932	Colour Box	8	32	0,454	64

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
IS755-5-6500K	8003910107007	Colour Box	8	32	0,448	66
IS760-5-4000K	8003910106949	Colour Box	8	16	0,939	64
IS760-5-6500K	8003910107014	Colour Box	8	16	0,918	66
IS766	8003910106635	Colour Box	4	4	2,350	35
IS768-5-4000K	8003910106970	Colour Box	4	16	1,024	65
IS768-5-6500K	8003910107045	Colour Box	4	16	1,024	67
IS781	8003910104570	Colour Box	4	4	2,790	68
IS783	8003910104587	Colour Box	2	2	3,860	68
IS786	8003910104594	Colour Box	2	2	4,960	68
LAN5EF-305	8003910108431	Pull Box	2	2	-	198
LAN5EU-100	8003910108400	Shrink	8	8	-	198
LAN5EU-305	8003910108394	Pull Box	2	2	-	198
LAN6F-305	8003910108448	Pull Box	2	2	-	199
LAN6U-100	8003910108424	Shrink	8	8	-	199
LAN6U-305	8003910108417	Pull Box	2	2	-	199
LANC5F-100	8003910108462	Polybag	25	25	-	198
LANC5U-100	8003910108455	Polybag	25	25	-	198
LANC6F-100	8003910108486	Polybag	25	25	-	199
LANC6U-100	8003910108479	Polybag	25	25	-	199
LC350	8003910102200	Shrink	6	24	0,140	10
LE004LED	8003910350076	Colour Box	4	4	1,485	126
LE008	8003910107809	Colour Box	6	24	0,430	127
LE035	8003910107816	Colour Box	6	48	0,320	128
LE037	8003910107823	Colour Box	6	48	0,160	129
LHGU10	8003910902893	Bulk	50	1000	0,020	197
LR03/12PACK	8003910900097	Shrink	6	96	-	212
LR03/4BP	8003910900011	Blister 4 pces	12	144	0,045	211
LR03/8BP	8003910105348	Blister 8 pces	10	120	0,100	211
LR14/2BP	8003910900035	Blister 2 pces	12	72	0,160	211
LR20/2BP	8003910900042	Blister 2 pces	10	60	0,280	211
LR23A	8003910900066	Blister 1 pce	12	144	0,050	211
LR6/12PACK	8003910900080	Shrink	6	48	0,280	212
LR6/4BP	8003910900028	Blister 4 pces	12	144	0,100	211
LR6/8BP	8003910105355	Blister 8 pces	10	60	0,185	211
LT011	8003910923171	Blister	6	48	0,094	141
LT018	8003910105218	Blister	6	48	0,104	142
MG101	8003910101173	Polybag	10	500	0,031	195
MG102	8003910101180	Polybag	10	350	0,045	195
MG103	8003910101197	Polybag	10	300	0,055	195
MG111	8003910101210	Polybag	10	200	0,900	195
MG112	8003910101227	Polybag	10	160	0,142	195
MG113	8003910101272	Polybag	10	200	0,080	195
MG120	8003910101234	Polybag	10	140	0,120	195
MG121	8003910101241	Polybag	10	100	0,200	195
MG122	8003910101258	Polybag	10	90	0,240	195
MG130	8003910101265	Polybag	5	50	0,200	195
MG140	8003910101289	Polybag	5	200	0,010	195

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
MG199	8003910101319	Polybag	5	200	0,105	195
MG201	8003910101074	Polybag	10	500	0,035	196
MG202	8003910101081	Polybag	10	350	0,044	196
MG203	8003910101098	Polybag	10	300	0,057	196
MG211	8003910101111	Polybag	10	200	0,080	196
MG212	8003910101128	Polybag	10	160	0,013	196
MG220	8003910101135	Polybag	10	140	0,130	196
MG221	8003910101142	Polybag	10	100	0,200	196
MG222	8003910101159	Polybag	10	90	0,232	196
MG230	8003910101166	Polybag	5	50	0,380	196
MG303	8003910101708	Shrink	100	1000	0,015	194
MG306	8003910101715	Shrink	100	1000	0,020	194
MG310	8003910101722	Shrink	100	800	0,035	194
MG330	8003910101739	Shrink	100	400	0,070	194
MG360	8003910101364	Shrink	100	200	0,095	194
MINICOOL	8003910106864	Colour Box	4	32	0,600	164
MINICOOL-PAD	8003910107120	Polybag	12	50	0,028	164
MK040	8003910107137	Colour Box	6	60	0,164	167
MK040H	8003910107144	Colour Box	6	60	0,164	167
MK170	8003910107151	Colour Box	6	24	0,573	169
MK174E	8003910108080	Colour Box	6	6	-	170
MK180	8003910107977	Colour Box	6	6	-	168
MK312	8003910107960	Colour Box	6	6	-	171
MK320	8003910107168	Colour Box	6	6	1,812	172
MK340	8003910107175	Colour Box	4	4	2,756	173
MS002	8003910006348	Blister	6	36	0,181	176
MS004	8003910008892	Blister	6	36	0,140	175
MS005	8003910104488	Blister	6	36	0,180	176
MS007	8003910104426	Blister	6	36	0,140	177
MS012	8003910902985	Blister	6	36	0,160	177
MULTIP-FR-3	8003910101982	Plastic hanger	10	50	0,208	189
MULTIP-FR-4	8003910003439	Plastic hanger	10	50	0,240	189
MULTIP-FR-5	8003910003446	Plastic hanger	10	40	0,254	189
MULTIP-FR-I-3	8003910101999	Plastic hanger	10	50	0,220	189
MULTIP-FR-I-4	8003910003453	Plastic hanger	10	50	0,247	189
MULTIP-FR-I-5	8003910003460	Plastic hanger	10	40	0,260	189
MULTIP-FR-USB3	8003910108325	Plastic hanger	5	40	-	190
MULTIP-FR-USB5	8003910108332	Plastic hanger	5	40	-	190
MULTIT-I-102	8003910923003	Plastic hanger	5	30	0,224	182
MULTIT-I-S24	8003910923034	Plastic hanger	5	25	0,282	182
MULTIT-I-S30	8003910904019	Plastic hanger	5	25	0,280	182
MULTIT-I-S30K	8003910108165	Plastic hanger	5	25	-	182
MULTIT-I-S36	8003910923041	Plastic hanger	5	25	0,341	182
MULTIT-I-S36K	8003910108530	Plastic hanger	5	25	-	182
MULTIT-I-S40	8003910904026	Plastic hanger	5	25	0,320	183
MULTIT-I-S40K	8003910108172	Plastic hanger	5	25	-	183
MULTIT-I-S50	8003910904033	Plastic hanger	5	25	0,337	183

# INDICE ALFABETICO PRODOTTI

Alphabetical index product

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
MULTI-I-550K	8003910108189	Plastic hanger	5	25	-	183
MULTI-I-560	8003910904040	Plastic hanger	5	25	0,374	183
MULTI-I-560K	8003910108196	Plastic hanger	5	25	-	183
NCR2016X2	7638900248340	Blister	10	140	0,007	219
NCR2025X2	7638900248333	Blister	10	140	0,008	219
NCR2032X2	7638900248357	Blister	10	140	0,009	219
NEPF118	8003910101548	Colour Box	12	12	0,450	44
NEPF136	8003910101562	Colour Box	12	12	0,730	44
NEPF158	8003910101586	Colour Box	12	12	0,900	44
NEPF218	8003910101555	Colour Box	8	8	0,620	44
NEPF236	8003910101579	Colour Box	8	8	1,000	44
NEPF258	8003910101593	Colour Box	8	8	1,210	44
NLR03X4	7638900247893	Blister	12	12	0,055	218
NLR03X5	7638900414981	Blister	24	24	0,063	218
NLR14	7638900297324	Blister	12	12	0,148	218
NLR20	7638900297331	Blister	6	12	0,288	218
NLR44X2	7638900083071	Blister	10	100	0,010	219
NLR61	7638900297409	Blister	12	12	0,055	218
NLR6X4	7638900246599	Blister	24	24	0,095	218
NLR6X5	7638900414974	Blister	24	24	0,115	218
PALBOX4M	8003910102842	White box	1	1	-	221
PALPEBRA-B	8003910902879	Shrink	12	48	0,260	53
PALPEBRA-N	8003910902862	Shrink	12	48	0,323	53
PANLED05-3000K	8003910107373	White Box	5	5	2,040	104
PANLED05-4000K	8003910107366	White Box	5	5	2,040	104
PANUGR-4000K	8003910107380	White Box	5	5	2,250	105
PENLED05	8003910902374	Blister	12	96	0,040	6
PI20136	8003910100602	Shrink	12	12	0,700	103
PI20158	8003910100626	Shrink	12	12	0,875	103
PI20258	8003910100633	Shrink	8	8	0,885	103
PLUG-IT-10A	8003910904248	Bulk	25	500	0,018	180
PLUG-IT-10AK	8003910904262	Bulk	25	500	0,022	180
PLUG-IT-10F	8003910904286	Bulk	25	500	0,030	180
PLUG-IT-16A	8003910904255	Bulk	25	500	0,030	180
PLUG-IT-16AK	8003910904279	Bulk	25	500	0,028	180
PLUG-IT-16F	8003910904293	Bulk	25	500	0,036	180
PRO10-2	8003910106123	Colour Box	8	8	1,100	148
PRO12-2	8003910106130	Colour Box	6	6	1,500	149
PRO14	8003910105683	Colour Box	6	30	0,540	150
PR152	8003910107625	Colour Box	10	10	0,887	152
PR162	8003910107632	Colour Box	1	1	2,330	153
PR170	8003910107649	Colour Box	10	10	0,906	151
PR206T	8003910107656	Colour Box	1	1	3,026	154
PRO10A-FR-2	8003910102002	Plastic hanger	10	80	0,140	191
PRO10A-FR-5	8003910102019	Plastic hanger	10	50	0,244	191
PRO16A-FR-10	8003910003507	Plastic hanger	5	10	1,160	190
PRO16A-FR-3	8003910003484	Plastic hanger	5	20	0,420	190

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
PRO16A-FR-5	8003910003491	Plastic hanger	5	20	0,620	190
PRO715-10F	8003910101494	Plastic hanger	6	6	1,000	191
PROHD16A-FR-20	8003910904217	Plastic hanger	6	6	2,050	187
PROLIT10A-3	8003910923058	Plastic hanger	5	30	0,270	184
PROLIT10A-3K	8003910108127	Plastic hanger	5	30	-	184
PROLIT10A-5	8003910923065	Plastic hanger	5	30	0,420	184
PROLIT10A-5K	8003910108141	Plastic hanger	5	30	-	184
PROLIT16A-3	8003910923072	Plastic hanger	5	30	0,340	185
PROLIT16A-3K	8003910108134	Plastic hanger	5	30	-	185
PROLIT16A-5	8003910923089	Plastic hanger	5	30	0,500	185
PROLIT16A-5K	8003910108158	Plastic hanger	5	30	-	185
PROLITS-5	8003910923096	Plastic hanger	5	20	0,650	184
PS048	8003910107830	Colour Box	4	16	-	72
PS066	8003910107052	Colour Box	4	8	1,210	70
PS067	8003910107069	Colour Box	4	8	1,210	71
PS068	8003910107076	Colour Box	4	8	1,287	73
PS100B	8003910107083	White box	6	6	1,329	75
PS100G	8003910107670	White box	6	6	1,329	76
PS100W	8003910107106	White box	6	6	1,300	74
PS200B	8003910107090	White box	6	6	2,450	75
PS200G	8003910107687	White box	6	6	2,460	76
PS200W	8003910107113	White box	6	6	2,460	74
PT310	8003910102293	White Box	5	5	0,690	109
PT313	8003910102361	White Box	5	5	0,670	110
PT330	8003910100411	White Box	10	10	1,170	109
PT331	8003910100459	White Box	10	10	1,255	112
PT333	8003910102330	White Box	10	10	1,135	110
PT340	8003910100428	White Box	5	5	2,095	109
PT341	8003910100466	White Box	5	5	2,050	112
PT342	8003910100503	White Box	5	5	2,320	110
PT343	8003910102347	White Box	5	5	1,935	113
PT363	8003910105041	White Box	5	5	1,324	111
PT373	8003910102378	White Box	5	5	2,250	111
PTLED20W	8003910104921	Colour Box	5	10	0,580	106
PTLED32W	8003910104938	Colour Box	5	10	1,250	107
PTLEDIK-E27	8003910100763	Colour Box	12	12	0,715	49
R03/4BP	8003910900516	Blister 4 pces	12	144	0,040	210
R14/2BP	8003910900530	Blister 2 pces	12	72	0,150	210
R20/2BP	8003910900547	Blister 2 pces	10	60	0,180	210
R6/4BP	8003910900523	Blister 4 pces	12	144	0,130	210
R720	8003910904644	Blister	6	48	0,143	138
R720H	8003910101692	Blister	6	48	0,139	138
REEL-22G	8003910108301	Brown Box	1	1	-	187
REEL-42G	8003910108318	Brown Box	1	1	-	187
REEL-FR-15	8,00391E+12	Bulk	4	4	2,440	192
REEL-FR-25	8003910003392	Bulk	1	1	3,800	192
REEL-FR-40	8003910003408	Bulk	1	1	5,580	192

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
REEL-IT-15	8003910102170	Brown Box	4	4	2,440	186
REEL-IT-25	8003910102187	Brown Box	4	4	3,795	186
REEL-IT-50	8003910102194	Brown Box	2	2	6,700	186
REPEL01	8003910002401	Blister	6	48	0,050	166
REPEL02	8003910107199	Polybag	12	36	0,206	166
RS10-10W	8003910923133	Colour Box	10	30	0,506	102
RS14-14W	8003910923140	Colour Box	10	30	0,580	102
RS4-4W	8003910923119	Colour Box	10	30	0,240	102
RS8-8W	8003910923126	Colour Box	10	30	0,500	102
SH001	8003910006409	Blister	6	48	0,250	179
SH001H.FR	8003910006898	Blister	6	48	0,350	188
SH005	8003910923348	Blister	6	48	0,183	179
SH110	8003910100350	Blister	6	72	0,200	178
SH115	8003910100367	Blister	6	48	0,137	178
SL2044	8003910106802	Colour Box	2	2	1,335	89
SL210	8003910904620	Blister	6	24	0,175	94
SL235	8003910101609	Colour Box	6	12	0,400	94
SL238	8003910108233	Colour Box	6	24	-	95
SL320	8003910101647	Colour Box	6	12	0,996	96
SL330	8003910106703	Colour Box	6	6	0,752	97
SL340	8003910106710	Colour Box	6	6	1,058	97
SL3432	8003910106819	Colour Box	1	1	5,817	90
SL344	8003910108240	Colour Box	4	4	-	98
SL420	8003910101630	Colour Box	6	6	0,865	96
SL528	8003910105058	Colour Box	4	4	0,560	87
SL532	8003910106789	Colour Box	2	2	1,072	87
SL561	8003910106796	Colour Box	2	2	1,146	88
SPH105	8003910106383	Bulk	12	12	0,610	84
SPH110	8003910106390	Bulk	12	12	1,007	84
SPH115	8003910106406	Bulk	4	4	1,810	84
SPH120	8003910106413	Bulk	4	4	2,410	84
SPH140	8003910106352	Bulk	10	50	0,110	84
SPH142	8003910106369	Bulk	10	50	0,160	84
SPH150	8003910106376	Bulk	10	50	0,160	84
SPH152	8003910106468	Bulk	10	50	0,190	84
SPH162	8003910106437	Bulk	6	36	0,240	84
SPH167	8003910107908	Polybag	6	24	0,425	114
SPH182	8003910108349	Bulk	1	1	-	84
SPH183	8003910108356	Bulk	1	1	-	84
SPH200	8003910106260	Polybag	8	8	0,310	78
SPH202P	8003910106444	Polybag	6	6	0,395	86
SPH205	8003910106277	Polybag	8	8	0,360	78
SPH206P	8003910106451	Polybag	6	6	0,410	86
SPH208	8003910106284	Polybag	8	8	0,360	78
SPH209P	8003910107748	Polybag	6	6	0,399	
SPH250	8003910106291	Polybag	6	6	0,442	79
SPH251-K	8003910107939	Polybag	6	6	0,442	115

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
SPH251-U	8003910107915	Polybag	6	6	0,442	115
SPH251-Y	8003910107922	Polybag	6	6	0,442	115
SPH253	8003910107205	Polybag	6	6	-	79
SPH254	8003910107885	Polybag	6	6	0,442	79
SPH255	8003910106307	Polybag	6	6	0,470	79
SPH258	8003910106314	Polybag	6	6	0,460	79
SPH259	8003910107267	Polybag	4	12	0,666	82
SPH300	8003910106321	Polybag	4	4	0,610	81
SPH304	8003910107892	Polybag	4	4	0,610	81
SPH305	8003910106338	Polybag	4	4	0,675	81
SPH307	8003910107229	Polybag	4	8	0,636	80
SPH308	8003910106345	Polybag	4	4	0,610	81
SPH400	8003910107236	Polybag	2	2	1,300	83
SPH405	8003910107250	Polybag	2	2	1,326	83
SPH408	8003910107243	Polybag	2	2	1,335	83
SPK02	8003910001060	Display 20 pces	20	40	0,071	99
SPK03	8003910001077	Display 20 pces	20	40	0,350	99
SPK05	8003910904514	Display 24 pces	24	48	0,116	99
SPK08	8003910101913	Display 12 pces	12	12	0,066	100
SPK10	8003910902060	Display 20 pces	20	40	0,300	100
STARLED218	8003910101883	Colour Box	15	15	0,415	41
STARLED236	8003910101890	Colour Box	15	15	0,710	41
STARLED258	8003910101906	Colour Box	15	15	0,845	41
STARRY	8003910106536	Colour Box	2	6	1,632	108
START22	8003910100275	Bulk	50	2000	0,020	197
START65	8003910100282	Bulk	50	2000	0,010	197
TARTARUGA-B	8003910003811	Shrink	12	48	0,300	52
TARTARUGA-N	8003910003668	Shrink	12	48	0,300	52
TARTARUGA-XL2	8003910102637	Colour Box	6	24	0,440	54
TARTARUGA-XXL2	8003910102866	Colour Box	6	24	0,500	55
TBLED18W-4000K	8003910100657	White Box	25	25	0,312	45
TBLED18W-6500K	8003910100688	White Box	25	25	0,312	45
TBLED22W-4000K	8003910100664	White Box	25	25	0,391	45
TBLED22W-6500K	8003910100695	White Box	25	25	0,391	45
TBLED9W-4000K	8003910100640	White Box	25	25	0,161	45
TBLED9W-6500K	8003910100671	White Box	25	25	0,161	45
THERM02	8003910902947	Blister	12	72	0,100	174
THERM03	8003910923355	Blister	12	72	0,060	174
TL1010-B	8003910105270	Shrink	6	6	0,384	122
TL1011	8003910107564	Shrink	6	6	0,284	122
TL1012	8003910107571	Shrink	6	6	0,287	122
TL1201-B	8003910100046	Colour Box	12	12	0,850	123
TL1201-N	8003910100053	Colour Box	12	12	0,850	123
TL1201-S	8003910104501	Colour Box	12	12	0,850	123
TL1201-U	8003910104495	Colour Box	12	12	0,850	123
TL1203-B	8003910100060	Colour Box	12	12	0,505	124
TL1203-N	8003910100077	Colour Box	12	12	0,505	124





## INDICE ALFABETICO PRODOTTI

Alphabetical index product

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
TL1207-N	8003910100084	Colour Box	6	6	1,350	125
TL1401-B	8003910100589	Colour Box	6	24	0,298	121
TL1401-N	8003910100596	Colour Box	6	24	0,298	121
TL1602-B	8003910108066	Colour Box	6	6	0,720	117
TL1602-N	8003910108073	Colour Box	6	6	0,720	117
TL1606B	8003910923256	Colour Box	4	24	1,500	118
TL1606N	8003910923263	Colour Box	4	24	0,920	118
TL1609-B	8003910104549	Colour Box	2	12	4,000	119
TL1614	8003910106581	Colour Box	4	24	0,500	120
TL1810	8003910104891	Colour Box	4	8	0,900	116
TL3430	8003910105089	Colour Box	1	1	7,000	91
TNE118	8003910105492	Colour Box	12	12	0,671	42
TNE136	8003910105515	Colour Box	12	12	1,116	42
TNE158	8003910105539	Colour Box	12	12	1,406	42
TNE218	8003910105508	Colour Box	8	8	1,047	43
TNE236	8003910105522	Colour Box	8	8	1,760	43
TNE258	8003910105546	Colour Box	8	8	2,250	43
TRIPLITE	8003910101975	Bulk	10	60	0,100	187
TRIPOD	8003910006324	Colour Box	6	6	1,745	37

Codice articolo	EAN	Imballo	Inner	Master	Peso Kg	Pag.
TURTLE-B	8003910101821	Bulk	12	24	0,480	56
TURTLE-N	8003910101838	Bulk	12	24	0,480	65
UBLO2	8003910102620	Colour Box	6	48	0,340	46
UBLO-XIR	8003910106154	Colour Box	6	24	0,400	47
UBLO-XXL2	8003910104464	Colour Box	6	24	0,520	48
UNIEXPO	8003910108547	Bulk		20		221
VENT-BOX3	8003910104662	Colour Box	1	1	2,100	161
VENT-CEL32	8003910104709	Colour Box	1	1	6,100	163
VENT-CEL33	8003910104716	Colour Box	1	1	4,900	163
VENT-COLT4	8003910108011	Colour Box	1	1	-	162
VENT-M30T3	8003910104648	Colour Box	1	1	3,293	159
VENT-M40C3	8003910104655	Colour Box	1	1	6,700	159
VENT-P23T3	8003910104600	Colour Box	6	6	1,500	156
VENT-P30T3	8003910104617	Colour Box	1	1	1,966	156
VENT-P40C3	8003910104631	Colour Box	1	1	2,840	157
VENT-P40RC	8003910106857	Colour Box	2	2	4,947	158
VENT-P40T4	8003910108004	Colour Box	1	1	-	157
VENT-TURB4	8003910108028	Colour Box	1	1	-	160
VENT-USB	8003910106871	Colour Box	6	30	0,295	155


## LEGENDA FORMATI BLISTER

Tipo di imballo	INNER	MASTER
 / 	 pcs	 pcs
Blister F2	12	144

Per ogni prodotto imballato in blister Velamp fa riferimento a 9 standard dimensionali che trovate illustrati qui sotto.

Tutti i nostri blister sono OMOTETICI per consentire:

- risparmio di spazio
- miglior efficienza commerciale



<b>F1</b>	10(L) x 20 (H) cm
<b>F1bis</b>	10(L) x 13,5 (H) cm
<b>F2</b>	10(L) x 20 (H) cm
<b>F3</b>	20,5 (L) x 20 (H) cm
<b>F4</b>	15,25 (L) x 20 (H) cm
<b>F5</b>	15,25 (L) x 31,75 (H) cm
<b>F6</b>	10 (L) x 31,75 (H) cm
<b>F7</b>	31 (L) x 31,75 (H) cm
<b>F8</b>	15,25 (L) x 43,5 (H) cm



Edizione 01/2021

VELAMP INDUSTRIES SRL - Viale Italia 59 - 20094 Corsico (MI) Italy  
Tel. +39 02.45.10.08.07 - Fax +39 02.44.01.627 - info@velamp.com - www.velamp.com

Velamp Industries France SARL SIRET : 7888 10869 00016 APE : 4791B - 6, Rue Edouard Nignon BP 37201 -  
44372 Nantes CEDEX 3

Tel. +33 2 44 84 69 66 - Fax +33 2 44 84 69 49 - spadulazzi@velamp.com

Velamp Industries Deutschland GmbH -Westerbachstrasse 23f, 61476 Kronberg  
Tel. +49 171 83 17 407 - c.bajjal@velamp.com

CATGEN2021



8 003910 108561 >